

pounds (£2,000) at a rate of interest not exceeding four per centum (4%) per annum, subject to the following terms and conditions, that is to say :—

- (a) the sum borrowed shall be repayable by the Board to the Lender in fifteen equal annual instalments (comprising sinking fund and interest);
- (b) the sum borrowed shall be utilized by the Board for the erection of a public market, office, public latrines and a slaughter-house and for the asphaltting of the principal streets within the village.

2. For the purpose of securing the repayment of the sum under the loan, the Board shall, subject to any prior mortgage thereon, mortgage to the Lender all the rates, fees, rents, tolls or charges now payable or hereafter to become payable to the Board.

Made this 14th day of May, 1953.

(M.P. 1174/52.)

---

**No. 259. THE WATER (DOMESTIC PURPOSES) VILLAGE SUPPLIES LAW.**

CAP. 311 AND LAWS 28 OF 1951 AND 12 OF 1952.

**NOTICE UNDER SECTION 3.**

In exercise of the powers vested in me by section 3 of the Water (Domestic Purposes) Village Supplies Law, I, the Commissioner of Nicosia and Kyrenia Districts, do hereby declare that the village of Potamia, in the District of Nicosia, shall be a village to which the provisions of the said Law shall apply.

Dated this 7th day of May, 1953.

W. F. M. CLEMENS,

(M.P. 1283/53.)

*Commissioner of Nicosia and Kyrenia.*

---

**No. 260.**

**THE AGRICULTURAL PRODUCE EXPORT REGULATIONS, 1953.**

**DIRECTIONS UNDER REGULATION 14 (b).**

In exercise of the powers vested in me by Regulation 14 (b) of the Agricultural Produce Export Regulations, 1953, I, the Director of Agriculture, do hereby direct as follows :—

1.—(1) Potatoes graded as “ New Potatoes ” (known as scrapers) which are intended for export to any destination must be packed in the following manner :—

(a) In cases with moist peat moss, or

(b) In paper-lined new baskets, the contents of which must not exceed 20 okes (56 lb.) net.

(2) The baskets must be of a standard shape and size and constructed in such a way so that four strengthening wires projecting at the top are incorporated. The baskets should have the following dimensions :—

Internal height 16 inches.

Internal diameter at top 15 inches.

Internal diameter at bottom 10 inches.