

No. 839. THE DANGEROUS DRUGS LAW, 1956.

DECLARATION UNDER SECTION 12 (4).

Whereas by sub-section (4) of section 12 of the Dangerous Drugs Law, 20 of 1956, 1956 (hereinafter referred to as "the Law") it is provided that if the Governor-in-Council thinks fit to declare that a finding with respect to a preparation containing any of the drugs to which Part III of the Law applies has, in pursuance of Article 8 of the Geneva Convention (No. 1), been communicated by the Economic and Social Council of the United Nations to the parties to the said Convention, the provisions of the said Part III of the Law shall, as from such date as may be specified in the Declaration, cease to apply to the preparations specified therein :

Now, therefore, in exercise of the powers vested in him by sub-section (4) of section 12 of the Law, His Excellency the Governor, with the advice of the Executive Council, has been pleased to declare that a finding with respect to the preparations specified in the Schedule hereto has, in pursuance of Article 8 of the Geneva Convention (No. 1), been communicated by the Economic and Social Council of the United Nations to the parties to the said Convention, and that the provisions of Part III of the Law shall cease to apply to the said preparations as from the 16th day of September, 1957.

SCHEDULE.

(a) MORPHINE PREPARATIONS.

		In 1 bougie
1. <i>Cereoli iodoformi et morphinæ</i>	Iodoform	0.320 gramme
	Morphine hydrochloride	0.016 "
	Oil of theobroma, sufficient to fill a 1-gramme mould.	
2. <i>Emplastrum opii.</i>	Elemi	20 grammes
	<i>Terebinthina</i>	30 "
	<i>Cera flava</i>	15 "
	<i>Olibanum pulvis</i>	18 "
	<i>Benzoës pulvis</i>	10 "
	<i>Opii pulvis</i>	5 "
	<i>Balsamum peruvianum</i>	2 "
3. <i>Emplastrum opii.</i>	Extract of opium	25 grammes
	Refined elemi	25 "
	Diachylon plaster with gum	50 "
4. <i>Emplastrum opii.</i>	Elemi	8 grammes
	<i>Terebinthinae communis</i>	15 "
	<i>Ceræ flavæ</i>	5 "
	<i>Olibani pulveratæ</i>	8 "
	<i>Benzoës pulveratæ</i>	4 "
	<i>Opii pulverati</i>	2 "
	<i>Balsami peruviani</i>	1 gramme
5. <i>Emplastrum opii.</i>	Opium, in very fine powder	10 grammes
	Resin plaster	90 "
6. <i>Emplastrum opii</i> (see formula under 5) mixed with other plasters contained in the <i>British Pharmacopœia</i> or <i>British Pharmaceutical Codex.</i>		
7. <i>Linimentum opii.</i>	Tincture of opium	500 millilitres
	Liniment of soap	500 "
8. <i>Linimentum opii</i> (see formula under 7) mixed with any other liniment of the <i>British Pharmacopœia</i> or of the <i>British Pharmaceutical Codex.</i>		

9. <i>Linimentum opii ammoniatum.</i>	Ammoniated liniment of camphor 30 Tincture of opium .. 30 Liniment of belladonna 5 Strong solution of am- monia 5 Liniment of soap to 100
10. <i>Linimentum opii ammoniatum</i> (see formula under 9) mixed with any other <i>British Pharmacopœia</i> or <i>British Pharmaceutical Codex</i> liniment.	
11. <i>Caustic "Nerve Pastes"</i> .	Preparations containing, in addition to morphine salts, or morphine and cocaine salts, at least 25 per cent. of arsenious acid, and made up with the requisite proportion of creosote or phenol to produce the consistency of a paste.
12. <i>Diarrhœa Pills.</i>	Camphor 0.0648 gramme Lead acetate 0.013 " Bismuth subnitrate .. 0.162 " Tannic acid 0.0648 " Opium powder 0.026 " 13. <i>Pilulæ digitalis et Opii compositæ.</i> Digitalis leaves, in powder 0.31 gramme Opium in powder .. 0.19 " Ipecacuanha root, in powder 0.13 " Quinine sulphate .. 0.78 " Syrup of glucose, a sufficient quantity to make 12 pills.
14. <i>Pilulæ hydrargyri cum Opio.</i>	Mercury pill 3.89 grammes Opium, in powder .. 0.19 gramme To make 12 pills.
15. <i>Pilulæ hydrargyri cum Creta et Opii.</i>	Mercury with chalk .. 0.78 gramme Compound powder of ipecacuanha *.. .. 0.78 " Milk sugar, a sufficient quantity. Syrup of glucose, a sufficient quantity. To make 12 pills.
16. <i>Pilulæ ipecacuanhæ cum Scilla.</i>	Compound powder of ipecacuanha * .. 30 grammes Squill, in powder .. 10 " Ammoniacum, in powder 10 " Syrup of glucose, a sufficient quantity.
17. <i>Pilulæ hydrargyri bichlorati cum Opii extracto.</i>	Bichloride of mercury triturated 10 centigrammes Extract of opium .. 20 " Extract of couch-grass .. 20 " Liquorice root in powder, <i>q.s.</i> for 10 pills.
18. <i>Pilulæ hydrargyri iodati cum Opii pulvere.</i>	Hydrargyrum iodatum freshly prepared .. 50 centigrammes Opium powder 20 " Powdered liquorice .. 30 " White honey, <i>q.s.</i> for 10 pills.

* The formula of this powder is given under 21, *Pulvis ipecacuanhoe compositus*.

19. <i>Pilula plumbi, cum Opio.</i>	Lead acetate, in powder ..	80 grammes
	Opium, in powder ..	12 "
	Syrup of glucose ..	8 "
	(or a sufficient quantity)	
20. <i>Pilula terebinthinae compositae</i>	Opium	0.5 gramme
	Chinini sulfas	2 grammes
	<i>Styrax liquidus</i>	2 "
	<i>Terebinthina laricina</i> ..	8 "
	<i>Magnesii subcarbonas</i> , a sufficient quantity to make 100 pills.	
21. <i>Pulvis ipecacuanhae compositus</i> Syn.: <i>Pulvis ipecacuanhae et opii</i> (Dover's powder).	Ipecacuanha root, in powder	10 grammes
	Opium, in powder ..	10 "
	Potassium sulphate in powder	80 "
22. Mixtures of <i>Dover's powder</i> (see formula under 21) with mercury and chalk, aspirin, phenacetin, quinine and its salts, and sodium bicarbonate.		
23. <i>Pulvis kino compositus.</i>	Kino, in powder ..	75 grammes
	Opium, in powder ..	5 "
	Cinnamon bark, in powder	20 "
24. <i>Suppositoria plumbi composita.</i> Syn.: <i>Suppositoria plumbi cum opio.</i>	Lead acetate, in powder	2.4 grammes
	Opium, in powder ..	0.8 gramme
	Oil of theobroma, a sufficient quantity for 12 suppositories, each weighing about 1 gramme.	
25. <i>Coryza Tablets No. 2.</i>	Powdered opium ..	0.0043 gramme
	Quinine sulph.	0.022 "
	Ammon. chlor.	0.022 "
	Camphor.	0.022 "
	Ext. Belladonna leaves ..	0.0043 "
	Ext. aconite root ..	0.0043 "
26. <i>Diarrhoea Tablets No. 2.</i>	Powdered opium ..	0.016 gramme
	Camphor.	0.016 "
	Powdered ipecacuanha ..	0.008 "
	Lead acetate	0.011 "
27. <i>Dysentery Tablets.</i>	Powdered opium ..	0.013 gramme
	Powdered ipecacuanha ..	0.0648 "
	Powdered calomel ..	0.0324 "
	Lead acetate	0.0324 "
	Bismuth betanaphthol ..	0.1044 "
28. <i>Tabella hydrargyri cum Opio</i>	Mercurous chloride powder	0.065 gramme
	Antimony oxide powder	0.065 "
	Ipecacuanha-root powder	0.065 "
	Powdered opium ..	0.065 "
	Milk sugar	0.065 "
	Gelatine solution, a sufficient quantity to make 1 tablet.	
29. <i>Tabella plumbi cum Opio.</i>	Sugar of lead	0.195 gramme
	Powdered opium ..	0.065 "
	Gelatine solution, a sufficient quantity to make 1 tablet.	