



25 Jun 2014
25 June 2014
P.U. (A) 172

WARTA KERAJAAN PERSEKUTUAN

FEDERAL GOVERNMENT GAZETTE

PERINTAH KASTAM (LARANGAN MENGENAI IMPORT) (PINDAAN) (NO. 2) 2014

CUSTOMS (PROHIBITION OF IMPORTS) (AMENDMENT) (NO. 2) ORDER 2014



DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA KASTAM 1967

PERINTAH KASTAM (LARANGAN MENGENAI IMPORT) (PINDAAN) (NO. 2) 2014

PADA menjalankan kuasa yang diberikan oleh subseksyen 31(1) Akta Kastam 1967 [Akta 235], Menteri membuat perintah yang berikut:

Nama dan permulaan kuat kuasa

1. (1) Perintah ini bolehlah dinamakan **Perintah Kastam (Larangan Mengenai Import) (Pindaan) (No. 2) 2014**.

(2) Perintah ini mula berkuat kuasa pada 1 Julai 2014.

Pindaan Jadual Keempat

2. Perintah Kastam (Larangan Mengenai Import) 2012 [P.U. (A) 490/2012] dipinda dalam Bahagian II Jadual Keempat berhubung dengan butiran 1 dan 2, dengan menggantikan butir-butir yang berhubung dengannya dengan butir-butir yang berikut:

(1) <i>Item No.</i>	(2) <i>Description of Goods</i>	(3) <i>Chapter/ Heading/ Subheading</i>	(4) <i>Country</i>	(5) <i>Manner of Import</i>
"1.	Iron and steel products: (1) Semi-finished products (for example blooms, billets or slabs), of iron or non-alloy steel (2) Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: (a) in coils, not further worked:	7207.11 000, 7207.12 000, 7207.19 000, 7207.20 200, 7207.20 900	All countries	That the import is accompanied by a certificate of approval or a letter of exemption issued by or on behalf of the Chief Executive of the Construction Industry Development Board (CIDB) for the construction sector or SIRIM Bhd. for non-construction sector

(1) <i>Item No.</i>	(2) <i>Description of Goods</i>	(3) <i>Chapter/ Heading/ Subheading</i>	(4) <i>Country</i>	(5) <i>Manner of Import</i>
	(i) with patterns in relief (ii) with pickled (iii) without patterns in relief or pickled (b) not in coils, not further worked: (i) with patterns in relief (ii) without patterns in relief (3) Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold reduced) not clad, plated or coated: (a) in coils, not further worked: (i) of a thickness of 0.5 mm or more (ii) of a thickness of less than 0.5 mm (b) not in coils, not further worked:	7208.10 000, 7208.25 000 7208.26 000, 7208.27 000 7208.36 000, 7208.37 000, 7208.38 000, 7208.39 200, 7208.39 900 7208.40 000 7208.51 000, 7208.52 000, 7208.53 000, 7208.54 200, 7208.54 900 7209.15 000, 7209.16 000, 7209.17 000 7209.18 210, 7209.18 290, 7209.18 900		

(1) <i>Item No.</i>	(2) <i>Description of Goods</i>	(3) <i>Chapter/ Heading/ Subheading</i>	(4) <i>Country</i>	(5) <i>Manner of Import</i>
	(i) of a thickness of 0.5 mm or more (ii) of a thickness of less than 0.5 mm (4) Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, plated or coated (excluding clad): (a) plated or coated with tin, of a thickness of less than 0.5 mm containing by weight less than 0.6% of carbon (b) electrolytically plated or coated with zinc, containing by weight less than 0.6% of carbon (c) plated or coated with zinc (other than in (b) above): (i) corrugated, containing by weight less than 0.6% of carbon, of a thickness of 1.5 mm or less (ii) non-corrugated, containing by weight less than 0.6% of carbon	7209.25 000, 7209.26 000, 7209.27 000 7209.28 210, 7209.28 290, 7209.28 900 7210.12 200 7210.30 210, 7210.30 290 7210.41 210 7210.49 210, 7210.49 290		

(1) <i>Item No.</i>	(2) <i>Description of Goods</i>	(3) <i>Chapter/ Heading/ Subheading</i>	(4) <i>Country</i>	(5) <i>Manner of Import</i>
	(d) plated or coated with aluminium-zinc alloys, containing by weight less than 0.6% of carbon (e) painted, varnished or coated with plastic, containing by weight less than 0.6% of carbon (5) Flat-rolled products of iron or non-alloy steel, of a width less than 600 mm, not clad, plated or coated: (a) not further worked than hot-rolled: (i) rolled on four faces or in closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief: (aa) of universal plates, containing by weight less than 0.6% of carbon (bb) of hoop and strip, containing by weight less than 0.6% of carbon	7210.61 310, 7210.61 390 7210.70 210, 7210.70 290 7211.13 000 7211.13 000		