

## **Protected Areas (No. 2) Order 1996**

### **Table of Contents**

### **Enacting Formula**

**1**

**2**

### **FIRST SCHEDULE Sim Communications Pte Ltd, Kranji Transmitting Station**

### **SECOND SCHEDULE**

**No. S 68**

## **PROTECTED AREAS AND PROTECTED PLACES ACT (CHAPTER 256)**

### **PROTECTED AREAS (NO. 2) ORDER 1996**

In exercise of the powers conferred by section 4(1) of the Protected Areas and Protected Places Act, the Minister for Home Affairs hereby makes the following Order:

**1.** This Order may be cited as the Protected Areas (No. 2) Order 1996 and shall come into operation on 9th February 1996.

**2.** The area described in the First Schedule is hereby declared to be a protected area for the purposes of the Protected Areas and Protected Places Act, and every person who is in that area shall comply with such directions for regulating his movement and conduct as may be given by an authorised officer.

### **FIRST SCHEDULE**

#### **SIM COMMUNICATIONS PTE LTD, KRANJI TRANSMITTING STATION**

All that area comprised in part of Lots 742 and 144 Mukim No. 12 (LIM CHU KANG), occupied by the “SIM COMMUNICATIONS PTE LTD, KRANJI TRANSMITTING STATION” containing an area of approximately 419,752.0 square metres and bounded approximately as follows:

Commencing at the north-western most corner of the perimeter fence of the aforesaid “SIM COMMUNICATIONS PTE LTD, KRANJI TRANSMITTING STATION” which point is approximately 45,125 metres North and 15,511.4 metres East of the Survey Department origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along a line of fence on a bearing of approximately 101° 52' for a distance of 105.1 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
106° 18'	110.4
104° 36'	60.0
109° 45'	62.3
103° 55'	126.0
103° 55'	0.9 (Across a drain)
103° 55'	1.1 (Along one side on top of U-drain)
103° 47'	7.2 (Along a gate)
105° 17'	50.8 (Along one side on top of U-drain)
196° 25'	7.8
106° 03'	12.1
15° 40'	3.9
105° 42'	7.4 (Along a gate)
15° 40'	3.8
107° 47'	5.0 (Along one side on top of U-drain)
126° 04'	5.0
144° 21'	5.0
162° 38'	5.0
180° 27'	4.7
193° 53'	8.7
196° 48'	5.2
179° 04'	5.2
161° 20'	5.2
143° 36'	5.2
126° 23'	0.5
126° 23'	1.0 (Along fence across a drain)

126° 23'	3.4 (Along one side on top of U-drain)
118° 24'	43.4
127° 19'	5.2
145° 26'	5.2
163° 51'	5.2
179° 53'	3.9
177° 03'	244.7
170° 32'	5.9
243° 53'	2.0 (Along a gate)
198° 14'	1.6 (Along top of rock bund)
177° 34'	63.3
176° 59'	31.2
182° 12'	28.9
170° 43'	31.6
176° 28'	60.3
108° 44'	214.5
213° 59'	23.7
159° 33'	2.5
239° 26'	7.3 (Along one side on top of U-drain)
219° 39'	7.2
212° 53'	72.2
225° 07'	4.9
243° 40'	4.9
262° 13'	4.9
282° 00'	5.5
287° 00'	24.3
292° 00'	20.7
284° 11'	28.9
286° 49'	38.4
284° 41'	55.4
281° 48'	36.1
286° 51'	192.1
296° 37'	4.8