

Boundaries and Survey Maps (Conduct of Cadastral Surveys) Rules 2005

Table of Contents

Enacting Formula

Part I preliminary

1 Citation and commencement

2 Definitions

3 Registered surveyor to be familiar with related legislation

4 Personal direction and supervision of surveys

5 Existing survey data to be obtained

6 Compliance with requirements

7 Errors in previous survey

8 Form of survey document to be submitted

9 Field equipment

10 Abbreviations, symbols and conventional signs in survey documents

11 Plan forms

12 Plotting on plans

13 Corrections on plans

14 Notice to enter land to conduct survey

15 Certification in relation to encroachment

Part II SURVEY OF LAND LOT

16 Application of this Part

Division 1 — Field work

17 Survey under SVY21 datum

18 Datum

19 Approved survey marks

20 Emplacement prior to or during survey

21 Stability of marks

22 Accuracy

23 Boundaries

24 Survey and marking of boundaries

25 Survey involving high water mark

26 Topographical details

27 Boundary discrepancies

28 Field notes

Division 2 — Office work

29 Purpose of computations

30 Units of measurement

31 Calculated and scaled areas

32 Plan scales

33 Representation of boundary lines on certified plan

34 Information on certified plan

35 Certified plan number

36 Plan heading

37 Information to be shown on certified plan

38 Certification of survey documents and plans

Part III STRATA SURVEY

39 Application of this Part

Division 1 — Field work

40 Field survey procedures

41 Strata boundaries

42 Certification of field book

Division 2 — Office work

43 Strata certified plan

44 Plan scales

45 Representation of boundary lines on strata certified plan

46 Strata certified plan number

47 Plan heading

48 Plan schedule

49 Site plan

50 Storey plan

51 Elevation sketch

52 Additional information to be shown on strata certified plan (other than for subdivided building)

53 Certification of strata certified plan (other than for subdivided building)

54 Lodgment of strata certified plan for subdivided building

55 Additional requirements for strata title plan

56 Certification of strata title plan

57 Transitional provisions

THE SCHEDULE Relevant Acts

No. S 155

**BOUNDARIES AND SURVEY MAPS ACT
(CHAPTER 25)**

**BOUNDARIES AND SURVEY MAPS (CONDUCT OF CADASTRAL SURVEYS)
RULES 2005**

In exercise of the powers conferred by section 17(2)(c) of the Boundaries and Survey Maps Act, the Singapore Land Authority, with the approval of the Minister for Law, hereby makes the following Rules:

PART I

PRELIMINARY

Citation and commencement

1. These Rules may be cited as the Boundaries and Survey Maps (Conduct of Cadastral Surveys) Rules 2005 and shall come into operation on 31st March 2005.

Definitions

2.—(1) In these Rules, unless the context otherwise requires —

“ISN” means a network of control ISN markers with ISN co-ordinates approved by the Chief Surveyor;

“ISN co-ordinates” means a plane rectangular co-ordinate system based on the SVY21 datum and using a transverse mercator projection with projection origin (unmarked) located at —

Latitude	1° 22' 00" N
Longitude	103° 50' 00" E
Northing	38744.572 m
Easting	28001.642 m;

“ISN marker” means a survey marker designed for integrated surveys with geographical and ISN co-ordinates approved by the Chief Surveyor;

“ppm” means parts per million;

“strata subdivision” has the same meaning as in the Land Titles (Strata) Act (Cap. 158);

“subdivided building” has the same meaning as in the Land Titles (Strata) Act;

“survey document” includes any plan, field book, field notes, form, sketch, computation or information recorded or derived from a survey;

“SVY21 datum” means a geodetic co-ordinate datum based on the WGS84 ellipsoid and a reference point known as BASE7 (located at Pillar 7 Lower Peirce Reservoir) with values fixed at —

Latitude	1° 22'	02.915414" N
Longitude	103° 49'	31.975227" E
Ellipsoidal Height	26.824 m	