Free Trade Zones (Declared Areas) (Amendment No. 3) Notification 2001

**Table of Contents** 

**Enacting Formula** 

- 1 Citation and commencement
- 2 Amendment of First Schedule
- **3** Amendment of Second Schedule

No. S 383

## FREE TRADE ZONES ACT (CHAPTER 114)

## FREE TRADE ZONES (DECLARED AREAS) (AMENDMENT NO. 3) NOTIFICATION 2001

In exercise of the powers conferred by section 3(1) of the Free Trade Zones Act, the Minister for Trade and Industry hereby makes the following Notification:

## Citation and commencement

**1.** This Notification may be cited as the Free Trade Zones (Declared Areas) (Amendment No. 3) Notification 2001 and shall come into operation on 17th August 2001.

## Amendment of First Schedule

**2.** The First Schedule to the Free Trade Zones (Declared Areas) Notification (N 3) is amended by deleting item (5) and substituting the following item:

"(5) Changi Airport Cargo Terminal Complex

All that area comprising part of Lots 1288Pt, 3363KPt, 3364NPt, 3365XPt and Lots 1246, 1273

occupied by "CHANGI AIRPORT CARGO TERMINAL COMPLEX – FREE TRADE ZONE" and containing an area of about 487,820 square metres and bounded approximately as follows:

Commencing at a point on eastern-most corner of "CHANGI AIRPORT CARGO TERMINAL COMPLEX – FREE TRADE ZONE" which point is 40,701.0 metres North and 46,633.6 metres East of the Survey Department's origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
196° 02'	8.6
197° 00'	7.2
196° 26'	29.7
196° 40'	28.4
196° 20'	91.2
196° 28'	47.8
202° 56'	38.8
203° 00'	26.8

to a point where it meets a line thence along that and other successive lines of bearings and distances as under:

Bearing	Distance in metres
219° 22'	35.5
254° 02'	7.2
239° 14'	6.1
227° 28'	4.4
217° 35'	4.5
203° 08'	7.7
184° 37'	7.9
219° 22'	15.0

to a point where it meets a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
289° 45'	8.9
283° 44'	14.8
281° 53'	20.6
282° 06'	22.9
357° 15'	14.1
356° 41'	20.2
292° 28'	16.1
263° 47'	15.1
249° 19'	12.0
237° 43'	9.1
226° 17'	9.1
218° 14'	6.0
203° 05'	667.1
113° 11'	79.5
112° 59'	63.4

to a point where it meets a line, thence along the line on a bearing of  $203^{\circ} 01$ ' for a distance of 118.1 metres to a point where it meets a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
113° 04'	82.4
203° 03'	205.4

to a point where it meets a line, thence along that and other successive lines of bearings and distances as under:

Bearing	Distance in metres
203° 03'	19.4
113° 01'	9.6

203° 01'	288.5
293° 02'	34.0
203° 02'	22.0
293° 02'	46.3
203° 01'	75.3
293° 01'	49.2
23° 08'	49.3

to a point where it meets a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
23° 18'	26.5
292° 53'	35.1

to meet a line, thence along the line of bearing of 286°56' and distance of 2.0 metres to the corner of a wall, thence along a line of bearing 293°01' and distance of 90.7 metres which follows closely a series of walls and fence, thence along that and other successive lines of wall of bearings and distances as under:

Bearing	Distance in metres
203° 01'	93.4
293° 04'	152.5
23° 04'	10.6
113° 04'	14.0
23° 04'	57.1
293° 04'	2.0
23° 04'	3.4
293° 04'	12.1
23° 04'	22.2
293° 01'	2.2

to a point where it meets a line, thence along that and other successive lines of bearings and