Public Utilities (Water Supply) Regulations 1996

**Table of Contents** 

**Enacting Formula** 

### Part I PRELIMINARY

1 Citation and commencement

**2** Definitions

**3** Compliance with standards

# Part II TECHNICAL ASPECTS

4 Certain uses, connections, alterations, etc., of water fitting prohibited

5 Saving for fittings hitherto lawfully fitted

6 Closed circuits

7 Identification of pipe and pipe fitting

### GENERAL PROVISIONS

8 Unserviceable fittings and fittings not mentioned in these Regulations

9 Deterioration through electrolytic action

10 Connections which could cause contamination of mainswater

- **11 Pumping from main**
- **12 Protection of water fitting from damage**

- **13** Accessibility to fittings
- 14 Disconnection of disused pipes

### PIPES

- **15 Support of pipes**
- 16 Depth of pipes laid underground

17 Protection of pipes from corrosion and contact with contaminating substances

- **18** Concealed piping
- 19 Pipes of lead not to be used
- 20 Pipes of cast iron, grey iron and ductile iron
- 21 Pipes of steel
- 22 Pipes of copper
- **23** Pipes of other materials
- 24 Fittings in closed circuits

### TAPS AND VALVES

- 25 Stop-valves on pipes supplying buildings
- 26 Stop-valves on outlet pipes from storage cisterns
- 27 Valves at meter positions
- **28** Location of draining taps
- **29 Standpipes**

#### **30 Drinking-troughs**

- **31 Draw-off taps**
- 32 Stop-valves
- **33** Operation of stop-valves
- **34 Float-operated valves**

#### **STORAGE CISTERNS**

- **35 Placing of storage cisterns**
- 36 Support and covering of storage cisterns
- 37 Avoidance of flooding and buried or sunken cisterns
- **38** Materials for storage cisterns
- **39 Standards for storage cisterns**
- 40 Storage cisterns to be fitted with float-operated valves
- 41 Warning pipes on storage cisterns holding not more than 4.5 cubic metres
- 42 Overflow pipes on storage cisterns holding more than 4.5 cubic metres

### HOT WATER APPARATUS

43 Distance between hot water apparatus and draw-off taps

44 Position of outlets in relation to level of water in cylinders and tanks

#### 45 Hot water cisterns not to have float-operated valves

46 Outlets from feed cisterns to hot water apparatus

47 Hot water apparatus not to be connected directly to service pipe

48 Mixing valves

49 Materials for hot water pipes

50 Materials for hot water cylinders and tanks

51 Standards for hot water cylinders and tanks

#### **BATHS, WASH BASINS AND SINKS**

52 Inlets and outlets of baths, etc.

53 Position of taps on baths, etc.

#### **FLUSHING CISTERNS**

54 Water closets and urinals to be fitted with flushing apparatus and control stop-valves

55 Float-operated valves and warning pipes on flushing cisterns

56 Pipes discharging to water-closet pans

57 Design and arrangement of flushing cisterns for water-closets

58 Design and arrangement of flushing cisterns for urinals

### Part III WATER SERVICE WORKERS

59 Classes of water service workers

**60** Qualifications

**61** Authority conferred by licence

- 62 Register of water service workers
- 63 Responsibility of holder of licence
- 64 Responsibility of holder of licence for notices, etc., to be given
- 65 Duration of licence
- 66 Application for licence
- 67 Fee for examination and licence
- 68 Licence to contain certain particulars
- 69 Licence to be subject to suspension or cancellation by Board
- 70 Notification of suspension or cancellation
- 71 Duplicate licence, etc.
- 72 Authority conferred by duplicate
- 73 Licensee to notify Board of change of address

74 Production of licence and giving of information to authorised officer of Board

**75** Penalties

## Part IV WATER SERVICE INSTALLATION AND TESTING OF FITTINGS

- 76 Construction and connection of water service installation
- 77 Fire services
- 78 Approval of water fittings
- 79 Prohibition on use or sale of water fittings