

# **Government Gazette**

## REPUBLIC OF SOUTH AFRICA

Regulation Gazette		No	No. 3842			
Vol. 485	Pretoria	4	November	2005	No. 28191	



## GOVERNMENT **NOTICE**

### DEPARTMENT OF MINERALS AND ENERGY

No. R. 1078

4 November 2005

### PETROLEUM PRODUCTS ACT, 1977 (Act No. 120 of 1997).

# REGULATIONS **REGARDING** PETROLEUM PRODUCTS **SPECIFICATIONS** AND STANDARDS

The Minister of Minerals and Energy has under section 12C(1)(e) and (f) of the Petroleum Products Act, 1977 (Act No.120 of 1977) made the regulations in the Schedule.

#### SCHEDULE

### ARRANGEMENT OF REGULATIONS

Definitions	3
Scope of regulation	6
Petrol grades permitted	6
Petrol zones	7
Diesel grades permitted	8
Prohibition of certain activities	9
Inspection and testing of petroleum products	9
Permits for deviation fiom specifications and standards	11
Retail pump labelling	12
Records to be kept by licensees	13
Transitional provisions and commencement	14
Offences and penalties	15

#### **GOVERNMENT GAZETTE. 4 NOVEMBER 2005**

AN	ANNEXURE A		
A.	Coastal Region Magisterial Districts	16	
B.	Inland Region Magisterial Districts	19	
ANI	NEXURE B	22	
ANI	NEXURE C	23	
AN	NEXURE D	24	

٤

.

### Definitions

In these regulations any word or expression to which a meaning has
been assigned in the Act shall have the meaning so assigned and unless
the context otherwise indicates –

"the Act" means the Petroleum Products Act, 1977 (Act No. 120 of 1977), as amended;

**"additive"** means **a** chemical substance intentionally added to petroleum products **in** trace or small quantities in order to improve one or more of the petroleum product's performance or storage stability, its performance in **an** engine or intended to reduce the emissions from an engine powered by that petroleum product;

"aromatics" means a group of hydrocarbons that contain a benzene skeleton in their molecular structure;

"biodiesel" means a biodegradable and renewable fuel or fuel additive for diesel engines derived from natural oils extracted from vegetable matter, and that conforms to South African National Standard, Automotive Biodiesel, SANS 1935;

"**blend**" means a mixture of two or more compatible petroleum products having different properties in order to produce an intermediate or **firal** petroleum product with desired attributes;

**"bowser"** means an apparatus erected on a site for the purposes of pumping petrol or diesel from **an** underground tank and dispensing it into a motor vehicle;

"coastal zone" refers to magisterial districts listed in Annexure A as coastal;

"Controller" means the Controller of Petroleum Products as contemplated in section 3(1) of the Act;

"end-consumer" means a person acquiring a petroleum product for own use and consumption;

"grade" means the classification of a petroleum product according to its chemical composition and characteristics such as its RON rating, sulphur content, additives content and the quantity or proportion thereof;

"inland zone" refers to magisterial districts listed in Annexure A as inland;

**"label"** means a marking affixed to a bowser on a site that specifies the grade of petrol or diesel dispensed by that bowser;

"licensee" means a person to whom the Controller has issued a manufacturing, wholesale or retail licence in accordance with the provisions of the Act;

"low-emission diesel" means diesel used in underground mines with a sulphur content of not more than 0.005 percent by mass and conforms to the South African National Standard, 'Low-emission diesel fuel for use in underground mines', SANS 1755;

"low-sulphur grade diesel" means diesel with a sulphur content of not more than 0.005 percent by mass and conforms to the South African National Standard, 'Automotivedieselfuel', SANS 342;

4