
Inclusive and sustainable smart cities (CISI)

Towards the measurement of electromobility in international trade









Thank you for your interest in this ECLAC publication



Please register if you would like to receive information on our editorial products and activities. When you register, you may specify your particular areas of interest and you will gain access to our products in other formats.





Project Documents

Towards the measurement of electromobility in international trade

Ira Ronzheimer José Durán Lima Cristóbal Budnevich Matthew Gomies





This document was prepared by Ira Nadine Ronzheimer, José Durán Lima and Matthew Gomies, staff of the Regional Integration Unit of the International Trade and Integration Division of the Economic Commission for Latin America and the Caribbean (ECLAC), and Cristóbal Budnevich, consultant with the same division, as part of the activities of the ECLAC project "Inclusive and sustainable smart cities in the framework of the 2030 Agenda for Sustainable Development in Latin America and the Caribbean", implemented by ECLAC with the support of Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ). The authors wish to thank Niklas Lindig, Sebastian Herreros, and Daniel Cracau for their support in conducting the preliminary research and review of the manual. This document was presented at the virtual workshop "Measuring electromobility in international trade", organized by Sergio Arboleda University in Bogotá. Civil engineers, engine engineers, and specialists in the automotive sector participated in the workshop.

The views expressed in this document, which has been reproduced without formal editing, are those of the authors and do not necessarily reflect the views of the Organization or the countries it represents.

United Nations publication LC/TS.2022/103 Distribution: L Copyright © United Nations, 2022 All rights reserved Printed at United Nations, Santiago S.22-00542

This publication should be cited as: I. Ronzheimer and others, "Towards the measurement of electromobility in international trade", *Project Documents* (LC/TS.2022/103), Santiago, Economic Commission for Latin America and the Caribbean (ECLAC), 2022.

Applications for authorization to reproduce this work in whole or in part should be sent to the Economic Commission for Latin America and the Caribbean (ECLAC), Documents and Publications Division, publicaciones.cepal@un.org. Member States and their governmental institutions may reproduce this work without prior authorization, but are requested to mention the source and to inform ECLAC of such reproduction.

Contents

Sum	mmary	7		
Intro	roduction	9		
I.	Electromobility in Latin America: an overview	11		
II.	Methodology			
	A. Underlying assumptions	20		
III.	Breakdown structures			
	A. Common breakdown structures	23		
	1. Bus body	23		
	2. Bus cabins	26		
	3. Electronics	29		
	4. Generally necessary parts			
	B. Electric bus:eCitaro	32		
	1. Electric engine	33		
	2. Drivetrain			
	3. Battery			
	C. Conventional bus: Citaro with an internal combustion engin	e47		
	Conventional diesel engine			
	2. Conventional drivetrain			
	3. Diesel fuel sistem	52		
IV.	Aggregated Results			
	A. Key raw materials	61		
	B. Main differences between electric and conventional buses .	64		
٧.	Retrofitting and recycling opportunities	67		

VI.	Oppor	tunities and limitations of the proposed methodology	71
VII.	Cost s	tructure of an electric versus a conventional diesel bus	73
VIII.	Factor	weight for estimating trade in inputs	77
Biblio	graphy	· · · · · · · · · · · · · · · · · · ·	83
Annex	к1 D	isaggregation into raw materials of main imputs	91
Annex	x 2 E	lectric bus input vectors	94
Annex		onventional bus input vector	
Table	s		
Table		LAC (11 countries): fleet of urban transport buses as of April 2022	
Table	2	Comparison of different types of buses	
Table	3	Tariff codes for buses in the HS 2012 and 2017	
Table	4	Examples of inputs for vehicles in HS chapter 87	
Table	5	Summary of assumptions made	
Table		Common breakdown structures of a conventional and an electric bus	_
Table	•	Disaggregation of the bus body cluster	_
Table		Disaggregation of the cabin cluster	
Table	_	Disaggregation of the electronics cluster	
Table		Generally necessary parts	
Table		Disaggregation of the motor cluster	
Table	_	Disaggregation of the drivetrain cluster	
Table	•	Battery performance indicators	
Table	_	Weight distribution of battery inputs and parts	
Table		Primary inputs required to produce the eCitaro's battery cells (ten modules)	
Table	•	Battery inputs by battery part	
Table		Disaggregation of the battery cluster	
Table	-	Disaggregation of the conventional motor cluster	
Table		Disaggregation of the conventional drivetrain cluster	
Table		Disaggregation of the fuel tank cluster	_
Table		Weights and disaggregation by cluster and vector-level for the electric bus	
Table	_	Weights and disaggregation by cluster and vector-level for the electric bus	
Table	•	Top four raw materials required to produce conventional and electric buses	
Table	_	Differences in raw material requirements for electric and conventional buses	
Table		Top differences in raw material requirements by electric and conventional buses	
Table	-	SWOT analysis of retrofitting	
Table		Elaborated input changes for retrofitting	
Table	_	Inputs to produce a pantograph	
Table	_	Products with an intra-industry conversion factor of 1.88	
Table	_	Number of vehicles produced by type, 2019 or latest year available	
Table	_	Industry applications of copper, iron and steel and semiconductors	
Table		Density of some fillers in rubbers	
Table		Disaggregation of other relevant inputs	
Table		Elaborated parts vector (electric bus)	
Table		Semi-elaborated parts vector (electric bus)	
Table	_	Raw materials vector (electric bus)	
Table	A3.1	Elaborated parts vector (convencional bus)	104

Table A3.2	Semi-elaborated parts vector (convencional bus)	. 107
Table A _{3.3}	Raw materials vector (convencional bus)	.109
Figures		
Figure 1	LAC: share of greenhouse emissions, by sector, 2018	12
Figure 2	LAC: fuels used by the transport sector by product, 2018	
Figure 3	Economic sectors associated with the parts required for body bodies by level of product elaboration	
Figure 4	The subclusters of the bus cabin cluster	
Figure 5	Economic sectors associated with the parts required for bus cabins by level	2/
rigore 5	of product elaboration	28
Figure 6	Subclusters of the electronics cluster	
Figure 7	Economic sectors associated with the parts required for bus electronics by level	29
rigore /	of product elaboration	20
Figure 8	Economic sectors associated with the parts required for electric motors by level	
Eiguro o	of product elaboration	
Figure 9 Figure 10	Economic sectors associated with the parts required for electric drivetrains	3/
rigule 10	by level of product elaboration	-0
Eiguro 44		
Figure 11	The subclusters of the battery cluster Economic sectors associated with the parts required for bus battery by level of	40
Figure 12	product elaborationproduct elaboration	, 6
Figure 13	Subclusters of the conventional motor cluster	
Figure 14	Economic sectors associated with the parts required for the diesel engine	40
1 1g016 14	by level of product elaboration	
Figure 15	Subclusters of the conventional drivetrain cluster	
Figure 16	Economic sectors associated with the parts required for the conventional	50
rigore 10	drivetrain by level of product elaboration	E 1
Figure 17	The subclusters of the fuel tank cluster	_
Figure 18	Economic sectors associated with the parts required for the conventional	52
rigore 10	drivetrain by level of product elaboration	L 2
Figure 19	Associated economic sectors by vector-level to produce the electric bus	
Figure 20	Associated economic sectors by vector-level to produce the conventional bus	_
Figure 21	Requirements of iron ores and concentrates by cluster	
Figure 22	Requirements of aluminum ores and concentrates by cluster	
Figure 23	Cluster cost share by vector level	_
Figure 24	Raw materials: top 10 inputs by costs	
Figure 25	Battery demand, 2020	
1 iguic 25	Dattery demand, 2020	00
Boxes		
Box 1	Costs and upfront investment requirements related to the operation of electric buses	22
Box 2	Services as an input for electric buses	
Box 3	General information on batteries and alternatives to NMC batteries	
Box 4	Disaggregation of HS codes for key raw materials required in battery production:	
-·· ·	Lithium, cobalt, nickel, manganese, and graphite	᠘⊃
Box 5	Comparison between diesel and electric engines	

Diagrams		
Diagram 1 Diagram 2	The three component vectors of a bus window Steps of development of a methodology for trade in conventional	
	and electric buses	18
Images		
Image 1	Citaro bus model	20
Image 2	Example of a bus shell	
Image 3	Bus cabin of the Citaro	26
Image 4	The arrangement of the eCitaro's main components	32
Image 5	eCitaro's electric motor (ZF CeTrax)	
Image 6	eCitaro's drive train and portal axle with motors	
Image 7	Battery employment in the eCitaro	_
Image 8	Citaro's engine OM 936 h	47



https://www.yunbaogao.cn/report/index/report?reportId=5_31523

