

# Air Quality Guidelines for Europe

Second Edition

Air quality guidelines for Europe, 2nd edition, 2000

### **CORRIGENDUM**

On page 98, under Health risk evaluation, the second paragraph should read as follows.

In Germany a TDI for PCB of 1-3 µg/kg BW has been suggested. It was also recommended that, for precautionary reasons, the proportional daily intake via indoor air should not exceed 10% of the TDI for long periods. On this basis an action level for source removal of 3000 ng/m<sup>3</sup> has been derived. For concentrations between 3000 ng/m<sup>3</sup> and 10 000 ng/m<sup>3</sup> (that is, between 3  $\mu$ g/m<sup>3</sup> and 10  $\mu$ g/m<sup>3</sup>) a concrete health risk is not assumed. However, mitigation measures should be undertaken as soon as possible to reduce the level to 300 ng/m<sup>3</sup>, below which concentrations are thought to be of no concern. Source removal should also be undertaken if levels are found to be between 300 and 3000 ng/m<sup>3</sup> (8).

The World Health Organization was established in 1948 as a specialized agency of the United Nations serving as the directing and coordinating authority for international health matters and public health. One of WHO's constitutional functions is to provide objective and reliable information and advice in the field of human health, a responsibility that it fulfils in part through its publications programmes. Through its publications, the Organization seeks to support national health strategies and address the most pressing public health concerns.

The WHO Regional Office for Europe is one of six regional offices throughout the world, each with its own programme geared to the particular health problems of the countries it serves. The European Region embraces some 870 million people living in an area stretching from Greenland in the north and the Mediterranean in the south to the Pacific shores of the Russian Federation. The European programme of WHO therefore concentrates both on the problems associated with industrial and post-industrial society and on those faced by the emerging democracies of central and eastern Europe and the former USSR.

To ensure the widest possible availability of authoritative information and guidance on health matters, WHO secures broad international distribution of its publications and encourages their translation and adaptation. By helping to promote and protect health and prevent and control disease, WHO's books contribute to achieving the Organization's principal objective – the attainment by all people of the highest possible level of health.

## Air Quality Guidelines for Europe

Second Edition

## WHO Library Cataloguing in Publication Data

Air quality guidelines for Europe; second edition

(WHO regional publications. European series; No. 91)

- 1.Air pollution prevention and control
- 2.Air pollutants adverse effects toxicity
- 3.Air pollution, Indoor prevention and control
- 4.Environmental exposure 5.Guidelines 6.Europe I.Series

ISBN 92 890 1358 3 ISSN 0378-2255 (NLM Classification: WA 754)



## Air Quality Guidelines for Europe

Second Edition

## ISBN 13583 ISSN 0378-2255

The Regional Office for Europe of the World Health Organization welcomes requests for permission to reproduce or translate its publications, in part or in full. Applications and enquiries should be addressed to the Publications unit, WHO Regional Office for Europe, Scherfigsvej 8, DK-2100 Copenhagen Ø, Denmark, which will be glad to provide the latest information on any changes made to the text, plans for new editions, and reprints and translations already available.

## ©World Health Organization 2000

Publications of the World Health Organization enjoy copyright protection in accordance with the provisions of Protocol 2 of the Universal Copyright Convention. All rights reserved.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the Secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The names of countries or areas used in this publication are those that obtained at the time the original language edition of the book was prepared.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

The views expressed in this publication are those of the participants in the meetings and do not necessarily represent the decisions or the stated policy of the World Health Organization.

## **Contents**

Fa	rewor	d	.vii
Pr	eface		ix
		PART I. GENERAL	
1.	Intro	duction	1
2.	Crite	eria used in establishing guideline values	11
3.	Sum	mary of the guidelines	32
4.	Use	of the guidelines in protecting public health	41
	PAR	RT II. EVALUATION OF RISKS TO HUMAN HEALTH	
5.	Orga	nic pollutants	. 57
	5.1 5.2 5.3 5.4 5.5 5.6	Acrylonitrile Benzene Butadiene Carbon disulfide Carbon monoxide 1,2-Dichloroethane	62 67 71 75 80
	5.7	Dichloromethane	OO

预览已结束, 完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5\_12411

