

HEARING SCREENING CONSIDERATIONS FOR IMPLEMENTATION





HEARING SCREENING CONSIDERATIONS FOR IMPLEMENTATION



Hearing screening: considerations for implementation

ISBN 978-92-4-003276-7 (electronic version) ISBN 978-92-4-003277-4 (print version)

© World Health Organization 2021

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (http://www.wipo.int/amc/en/mediation/rules/).

Suggested citation. Hearing screening: considerations for implementation. Geneva: World Health Organization; 2021. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

Sales, rights and licensing. To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see www.who.int/about/who-we-are/publishing-policies/copyright.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Designed by Inis Communication

CONTENTS

Acknowledgements	V
Abbreviations	.v i
Introduction	1
1 Hearing screening in newborns and infants	7
1.1 Need and rationale	7
1.2 Current status and practices.	8
1.3 Guiding principles for newborn hearing screening	8
1.4 Target group and aims	9
1.5 Screening protocol	11
1.6 Age and time frame for screening.	12
1.7 Screening tests	13
1.8 Human resources	
1.9 Follow-up	
1.10 Diagnostic assessment	
1.11 Intervention	
1.12 Red flags for referral	
1.13 Alternative screening pathways	
References	17
2 School-based ear and hearing screening	21
2.1 Need and rationale	21
2.2 Guiding principles of school-based hearing screening	22
2.3 Target group and aims	22
2.4 Age for screening and frequency	23
2.5 Site of screening	24
2.6 Screening tests	24
2.7 Human resources	
2.8 Referral criteria	
2.9 Diagnostic assessment	
2.10 Intervention	
2.11 Hearing health promotion	
2.12 Data management	
2.13 Prerequisites for establishing school-based ear and hearing screening	
2.14 Use of telemedicine for school-based screening	30
RAIAFANCAC	

3 Hearing screening in older people	35
3.1 Need and rationale	35
3.2 Screening practices around the world	36
3.3 Guiding principles of hearing screening in older people	36
3.4 Target group and aims	37
3.5 Age for screening and frequency.	37
3.6 Site of screening	
3.7 Screening tests	
3.8 Follow-up	40
3.9 Human resources	42
3.10 Diagnostic assessment	42
3.11 Intervention	42
3.12 Hearing health promotion	44
References	44
ANNEX 1 Components of a training programme for newborn hearing screening	47
ANNEX 2 Distraction test for identifying hearing loss In children	50
ANNEX 3 Whispered voice test	52
ANNEX 4 Management of conflict of interest	53

ACKNOWLEDGEMENTS

This Handbook, *Hearing screening considerations for implementation*, is the outcome of a consultative process led by the World Health Organization. It was drafted by Shelly Chadha under the guidance of Alarcos Cieza and Bente Mikkelsen.

Members of the technical working groups and external reviewers who contributed to the development and review of this Handbook include Arun Kumar Agarwal (Director Professor (retired), Maulana Azad Medical College, India); Xingkuan Bu (Medical Director and Professor of ENT Department, Nanjing Medical University, China); Patricia Castellanos (Audiologist, Medical Director of CEDAF, Guatemala); Teresa Ching (Head of Communication Sciences Department, National Acoustic Laboratories, Australia; Honorary Senior Research Fellow, Macquarie University, Australia); Jackie Clark (Co-chair, Coalition for Global Hearing Health; Professor of Audiology, University of Texas, United States of America); Adrian Davis (Visiting Professor of Audiology and ENT, Imperial College London, United Kingdom of Great Britain and Northern Ireland); Susan Emmett (Assistant Professor of Surgery and Global Health, Duke University School of Medicine, USA); Jean-Pierre Gagné (Professor, School of Speech-Language Pathology, University of Montreal, Canada); Norberto Martinez (Professor, Department ORL-HNS, University of Santo Tomas, Philippines); Catherine McMahon (Professor of Audiology, Macquarie University, Australia); Serah Ndwega (Audiologist, University of Nairobi, Kenya); Katrin Neumann (Professor of Phoniatrics and Pedaudiology, and otolaryngologist, University Clinic of Münster, Germany); Carrie Nieman (Assistant Professor, Department OHSN, Johns Hopkins University, USA); Bolajoko Olusanya Bolajoko Olusanya (Director, Centre for Healthy Start Initiative, Nigeria); Kathleen Pichora-Fuller (Professor Emeritus, Department of Psychology, University of Toronto, Canada); James Saunders (Professor and Co-chairperson, Coalition for Global Hearing Health; Professor of Otology / Neurotology, Dartmouth-Hitchcock Medical Center, USA); De Wet Swanepoel (Professor of Audiology, University of Pretoria, South Africa); George Tavartkiladze (Professor and Director of the National Research Centre for Audiology and Hearing Rehabilitation, Russian Federation); Peter Thorne (Professor of Hearing Science, University of Auckland, New Zealand); Kelly Tremblay (Professor (retired), University of Washington, USA, Adjunct Professor, Dalhousie University, Canada); and Christine Yoshinaga-Itano (Research Professor, University of Colorado, USA).

Support in compilation and drafting was provided by Sowmya Rao. The background research work was facilitated by Chitra Chander (Public health specialist, India); Ivy Chilingulo (Researcher in public health, Lund University, Sweden); Carmen Kung (Senior research scientist, National Acoustics Laboratories, Australia); Vivienne Marnane (Research project coordinator, National Acoustics Laboratories, Australia); Katherine Wallis (Researcher in public health, Lund University, Sweden); and Angela Wong (Research audiologist, National Acoustics Laboratories, Australia).

The following WHO staff members contributed to the technical content and its review: Rajiv Bahl, Jean-Marie Dangou, Karen Margaret Edmond, Carolina Hommes, Kaloyan Kamenov, Satish Mishra, Elick Narayan, Patanjali Nayar, Karen Reyes, David Ross, Ritu Sadana, Hala Sakr, and Yuka Sumi.

ABBREVIATIONS

AABR	automated auditory brainstem response
ABR	auditory brainstem response
ASSR	auditory steady-state response
dB	decibel
dBA	A-weighted decibel
dBHL	decibels hearing level
EHC	ear and hearing care
ENT	ear, nose and throat
FM	frequency modulation
HHIE	hearing handicap inventory for the elderly
ICOPE	integrated care for older people
ICOPE IPC-EHC	integrated care for older people integrated people-centred ear and hearing care
	<u> </u>
IPC-EHC	integrated people-centred ear and hearing care
IPC-EHC JCIH	integrated people-centred ear and hearing care Joint Committee on Infant Hearing
IPC-EHC JCIH kHz	integrated people-centred ear and hearing care Joint Committee on Infant Hearing kilohertz
JCIH kHz MPANL	integrated people-centred ear and hearing care Joint Committee on Infant Hearing kilohertz maximum permissible level
IPC-EHC JCIH kHz MPANL NICU	integrated people-centred ear and hearing care Joint Committee on Infant Hearing kilohertz maximum permissible level neonatal intensive care unit
IPC-EHC JCIH kHz MPANL NICU OAE	integrated people-centred ear and hearing care Joint Committee on Infant Hearing kilohertz maximum permissible level neonatal intensive care unit otoacoustic emission

预览已结束, 完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5_23625



