



Prevention of Drug Use in Schools





Authors

Dr. Sajeeva RanaweeraConsultant in Substance Abuse Programmes
Sri Lanka

Dr. Diyanath Samarasinghe

Professor of Psychiatry Department of Psychiatry Faculty of Medicine University of Colombo, Sri Lanka.

Front cover adapted from painting by: Priya Jyoti, Class IX, St Mark's School, New Delhi, India Back cover adapted from painting by: Mohammad Ali, Class XI, Mata Gujri Public School, New Delhi, India

Table of contents

What is this document about?	1
Which "drugs" are we talking about?	2
What are the important areas related to the prevention of drug use?	3
What are the main approaches to drug prevention in schools? Developmentally inspired programmes Programmes containing drug-specific content	4 4 6
What are the strategies that do not work?	7
What are the general features of effective prevention programmes?	9
What is the best timing for interventions?	11
What is the most effective content?	12
Who should be the target group?	15
How should interventions be delivered and by whom?	16
How can programme effects be augmented?	18
How should such interventions be evaluated? Indicators of progress in a school	19 19
Implementing best practices Who will conduct the activity in schools? Learning about effective actions Action Handling obstacles and maintaining progress	23 23 25 27 35
References	37
Annex: A short introduction to drugs	42

WHO Library Cataloguing-in-Publication data

Ranaweera, Sajeeva; Samarasinghe, Diyanath Prevention of Drug Use in Schools

- 1. Substance Use-related Disorders Prevention and Control
- 2. Behaviour Therapy Methods Drug Effects
- 3. Substance Abuse 4. Alcohol Drinking 5. Schools

ISBN 92 9022 277 8

(NLM classification: WM 270)

© World Health Organization 2006

Publications of the World Health Organization enjoy copyright protection in accordance with the provisions of Protocol 2 of the Universal Copyright Convention. For rights of reproduction or translation, in part or in toto, of publications issued by the WHO Regional Office for South-East Asia, application should be made to the Regional Office for South-East Asia, World Health House, Indraprastha Estate, New Delhi 110002, India.

The designations employed and the presentation of material in this publication do not imply the expression of any opinion whatsoever on the part of the Secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

The views expressed in documents by named authors are solely the responsibility of those authors.

Designed and Printed in India by: Macro Graphics Pvt. Ltd., www.macrographics.com

For technical information, please contact:

Dr Vijay Chandra, Regional Adviser, Mental Health and Substance Abuse Unit **Dr Rajesh Pandav**, Short-term Professional, Mental Health and Substance Abuse Unit **Dr U Than Sein**, Director, Department of Non-communicable Diseases and Mental Health

Department of Non-communicable Diseases and Mental Health World Health Organization

Regional Office for South-East Asia New Delhi, India

Email: mhs@searo.who.int

• What is this document about?

Drug use or substance abuse as it is often called has become a serious problem in many Member States of the South-East Asia Region of the World Health Organization (WHO). A wide-variety of substances are being abused, some of which are licit and others illicit. Thus the importance of programmes for the prevention of drug use is rapidly increasing.


Drug-use-prevention programmes are generally designed for use in a particular setting, for example, at home, at school or within the community. Programmes are also designed for specific audiences, for example, the general population, high-risk groups or current users. However, programmes can be designed for more than one audience.

Schools are generally the most popular setting for drug-use-prevention programmes, and are used both by governmental and non-governmental agencies. This may be for many reasons: ease of obtaining funding for school drug-use-prevention programmes, the captive audience, and the popular perception that drug prevention should start from schools, or the need to show that action is being taken to control a serious social problem.

There is a substantial amount of published research on school-based drug-use-prevention programmes from western countries. In these countries there is documented scientific evidence of the impact of intervention programmes. However, the effectiveness of such efforts in the South-East Asia Region, has hardly ever been documented or evaluated. There are very few studies that have reported sustainability of the process or the results of interventions. Nevertheless, there are successful programmes which could be implemented in this Region.

Increasing incidence of drug use in the SEA region of WHO requires the urgent implementation of drug-use-prevention programmes.

Schools are generally the most popular setting for druguse-prevention programmes.





This document attempts to provide a simple, evidence-based guide for implementing drug-use-prevention interventions in schools. It is in two parts. The first deals with the current evidence related to various aspects of programme planning and implementation, the second part outlines how the best practices can be implemented in a school.

The information outlined in this document was collected from a review of published English language literature through the Medline database. Best practices guidelines published by national institutions involved in drug-use-prevention were also reviewed.

This guide can be used by anyone connected with drug-use-prevention programmes.

This guide can be used by programme planners, implementers and evaluators of drug-use-prevention programmes in schools. Those working outside the school system should also find it useful.

• Which "drugs" are we talking about?

The words "drug use" in this document denotes the use of any substance which can harm an individual. These substances can be licit e.g. alcohol, tobacco, pharmaceuticals (amphetamine), volatile substances such as glue or petrol, or illicit e.g. cannabis, heroin and marijuana. A short introduction to these substances is given in

预览已结束,完整报告链接和

https://www.yunbaogao.cn/report/index/report?