Annexes to Weekly Epidemiological Record (WER) Evidence Review – Public health measures in the aviation sector in the context of COVID-19: Quarantine and isolation

Tables and figures for ethical and equity considerations 21 May 2021



Background

This document contains annexes to the Weekly Epidemiological Record (WER) Evidence review – Public health measures in the aviation sector in the context of COVID-19: Quarantine and isolation [1]. Annex 1 contains the tables and a figure that summarize PROGRESS-CANDALS [2] assessment of primary studies. Annex 2 is a summary table of consolidated feedback from External Review Group [3] of the International Travel and Health (ITH) Guideline Development Group (GDG) [3] on the PICO ¹ question on public health measures in the aviation sector in the context of COVID-19 – Quarantine and isolation. Annex 3 is the same from the Lay Perspective sub-group of External Review Group [3].

Contents

ANNEX 1. PROGRESS- Assessment of primary studies

Table 1. Assessment of reporting and data stratification by health equity and human rights considerations in studies of quarantine and isolation [5] as a public health intervention for mitigation of COVID-19 in aviation

Table 2. Narrative synthesis of the impact of PROGRESS-CANDALS and other relevant factors on outcomes reported in aggregate (across included studies)

Figure 1. Assessment of reporting and data stratification by health equity and human rights considerations in studies of quarantine and isolation [5] as a public health intervention for mitigation of COVID-19 in aviation

Table 3. Assessment of reporting of health equity and human rights themes in studies of quarantine and isolation [5] as a public health intervention for mitigation of COVID-19 in aviation

ANNEX 2. Consolidated feedback from External Review Group (ERG) of the International Travel and Health (ITH) Guidelines Development Group (GDG) for COVID-19 public health mitigation measures in the aviation sector.

ANNEX 3. Consolidated feedback from Lay Perspective Sub-Group of ITH GDG ERG for COVID-19 public health mitigation measures in the aviation sector.

_

¹ The PICO framework is a standard mnemonic used in evidence-based-medicine to capture the elements of interest when crafting a question around a health intervention, and particularly informs literature search strategy. P stands for population, I for intervention, C for comparison (comparator), and O for outcome(s)

References

- Weekly Epidemiological Record (WER) Evidence review Public health measures in the aviation sector in the context of COVID-19: Quarantine and isolation https://www.who.int/publications/journals/weekly-epidemiological-record Weekly Epidemiological Record No.21 2021 96 (https://apps.who.int/iris/bitstream/handle/10665/341435/WER9620-eng-fre.pdf, accessed 21 May 2021)
- Evidence to recommendations: Methods used for assessing health equity and human rights considerations in COVID-19 and aviation. Interim guidance, 23 December 2020. Geneva: World Health Organization; 2020 (https://apps.who.int/iris/bitstream/handle/10665/338056/WHO-2019-nCoV-Aviation-evidence equity-2020.1-eng.pdf, accessed 1 February 2021).
- 3. International Travel and Health Guideline Development Group. Geneva: World Health Organization (https://www.who.int/groups/international-travel-and-health-guideline-development-group-(gdg), accessed 19 December 2020)

ANNEX 1. PROGRESS-CANDALS ASSESSMENT OF PRIMARY STUDIES

Table 1. Assessment of reporting and data stratification by health equity and human rights considerations in studies of quarantine and isolation [5] as a public health intervention for mitigation of COVID-19 in aviation

HE/HR reporting in primary data sources	Any* mention (n/N)	P (n/N)	R (n/N)	O (n/N)	G (n/N)	R (n/N)	E (n/N)	S (n/N)	S (n/N)	C (n/N)	AND (n/N)	A (n/N)	L (n/N)	S (n/N)
Reported at all	14/18	13/18	0/18	0/18	5/18	1/18	0/18	0/18	0/18	3/18	0/18	6/18	0/18	0/18
Data stratification: main outcomes	6/18	1/18	0/18	0/18	5/18	0/18	0/18	0/18	0/18	0/18	0/18	6/18	0/18	0/18
Data stratification: harms	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18
Data stratification: feasibility	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18
Data stratification: acceptability	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18
Reported by traveller experience	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18
Explicit reporting of HR infringement	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18	0/18

Abbreviations: HE = health equity; HR = human rights; n = number of studies with factor addressed; N = total number of studies.

Table 2. Narrative synthesis of the impact of PROGRESS-CANDALS and other relevant factors on outcomes reported in aggregate (across included studies)

HE/HR reporting in primary data sources	Narrative synthesis of the impact of PROGRESS-CANDALS and other relevant factors on outcomes reported in aggregate (across included studies)
Sex/Gender	1. Five studies reported sex breakdown in cohorts of repatriates, incoming travellers, or positive cases (1387 M [64.5%] : 763 F [35.5%], N=2150 total)
	2. Three studies reported sex breakdowns of positive cases, with 1 study reporting higher incidence rates for males across age brackets
	3. One study reported symptom severity by sex with 56% of males manifesting pneumonia (n=5/9) vs. 33% of females (n=1/3)
	4. One study reported male sex as an independent correlate of longer containment delay with an AOR of 1.41
	5. One study reported attack rate by sex (4.03% M vs. 5.38% F)

^{*} of any PROGRESS-Plus factor. PROGRESS-CANDALS: place of residence; race/ethnicity; occupation; gender/sex; religion; education; socioeconomic status; social capital; citizenship; ability, neurotypicality or neurodiversity, disability; age; literacy and/or fluency in a language in which the aviation sector produces public communication; and size, body mass index (BMI), or its proxies.

Age	1. Six studies reported age strata and/or medians with ranges
	2. Two studies reported attack rate or secondary attack rate by age strata, with lowest attack rates and secondary attack rates in those <20 years old and 10 years old, respectively
	• <20 yrs 0%; 20-39 yrs 4.95%; 40-59 yrs 9.86%; >60 0%
	 <10 yrs 0% super spreaders (i.e., transmission to >5 people); 10-65 yrs 6% super spreaders; >65 yrs 7% super spreaders
	3. Two studies reported symptoms by age strata
	4. One study classified 'super spreaders' by age with none <10 years of age, 6% in age bracket 10-65 years of age, and 7% >65 years of age
	5. One study reported a change in the age structure of cases between 2 waves with 1st wave dominated by those >45 years of age (74%) and 2nd wave dominated by those <44 years of age (70%)
	6. One study reported longer containment delays with increasing age in both univariate analysis (mean 6.1 d for >65 years of age vs. 2.4 d for <24 yrs of age) and multivariate analysis (AOR 1.01 age >65 yrs)
Citizenship	1. Three studies reported on citizenship of included cohorts (e.g., all in cohort Malaysian or Japanese; all crew Singaporean)
Place of Residence	1. One study was conducted in residents of the People's Republic of China explicitly; another study reported on students from China studying in the -Republic of Korea; and another reported data from residents of Hong Kong, Special administrative region of China
	2. Two studies reported on flights repatriating residents of either Malaysia or Japan
	3. One study reported data from the epidemic tree in New Zealand
	4. Seven studies reported modelling data in particular countries and/or regions as follows: UK (n=2 studies); New Zealand (n=2 studies); Kenya (n=1 study); Taiwan, Special administrative region of China (n=1 study); China and Singapore (n=1 study)
Religion	One study reported on 14 clusters involving 77 cases during their first wave, 1 of which occurred in a Buddhist worship hall involving 19 cases

Figure 1. Assessment of reporting and data stratification by health equity and human rights considerations in studies of quarantine and isolation [5] as a public health intervention for mitigation of COVID-19 in aviation

HE/HR reporting in primary data sources	Any* mention	P	R	o	G	R	E	S	S	С	AND	A	L	S
Shaikh Abdul-Karim. Int J Emerg Med 2020														
Al-Qahtani. IJID 2020														
Arima EID 2020														
Chen. J Formosan Med Association 2020														
Chen. Lancet ID 2020														
Chen. TMAID 2020														
Clifford. pre-print 2020														
James. pre-print 2020							<u> </u>							
Lucy. pre-print 2020														
Ryu. Int J Env Res Pub Health 2020														
Steyn. pre-print 2020														
Taylor. pre-print 2020														
Wilson. medRxiv 2020														
Wong. BMJ Glob Health 2020														

Abbreviations: HE = health equity; HR = human rights.

Legend for reporting of PROGRESS-CANDALS:

Present	Absent	Unknown

^{*} of any PROGRESS-Plus factor. PROGRESS-CANDALS: place of residence; race/ethnicity; occupation; gender/sex; religion; education; socioeconomic status; social capital; citizenship; ability, neurotypicality or neurodiversity, disability; age; literacy and/or fluency in a language in which the aviation sector produces public communication; and size, body mass index (BMI), or its proxies.

Table 3. Assessment of reporting of health equity and human rights themes in studies of quarantine and isolation [5] as a public health intervention for mitigation of COVID-19 in aviation

HE/HR themes in primary data sources	Reported (n/N)	Narrative synthesis of themes reported in aggregate					
Economic factors or implications	7/18	 One study reported that each quarantined person in government quarantine was charged at least \$20/day in catering costs One study noted individual financial stress as a general concept of harm Two studies cited work exclusion with lost work productivity as a negative economic consequence One study reported the danger of front-line workers being reluctant to get tested or report symptoms for fear of workplace exclusion without pay. The study cited the need for comprehensive paid sick leave as a mitigation strategy. Three studies reported larger negative economic impacts through reduced tourism and business operations One study reported that early isolation/quarantine/border closures actually increased domestic travel and consumer spending, which offset economic losses 					
Parental separation from children during isolation or quarantine	2/18	Two studies reported that children were allowed to quarantine upon arrival with either their mother (1 study) or families (1 study)					
Violation of privacy protection and information governance, or differential experience of treatment of personal data pursuant to Article 45 of IHR (2005) (8)	0/18						
Differential experience of detention, exclusion, or entry denial	1/18	One study reported that charging those in quarantine for their costs "led to an uproar from the general population" and to a few individuals escaping quarantine					
Freedom of religious expression	0/18						
Differential experience of specific PHI harms (e.g. mask-related subjective dyspnoea, epistaxis/NP trauma, exacerbation of cynophobia)	1/18	One study reported that charging those in quarantine for their costs "led to an uproar from the general population" and to a few individuals escaping quarantine					
Differential experience of health measures relating to entry of international travellers as outlined in Articles 31 ^a and 42 of IHR (2005)	0/18						
Differential experience of treatment of international travellers as outlined in Article 32 ^b of IHR (2005)	0/18						
Other theme: Psychological effects	1/18	One study cited the negative psychological effects of social isolation					
Other theme: Fast track lanes	1/18	1. One study cited the presence of fast track lanes at the PoE for children, elderly, and responders					

Other theme: Social impacts	1/18	1. One study cited reduced travel as a contributor to adverse social impacts by decreasing business interactions, tourism, and movements of international students
Other theme: Police brutality	1/18	One study reported that government quarantine facilities are an avenue to perpetuate police brutality
Other theme: Limitations of data	1/18	One study cited the lack of data on ethnicity as a methodological limitation
Other theme: Social acceptability and feasibility of PHI uptake	1/18	One study reported that uptake of PHIs to control the pandemic is dismal in the context of densely populated cities, overcrowded housing, high use of public transport, and limited access to soap, water, and hand sanitizer

Abbreviations: HE = health equity; HR = human rights; IHR = International Health Regulations; PHI = public health intervention; NP = nasopharyngeal; n = number of studies with factor addressed; N = total number of studies.

- a. For example, invasive medical examination, vaccination, or other prophylaxis as a condition of entry of any international traveller to the territory of a State party.
- b. For example, provision of adequate meals, accommodation and clothing, protection for baggage and other possessions, appropriate medical treatment, means of necessary communication, if possible, in a language understood by the international traveller.

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5 23875



