

HEALTH EQUITY AND ITS DETERMINANTS IN THE WESTERN PACIFIC REGION



HEALTH EQUITY AND ITS DETERMINANTS IN THE WESTERN PACIFIC REGION



© World Health Organization 2020 ISBN 978 92 9061 896 6 Some rights reserved.

This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo). Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition." Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (http://www.wipo.int/amc/en/mediation/rules).

Suggested citation – Health equity and its determinants in the Western Pacific Region. Manila, Philippines, World Health Organization Regional Office for the Western Pacific. 2019. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data – 1. Health equity. 2. Health status indicators. I. World Health Organization Regional Office for the Western Pacific. (NLM Classification: W74.1).

Sales, rights and licensing – To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see http://www.who.int/about/licensing. For WHO Western Pacific Regional Publications, request for permission to reproduce should be addressed to Publications Office, World Health Organization, Regional Office for the Western Pacific, P.O. Box 2932, 1000, Manila, Philippines, Fax. No. (632) 521 1036, email: wpropuballstaff@who.int.

Third-party materials – If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers – The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters. All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use. For inquiries and request for WHO Western Pacific Regional Publications, please contact the Publications Office, Wo rld Health Organization, Regional Office for the Western Pacific, P.O. Box 2932, 1000, Manila, Philippines, Fax. No. (632) 521 1036, email: wpropuballstaff@who.int.

Photo credits

Cover: ©WHO/J.Zac - pp. 1, 3, 65, 78, 85, 87: ©WHO/Y. Shimizu

CONTENTS

Ac	knowledgements	VII
ΑĿ	breviations	vii
Ex	ecutive summary	viii
In	troduction	1
1.	Differences in health status Life expectancy Morbidity and mortality	3
2.	Differences in access to services	15
	Reproductive health	15
	Maternal health	18
	Newborn health	
	Child health	29
3.	Differences in population risk factors	37
	Malnutrition	37
	Physical activity	
	Alcohol	
	Tobacco Overweight and obesity	
,	·	
4.	Differences in social and environmental determinants Drinking water, sanitation and hygiene	
	Violence, exploitation and trafficking	
5.	•	
•	Birth registration	
	Social protection	
	Macro socioeconomic factors	83
6.	Making inequity visible: data gaps and challenges	85
Co	onclusions	88
Re	eferences	90
Ar	nnex 1. Measuring inequities	93
	Health indicator data	
	Dimensions of inequity data	94
	Equity analysis as a foundation for policy	95
Ar	nnex 2. SDG and UHC indicators for health equity monitoring	98

FIGURES AND TABLE

Fig. 1	Life expectancy at birth by sex, selected countries in the Western Pacific Region, 2016	4
Fig. 2	Life expectancy at birth by sex and indigenous status, Australia, 2006–2031	4
Fig. 3	HIV incidence rate per 1000 uninfected population aged 15–49 years, by sex, 2016	6
Fig. 4	HIV incidence rate per 1000 uninfected population aged 15–49 years, by sex, 2000–2016	6
Fig. 5	Proportion of persons who have heard of HIV or AIDS, by level of education and sex, various years	7
Fig. 6	Antiretroviral therapy coverage among key populations, selected countries in the Western Pacific Region, 2017	7
Fig. 7	Road traffic crashes, age-standardized death rates, per income populations aged 15 years and over, by sex, 2012	9
Fig. 8	Mortality rate attributed per 100 000 population to unintentional poisoning, by sex, 2016	10
Fig. 9	Estimated rate of homicide per 100 000 population, by sex, 2016	12
Fig. 10	Estimated rate of homicide per 100 000 population, by sex, Philippines, 2005–2016	
Fig. 11	Probability of dying from any of cardiovascular disease, cancer, diabetes or chronic respiratory disease	13
Fig. 12	Thirty-day mortality after admission to hospital for acute myocardial infarction, by sex, selected countries in the Western Pacific Region, 2014	14
Fig. 13	Prevalence of use of modern methods of contraception among married or in-union women aged 15–49 years, by wealth quintile, residence and education, selected countries in the Western Pacific Region, 2005–2014.	16
Fig. 14	Demand for family planning satisfied by modern methods of contraception among married or in-union women aged 15–49 years by wealth quintile, residence and education, selected countries in the Western Pacific Region, various years	17
Fig. 15	Adolescent birth rate women aged 15–19 years, by wealth quintile (urban) and residence, selected countries in the Western Pacific Region, various years	19
Fig. 16	Percentage of births delivered in a health facility, by wealth quintile and residence, selected countries	21
Fig. 17	Percentage of births delivered in a health facility, by residence, China, 1985–2015	22
Fig. 18	Skilled birth attendance, by wealth quintile, residence and maternal education, selected countries in the Western Pacific Region, various years	22
Fig. 19	Neonatal mortality rate, by wealth quintile, residence and maternal education, selected countries in the Western Pacific Region, various years	25
Fig. 20	Neonatal mortality rate, by wealth quintile, selected countries in the Western Pacific Region, 1997–2014	25
Fig. 21	Proportion of newborns with low birth weight by residence, Lao People's Democratic Republic and Mongolia, various years	26
Fig. 22	Proportion of newborns reported to be born very small, by wealth quintile, residence and maternal education, Cambodia and the Philippines, various years	27
Fig. 23	Percentage of newborns who had a postnatal check-up within the first two days after birth, by wealth quintile and residence, selected countries in the Western Pacific Region, various years	28
Fig. 24	Percentage of newborns who had a postnatal check-up within the first two days after birth, by wealth quintile and residence, Cambodia, 2010 and 2014	29
Fig. 25	Full immunization coverage among 1-year-olds, by wealth quintile, residence, maternal education and sex, selected countries in the Western Pacific Region, various years	30
Fig. 26	Measles immunization coverage among 1-year-olds, by wealth quintile, residence, maternal education and sex, selected countries in the Western Pacific Region, 2006–2014	32
Fig. 27	DTP3 immunization coverage among 1-year-olds, by wealth quintile, residence, maternal education and sex, various years	33

Fig. 28	Percentage of children under 5 years of age with suspected pneumonia who were taken to a health facilit by wealth quintile, residence and sex, selected countries in the Western Pacific Region, various years	
Fig. 29	Stunting prevalence among children aged under 5 years, by wealth quintile, residence and maternal education, selected countries in the Western Pacific Region, various years	38
Fig. 30	Wasting prevalence among children aged under 5 years, by wealth quintile, residence and maternal education, selected countries in the Western Pacific Region, various years	40
Fig. 31	Stunting prevalence among children aged under 5 years, by wealth quintile, residence and sex, selected countries in the Western Pacific Region, various years	41
Fig. 32	Overweight prevalence among children aged under 5 years, by wealth quintile, residence and maternal education, selected countries in the Western Pacific Region, various years	43
Fig. 33	Overweight prevalence among children aged under 5 years, by residence and sex, selected countries in the Western Pacific Region, various years	44
Fig. 34	Overweight prevalence among children aged 5–9 years and 10–19 years, by sex, selected countries in the Western Pacific Region, 2016.	45
Fig. 35	Age-standardized prevalence of insufficient physical activity, by sex, selected countries in the Western Pacific Region, 2010	47
Fig. 36	Prevalence of physical activity by type, by sex and residence, selected countries in the Western Pacific Region, 2010	48
Fig. 37	Prevalence of leisure-time physical activity, by sex and ethnicity, Fiji and Malaysia, 2010	48
Fig. 38	Prevalence of leisure-time physical activity, by sex and income level, China and Malaysia, 2010	
Fig. 39	Prevalence of leisure-time physical activity, by sex and level of education, selected countries in the Western Pacific Region, 2010.	
Fig. 40	Harmful alcohol use, by sex, selected countries in the Western Pacific Region, 2010	51
Fig. 41	Harmful alcohol use, by residence and sex, China and Fiji, 2010	52
Fig. 42	Harmful alcohol use, by level of education and sex, selected countries in the Western Pacific Region, 2010	52
Fig. 43	Current tobacco use among youth, by sex, selected countries in the Western Pacific Region, 2003–2006	54
Fig. 44	Current smoking, by sex, selected countries in the Western Pacific Region, 2010	55
Fig. 45	Prevalence of overweight and obesity, by sex, selected countries in the Western Pacific Region, 2016	57
Fig. 46	Prevalence of obesity, by sex, selected countries in the Western Pacific Region, 2016	58
Fig. 47	Overweight and obese persons by socioeconomic quintile and sex, Australia, 2014–2015	59
Fig. 48	Obesity, by residence, selected countries in the Western Pacific Region, 2010	59
Fig. 49	Obesity, by level of education, selected countries in the Western Pacific Region, 2010	60
Fig. 50	Obesity, by income level, China and Malaysia, 2010	60
Fig. 51	Proportion of adults with raised fasting blood glucose (age-standardized estimate), by sex, selected countries in the Western Pacific Region, 2014	61
Fig. 52	Age-standardized prevalence of raised blood pressure, by sex, selected countries in the Western Pacific Region, 2015	62
Fig. 53	Prevalence of high blood glucose, by sex, residence and education, selected countries in the Western Pacific Region, 2015	63
Fig. 54	Prevalence of raised blood pressure, by sex, residence and education, selected countries in the Western Pacific Region, 2010	64
Fig. 55	Proportion of the population with access to drinking-water, by wealth quintile and residence, selected countries in the Western Pacific Region, 2015	66
Fig. 56	Proportion of the population with access to sanitation facilities, by residence, selected countries	68
Fig. 57	Proportion of the population using handwashing facilities, by wealth quintile and residence, selected countries in the Western Pacific Region, 2015	
Fig. 58	Detected victims of trafficking, by age and sex, countries in the Western Pacific Region, 2014	
Fig. 59	Detected victims of trafficking, by sex and exploitation, countries in the Western Pacific Region, 2014	
	(or most recent)	72

Fig. 60	Proportion of women aged 15–49 who experienced physical or sexual violence committed by husband/partner in past 12 months, by age, selected countries in the Western Pacific Region, various years	73
Fig. 61	Proportion of women aged 15–49 who experienced physical or sexual violence committed by husband/partner in past 12 months, by wealth quintile and education, selected countries in the Western Pacific Region, various years	74
Fig. 62	Attitudes towards wife beating, by sex, wealth quintile and residence, selected countries in the Western Pacific Region, various years	74
Fig. 63	Percentage of children aged 1–14 years who experience any violent discipline (psychological aggression and/or physical punishment), by wealth quintile, residence and sex, selected countries in the Western Pacific Region, various years	76
Fig. 64	Percentage of children aged under 5 years whose births are registered, by wealth quintile and residence, selected countries in the Western Pacific Region, various years	79
Fig. 65	Coverage of social protection programmes, by wealth quintile and residence, selected countries in the Western Pacific Region, various years	81
Fig. 66	GINI coefficient index, selected countries in the Western Pacific Region, 1995–2016	83
Fig. 67	Percentage of population living below the international poverty line, PPP US\$ 1.90 (poverty headcount ratio), selected countries in the Western Pacific Region, 2002–2016	84
In annex	res	
Fig. A1	Western Pacific Region logic model	93
Fig. A2	Framework for action on social determinants of health	95
Fig. A3	Patterns of inequitable distribution.	95
Table 1.	Suicide rate, by age and sex, selected countries in the Western Pacific Region, 2016	11

ABBREVIATIONS

ART antiretroviral therapy

CVD cardiovascular disease

CRD chronic respiratory disease

预览已结束,完整报告链接和二维码如下:

 $https://www.yunbaogao.cn/report/index/report?reportId=5_24432$



