

# GUIDELINES FOR THE CARE AND TREATMENT OF PERSONS DIAGNOSED WITH CHRONIC HEPATITIS C VIRUS INFECTION

JULY 2018





## GUIDELINES FOR THE CARE AND TREATMENT OF PERSONS DIAGNOSED WITH CHRONIC HEPATITIS C VIRUS INFECTION

JULY 2018

Guidelines for the care and treatment of persons diagnosed with chronic hepatitis C virus infection

#### ISBN 978-92-4-155034-5

#### © World Health Organization 2018

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons. org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for noncommercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

**Suggested citation.** Guidelines for the care and treatment of persons diagnosed with chronic hepatitis C virus infection. Geneva: World Health Organization; 2018. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

**Sales, rights and licensing.** To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see http://www. who.int/about/licensing.

**Third-party materials.** If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

**General disclaimers.** The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions expected, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Layout: 400.co.uk

Printed in France

## **CONTENTS**

ACKNOWLEDGEMENTS	vi
ABBREVIATIONS AND ACRONYMS	ix
GLOSSARY OF TERMS	xi
EXECUTIVE SUMMARY	xii
CHAPTER 1. SCOPE AND OBJECTIVES 1.1 Objectives 1.2 New developments and rationale for an update of the guidelines 1.3 Target audience 1.4 Scope of the guidelines 1.5 Related guidelines 1.6 Guiding principles	<b>1</b> 1 2 2 3 3
CHAPTER 2. BACKGROUND 2.1 The challenge of HCV elimination 2.1.1 Natural history of HCV infection 2.1.2 Natural history of HIV/HCV coinfection 2.1.3 Routes of transmission	<b>4</b> 5 6 7
<ul><li>2.2 Direct-acting antivirals</li><li>2.2.1 Summary of the currently available pangenotypic DAA combinations</li></ul>	8 8
2.3 Access to direct-acting antivirals	9
CHAPTER 3. METHODS 3.1 WHO guidelines development process 3.2 Formulation of recommendations 3.3 Roles	<b>10</b> 10 10 11
<ul> <li>3.4 Declarations of interest and management of conflicts of interest</li> <li>3.5 Dissemination and updating of the guidelines</li> <li>3.6 Evidence that informed the recommendations</li> <li>3.6.1 Systematic reviews and meta-analyses</li> <li>3.6.2 Modelling</li> <li>3.6.3 Feasibility survey</li> </ul>	11 12 13 13 13 13
3.6.4 Cost–effectiveness analyses 3.6.5 Values and preferences	14 14 14

CHAPTER 4. RECOMMENDATIONS	15
4.1 Treatment with direct-acting antiviral agents: when to start treatment	15
4.1.1 Summary of the evidence	15
4.1.2 Rationale for the recommendation	17
4.1.3 Implementation considerations	21
4.1.4 Research gaps	21
<ul><li>4.2 Treatment of adults with direct-acting antiviral agents: what treatment to use</li><li>4.2.1 Summary of the evidence</li><li>4.2.2 Rationale for the recommendation</li><li>4.2.3 Implementation considerations</li><li>4.2.4 Research gaps</li></ul>	22 22 24 26 26
4.3 Treatment of adolescents (12–17 years) and deferral of treatment in	
children (<12 years of age)	26
4.3.1 Background	27
4.3.2 Summary of the evidence	28
4.3.3 Rationale for the recommendations	29
4.3.4 Implementation considerations	31
4.3.5 Research gaps	32
CHAPTER 5. CLINICAL CONSIDERATIONS	33
5.1 Clinical assessment of persons with HCV infection prior to treatment	34
5.1.1 Drug–drug interactions	35
5.1.2 Monitoring for treatment toxicity	36
5.1.3 Monitoring for treatment response	37
5.2 Clinical considerations for specific populations	37
5.2.1 Persons with HIV/HCV coinfection	37
5.2.2 Persons with HBV/HCV coinfection	38
5.2.3 Persons with cirrhosis	38
5.2.4 Persons with chronic kidney disease	39
5.2.5 Persons with TB/HCV coinfection	39
5.2.6 Retreatment of persons with failure of DAA therapy	40
CHAPTER 6. SIMPLIFIED SERVICE DELIVERY FOR A PUBLIC HEALTH	
APPROACH TO TESTING, CARE AND TREATMENT FOR HCV INFECTION	41
6.1 National planning for HCV elimination	42
6.2 Simple standardized algorithms	42
6.3 Strategies to strengthen linkage from testing to care	42
6.4 Integrated testing, care and treatment	43
6.4.1 Providing testing for HCV infection in different settings	43
6.4.2 Integrating the diagnosis of hepatitis with diagnostic platforms	_
and laboratory services used for other infections	44
6.4.3 Integrated service delivery of care, prevention and treatment	44

<ul><li>6.5 Decentralized services</li><li>6.5.1 Task-sharing</li><li>6.5.2 Differentiated HCV care and treatment</li></ul>	45 45 45
6.6 Community engagement and peer support, including addressing	
stigma and discrimination in the general population 6.7 Strategies for more efficient procurement and supply management	47
of medicines and diagnostics 6.8 Data systems for monitoring the quality and cascade of care	48 50
	50
CHAPTER 7. PUBLIC HEALTH CONSIDERATIONS FOR SPECIFIC POPULATIONS	51
7.1 People who inject drugs	52
7.1.1 Background	52
7.1.2 Service delivery considerations	52
7.2 People in prisons and other closed settings	53
7.2.1 Background	53
7.2.2 Service delivery considerations	53
7.3 Indigenous Peoples	54
7.3.1 Background	54
7.3.2 Service delivery considerations	54
7.4 Men who have sex with men	55
7.4.1 Background	55
7.4.2 Service delivery considerations	55
7.5 Sex workers	56
7.5.1 Background	56 56
7.5.2 Service delivery considerations	00
REFERENCES	57
ANNEXES	79
Annex 1: Declarations of interest, Guidelines Development Group	80
Annex 2: Declarations of interest, External Review Group	83
Web annexes	
Annex 1: Decision-making table, PICO question on when to treat Annex 2: Decision-making table, PICO question on how to treat Annex 3.1: Adult HCV treatment systematic review	
Annex 3.2: Adult HCV treatment systematic review; supporting evidence	
Annex 4: Modelling analyses Annex 5: Summary of available non-pangenotypic regimens	
Annex 6: Decision-making table, PICO question on children and adolescents Annex 7: Values and preferences surveys	

Annex 8: Summary of findings tables

۷

## ACKNOWLEDGEMENTS

Many individuals from a range of backgrounds and specialties have contributed to the development of this guidance. WHO is sincerely grateful for their time and support.

#### **Guidelines Development Group**

The chairs of the Guidelines Development Group were Saeed Sadiq Hamid (The Aga Khan University & Hospital, Pakistan) and Karla Thornton (University of New Mexico, USA). Roger Chou (Oregon Health & Science University, USA) was the guidelines methodologist.

The following experts served on the Guidelines Development Group: Evaldo Stanislau Affonso Araújo (University of São Paulo Hospital das Clínicas Infectious Diseases, Brazil); Rakesh Aggarwal (Sanjay Gandhi Postgraduate Institute of Medical Sciences, India); Anton Basenko (International Network of People who Use Drugs (INPUD), Ukraine); Davaadorj Duger (National University of Medical Sciences, Mongolia); Manal Hamdy El-Sayed (Ain Shams University, Egypt); Charles Gore (World Hepatitis Alliance, UK; presently with Medicines Patent Pool, Switzerland); Azumi Ishizaki (Kanazawa University, Japan and Hanoi, Viet Nam); Giten Khwairakpam (TREAT Asia/AmFAR, Thailand); Olufunmilayo Lesi (University of Lagos, Nigeria); Niklas Luhmann (Médecins du Monde, France); Constance Mukabatsinda (Kigali University Teaching Hospital, Rwanda); Francesco Negro (Geneva University Hospitals, Switzerland); David R. Nelson (University of Florida, USA); Ponsiano Ocama (Makerere University, Uganda); Jürgen Rockstroh (University of Bonn, Germany); Regina

#### 预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5\_25716

