



The WHO application of ICD-10 to deaths during the perinatal period: ICD-PM



WHO Library Cataloguing-in-Publication Data

The WHO application of ICD-10 to deaths during the perinatal period: ICD-PM.

1.Perinatal Mortality. 2.Cause of Death. 3.International Classification of Diseases. 4.Classification. I.World Health Organization

ISBN 978 92 4 154975 2 (NLM classification: WQ 225)

© World Health Organization 2016

All rights reserved. Publications of the World Health Organization are available on the WHO website (<http://www.who.int>) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; email: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications –whether for sale or for non-commercial distribution– should be addressed to WHO Press through the WHO website (http://www.who.int/about/licensing/copyright_form/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed by the WHO Document Production Services, Geneva, Switzerland

Designed by Inis Communication – www.iniscommunication.com

The WHO application of ICD-10 to deaths during the perinatal period: ICD-PM



Acknowledgements

The WHO application of ICD-10 to deaths during the perinatal period: ICD-perinatal mortality (ICD-PM) was developed by the World Health Organization (WHO) Working Group on Perinatal Death Classification. The following individuals (in alphabetical order) participated in the activities of the Working Group: Emma Allanson, Hannah Blencowe, Doris Chou, Jahnavi Daru, Jan Jaap Erwich, Vicki Flenady, Frederik Frøen, Jason Gardosi, Rogelio Gonzalez, A. Metin Gürmezoglu, Kate Kerber, Joy Lawn, Edward A. Liechty, Jaouad Mahjour, Priya Mannava, Matthews Mathai, James Neilson, Robert C. Pattinson, Cynthia Pileggi-Castro, Zahida Qureshi, Cleo Rooney, Lale Say, Özge Tunçalp, Joshua P. Vogel and Khalid Yunis. During the development phase, ICD-PM was piloted in two databases in the United Kingdom and South Africa, with additional contributions from Amanda Quach and Andre Francis.

Furthermore, we thank Vanessa Brizuela, Sarah de Masi, Robert Jakob, Kapila Jayaratne, Olufemi Oladapo, Nathalie Roos and Florina Serbanescu for their technical review and comments on this work.

Emma Allanson and Özge Tunçalp prepared the alpha and beta drafts of this work, based on the guidance provided by the Working Group and the pilot studies. Jan Jaap Erwich, Vicki Flenady, Frederik Frøen, Jason Gardosi, A. Metin Gürmezoglu, James Neilson and Robert C. Pattinson revised the beta draft. The final version of the document was prepared by Emma Allanson, Özge Tunçalp and A. Metin Gürmezoglu.

This work was funded by the United States Agency for International Development (USAID) and the UNDP/UNFPA/UNICEF/WHO/World Bank Special Programme of Research, Development and Research Training in Human Reproduction (HRP).

Contents

| | |
|---|-----------|
| Abbreviations and acronyms | vi |
| Executive summary | 1 |
| 1. Introduction | 4 |
| 2. Development of The WHO application of ICD-10 to deaths during the perinatal period: ICD-PM(ICD-perinatal mortality) | 7 |
| 3. ICD-10 procedures for death certificates. | 9 |
| 3.1 Perinatal cause of death and maternal condition on the death certificate. | 9 |
| 3.2 Certification of cause of perinatal death | 9 |
| 3.3 Certification of maternal condition at the time of perinatal death. | 12 |
| 3.4 Coding the death certificate | 13 |
| 4. The WHO application of ICD-10 to deaths during the perinatal period | 14 |
| 4.1 Application of ICD-PM to the cause of perinatal death | 14 |
| 4.2 Application of ICD-PM to the maternal condition in perinatal death | 14 |
| 4.3 Summary and tabulation of ICD-PM | 18 |
| 5. Specific conditions | 20 |
| 5.1 Growth restriction | 20 |
| 5.2 Preterm labour | 20 |
| 5.3 Prematurity | 21 |
| 5.4 Obstructed labour | 21 |
| 5.5 HIV and AIDS | 22 |
| 6. Case examples | 23 |
| 6.1 Case 1 | 23 |
| 6.2 Case 2 | 23 |
| 6.3 Case 3 | 24 |
| 6.4 Case 4 | 24 |

| | |
|---|-----------|
| 7. Implications for practice and research | 26 |
| 8. Perinatal audit. | 26 |
| 9. Conclusion | 27 |
| References | 28 |
| Annex A: ICD-PM groups and ICD-10 codes for antepartum deaths | 30 |
| A1 Congenital malformations, deformations and chromosomal abnormalities. | 30 |
| A2 Infection | 33 |
| A3 Acute antepartum event | 34 |
| A4 Other specified antepartum disorder | 34 |
| A5 Disorders related to length of gestation and fetal growth | 37 |
| A6 Antepartum death of unspecified cause | 38 |
| Annex B: ICD-PM groups and ICD-10 codes for intrapartum deaths | 39 |
| I1 Congenital malformations, deformations and chromosomal abnormalities | 39 |
| I2 Birth trauma | 42 |
| I3 Acute intrapartum event | 43 |
| I4 Infection. | 44 |
| I5 Other specified intrapartum disorder | 44 |
| I6 Disorders related to fetal growth | 47 |
| I7 Intrapartum death of unspecified cause | 48 |
| Annex C: ICD-PM groups and ICD-10 codes for neonatal deaths | 49 |
| N1 Congenital malformations, deformations and chromosomal abnormalities | 49 |
| N2 Disorders related to fetal growth | 52 |
| N3 Birth trauma. | 53 |
| P11 Other birth injuries to central nervous system | 53 |
| P12 Birth injury to scalp | 54 |
| N4 Complications of intrapartum events. | 55 |
| N5 Convulsions and disorders of cerebral status | 56 |
| N6 Infection | 56 |
| N7 Respiratory and cardiovascular disorders | 61 |

| | |
|---|----|
| N8 Other neonatal conditions | 63 |
| N9 Low birth weight and prematurity | 69 |
| N11 Neonatal death of unspecified cause | 70 |

Annex D: ICD-PM groups and ICD-10 codes for maternal conditions in perinatal death 71

| | |
|---|----|
| M1 Complications of placenta, cord and membranes. | 71 |
| M2 Maternal complications of pregnancy | 72 |
| M3 Other complications of labour and delivery | 73 |
| M4 Maternal medical and surgical conditions | 74 |
| M5 No maternal condition. | 75 |

Abbreviations and acronyms

| | |
|---------------|---|
| ABO | ABO (ABH) blood group system |
| HRP | UNDP/UNFPA/UNICEF/WHO/World Bank Special Programme of Research, Development and Research Training in Human Reproduction |
| ICD | International Statistical Classification of Diseases and Related Health Problems |
| ICD-10 | ICD, 10th revision |
| ICD-MM | <i>The WHO application of ICD-10 to deaths during pregnancy, childbirth and the puerperium: ICD-maternal mortality</i> |
| ICD-PM | <i>The WHO application of ICD-10 to deaths during the perinatal period: ICD-perinatal mortality</i> |
| NOS | not otherwise specified |
| TOP | termination of pregnancy |
| UNDP | United Nations Development Programme |
| UNFPA | United Nations Population Fund |
| UNICEF | United Nations Children's Fund |
| USAID | United States Agency for International Development |
| WHO | World Health Organization |

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_26815

