The use of loop-mediated isothermal amplification (TB-LAMP) for the diagnosis of pulmonary tuberculosis

MONARY TB MOLECULAR DIAGNO SISONDAID BECONES

RAPID MOLECULAR TEST 5 5 DIAGNOSIS

NEW DIAGNOSTIC TEST △ ∑ RECOMMENDATIONS

POLICY GUIDANCE

TB-LAMP OTUBERCULOSIS

M.TUBERCULOSIS O

LOOP-MEDIATED
AMPLIFICATION
DNA





The use of loop-mediated isothermal amplification (TB-LAMP) for the diagnosis of pulmonary tuberculosis

Policy guidance

WHO Library Cataloguing-in-Publication Data

The use of loop-mediated isothermal amplification (TB-LAMP) for the diagnosis of pulmonary tuberculosis. Policy guidance.

1. Tuberculosis, Pulmonary - diagnosis. 2. Mycobacterium tuberculosis. 3. Nucleic Acid Amplification Techniques. 4. Guideline.

I.World Health Organization.

ISBN 978 92 4 151118 6 (NLM classification: WF 300)

Subject headings are available from WHO institutional repository

© World Health Organization 2016

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@ who.int).

Requests for permission to reproduce or translate WHO publications –whether for sale or for non-commercial distribution– should be addressed to WHO Press through the WHO website (www. who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Designed by GPS Publishing

Printed in Spain

WHO/HTM/TB/2016.11

Contents

	Executive summary	1
1.	Background	3
2.	Methods 2.1 Evidence synthesis 2.2 Criteria for considering studies for this review 2.3 Data collection and analysis 2.4 Guideline Development Group meeting. 2.5 External Review Group	7 7 9
3.	Scope	
4.	Evidence base for policy formulation	
5.	Results of the systematic review 5.1 Accuracy of TB-LAMP as a replacement test for smear microscopy 5.2 Accuracy of TB-LAMP as a replacement test for smear microscopy in persons living with HIV 5.3 Accuracy of TB-LAMP as an add-on test following smear microscopy for smear-negative adults 5.4 Accuracy of TB-LAMP compared with Xpert MTB/RIF assay for detecting pulmonary TB 5.5 Evaluation of the proportion of indeterminate or invalid results when TB-LAMP is used to detect pulmonary TB among all adults and among HIV-positive adults	. 17 . 19 . 20
6.	Cost-effectiveness analysis	25
7.	Summary: from evidence to recommendations 7.1 TB-LAMP for the detection of pulmonary TB in all adults 7.2 TB-LAMP for the detection of pulmonary TB in adults living with HIV 7.3 TB-LAMP as an add-on test for detecting of pulmonary TB in adults following negative smear microscopy. 7.4 TB-LAMP as a replacement test for the Xpert MTB/RIF assay for detecting pulmonary TB in adults	. 26 . 26 . 27
8	WHO policy recommendations	29

9.	Implementation considerations	30
10.	Plans for disseminating WHO's guidance on TB-LAMP	31
11.	Research needs	32
12.	Annexes	33
	Annex 1. References to studies for the systematic review of the diagnostic	
	accuracy of TB-LAMP	33
	Annex 2. GRADE Evidence Profiles	35
	Annex 3. Abstracts for unpublished studies	38

Tables

Table 1.	Characteristics for all studies included in the evaluation of TB-LAMP	
	(see Annex 1 for information about the studies)	4
Table 2.	Risk of bias and applicability concerns: review authors' judgments	
	about each domain (see Annex 1 for information about the studies)	6
Table 3.	TB-LAMP as a replacement test for smear microscopy: eligible	
	and included patients, by reference standard and study site	
	(see Annex 1 for information about the studies)	7
Table 4.	TB-LAMP as a replacement test for smear microscopy: estimates	
	of pooled sensitivity and specificity1	9
Table 5.	TB-LAMP as a replacement test for smear microscopy in persons living	
	with HIV: pooled sensitivity and specificity.	20
Table 6.	TB-LAMP as an add-on test following negative sputum-smear microscopy:	
	eligible and included patients, by reference standard and study site	
	(see Annex 1 for information about the studies)	20
Table 7.	TB-LAMP as an add-on test following smear microscopy:	
	pooled sensitivity and specificity	22
Table 8.	Diagnostic accuracy of TB-LAMP compared with the Xpert MTB/RIF assay:	
	eligible and included patients, by reference standard and study site.	
	(See Annex 1 for information about the studies)	23
Table 9.	Accuracy of TB-LAMP and the Xpert MTB/RIF assay: pooled sensitivity	
	and specificity	24
Table 10.	GRADE evidence profile: accuracy of TB-LAMP as a replacement test	
	for sputum-smear microscopy for diagnosing pulmonary TB among	
	all adults suspected of having pulmonary TB	34
Table 11.	GRADE evidence profile: accuracy of TB-LAMP as a replacement test	
	for sputum-smear microscopy for diagnosing pulmonary TB among	
	all adults living with HIV suspected of having pulmonary TB	35
Table 12.	GRADE evidence profile: accuracy of TB-LAMP as an add-on test	
	following negative sputum-smear microscopy for diagnosing pulmonary	
	TB in adults suspected of having pulmonary TB	36

Figures

Figure 1.	Molecular principles of TB-LAMP
Figure 2.	Visual display of TB-LAMP results under ultraviolet light
Figure 3.	Schematic description of the workflow for TB-LAMP
Figure 4.	Flow diagram of the 20 TB-LAMP studies identified through a systematic
	search. Thirteen studies were eligible for inclusion in the systematic review
	(see Annex 1 for information about the studies)
Figure 5.	Forest plots of TB-LAMP sensitivity and specificity for detecting TB
	compared with three culture-based reference standards ^a
	(see Annex 1 for information about the studies)18
Figure 6.	Forest plots of TB-LAMP sensitivity and specificity for detecting
	TB among adults living with HIV compared with three culture-based
	reference standards (see Annex 1 for information about the studies) 19
Figure 7.	Forest plots of TB-LAMP sensitivity and specificity for detecting
	TB among adults as an add-on test following negative sputum-smear
	microscopy compared with three culture-based reference standards ^a
	(see Annex 1 for information about the studies)2

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5_26883



