Report of the Guideline Development Group Meeting on the use of bedaquiline in the treatment of multidrug-resistant tuberculosis

A review of available evidence (2016)

28 - 29 June 2016 Geneva, Switzerland





Report of the Guideline Development Group Meeting on the use of bedaquiline in the treatment of multidrug-resistant tuberculosis

A review of available evidence (2016)

28 - 29 June 2016 Geneva, Switzerland

© World Health Organization 2017

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

Suggested citation. Report of the Guideline Development Group Meeting on the use of bedaquiline in the treatment of multidrug-resistant tuberculosis, A review of available evidence (2016). Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

Sales, rights and licensing. To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see http://www.who.int/about/licensing.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

This publication contains the collective views of an international group of experts and does not necessarily represent the decisions or the policies of WHO.

Table of Contents

Abbi	reviations and acronyms	v
Ackr	nowledgements	vi
Fund	ding	vi
Decla	arations of interest	vii
Prefa	ace	viii
1.	Background	1
2.	Preparation for the assessment of newly available evidence	3
2.1.	Evidence retrieval and synthesis	3
2.2.	Further data for comparative mortality analysis	5
3.	Guideline Development Group Meeting	6
3.1.	Meeting objectives	6
3.2.	Meeting procedures: Management of conflicts of interest	7
3.3.	Assessment of evidence and its grading: The GRADE system	7
3.4.	Reviewing the 2013 policy recommendation	10
4.	Summary of main findings	11
4.1.	Sample description and baseline characteristics	11
4.2.	Effectiveness of bedaquiline in the treatment of MDR-TB	15
4.3.	Safety	19
4.4.	Mortality	23
5.	GRADE Evidence Profile and Guideline Development Group findings	26
6.	Summary of Evidence to Decision	39
6.1.	Final grading of the evidence	39
6.2.	Undesirable effects: balance between benefits and harms	39
6.3.	Balance of desirable and undesirable effects	40
6.4.	Patients' values and preferences	40
6.5.	Cost-effectiveness	40
6.6.	Equity	40
6.7.	Acceptability	40
6.8.	Feasibility	40
7.	Guideline Development Group Recommendation	41
7.1.	Implementation considerations	42
7.2.	Monitoring and Evaluation	42
7.3.	Research gaps	43
Refe	rence list	44
Anne	exes	46

List of boxes, figures and tables

Box 1.	Summary of the main recommendations of the WHO 2013 interim policy guidance of	n the
	use of bedaquiline in the treatment of MDR-TB	2
Fig. 1.	Flow diagram for study search and selection of data	4
Fig. 2.	EDRWeb patients' records included in analysis	6
Fig. 3.	Meta-analysis of culture conversion at six months of bedaquiline treatment	15
Fig. 4.	Meta-analysis of cure rates	17
Fig. 5.	Meta-analysis of treatment completion rates	17
Fig. 6.	Meta-analysis of failure rates	17
Fig. 7.	Meta-analysis of death rates	18
Fig. 8.	Meta-analysis of lost-to-follow-up rates	18
Fig. 9.	Meta-analysis of success rates	18
Fig. 10.	Forest-plot of adjusted Hazard Ratios on a number of co-variates for Cox regression Logistic regression analyses	
Table 1.	Significance of the four levels of evidence	9
Table 2.	Characteristics of included studies	12
Table 3.	Baseline characteristics of participants in the included studies	13
Table 4.	Populations used in the various analyses	14
Table 5.	Distribution of treatment outcomes	16
Table 6.	Number of patients who experienced adverse events	19
Table 7.	Distribution of all adverse events by system affected and study	20
Table 8.	Distribution of number of serious adverse events by system in all studies	21
Table 9.	Distribution of serious adverse events by system affected for all cohorts	21
Table 10.	Distribution of worst QTcF measurements	22
Table 11.	Increase in QTc from baseline to longest measurements	22
Table 12.	Average QTcF prolongation by duration on bedaquiline	23
Table 13.	Quality assessment, the GRADE evidence profile summary (2013)	29
Table 14.	Quality assessment, the GRADE evidence profile summary (2016)	31
Table 15.	The GRADE evidence to decision framework	33

Abbreviations and acronyms

aDSM active TB drug safety monitoring and management

AE adverse event

ART antiretroviral therapy

DR-TB drug-resistant tuberculosis

DST drug susceptibility testing

ECG electrocardiogram

GDG Guideline Development Group

GRADE Grading of Recommendations Assessment, Development and Evaluation

GRC WHO Guidelines Review Committee

HIV human immunodeficiency virusMDR-TB multidrug-resistant tuberculosis

MDR-TB_{+FO} multidrug-resistant tuberculosis with additional resistance to fluoroquinolones

MDR-TB_{+SLI} multidrug-resistant tuberculosis with additional resistance to injectable drugs

MIC minimum inhibitory concentration

NTP national tuberculosis control programme

OBR optimised background regimen

PK/PD pharmacokinetic/pharmacodynamic

PMDT programmatic management of drug-resistant tuberculosis

RCT randomised control trial(s)

SAE serious adverse event

TB tuberculosis

U.S. FDA United States Food and Drug Administration

WHO World Health Organization

XDR-TB extensively drug-resistant tuberculosis

Acknowledgements

This document was prepared by Christian Lienhardt and Lice González-Angulo, with the contribution of Ernesto Jaramillo, Dennis Falzon and Karin Weyer (World Health Organization (WHO) Global TB Programme), to report on the outputs of the Guideline Development Group meeting convened by WHO in Geneva on 28 - 29 June 2016, and subsequent Webinar conducted on 15 September 2016. WHO gratefully acknowledges the contributions made by the Chair of the Guideline Development Group (Holger J. Schünemann) and its members (Martien Borgdoff, Grania Brigden, Lucy Chesire, Daniela Cirillo, Gerry Davies, Poonam Dhavan, Peter Donald, Christopher Kuaban, Miranda Langendam, Mauricio Lima-Barreto, Anna Mandalakas, Beatrice Mutayoba, Payam Nahid, Viet Nhung Nguyen, Rohit Sarin, Alena Skrahina, Carlos Torres-Duque, and Carrie Tudor). WHO greatly acknowledges the work conducted by Lawrence Mbuagbaw, consultant to WHO, in the analysis and synthesis of evidence, as well as the contributions made by technical resource persons during discussions (Anneke Hesseling, Erica Lessem, Norbert Ndjeka, Kate Schnippel, and Fraser Wares).

Administrative and secretarial support: Lou Maureen Comia.

Funding

The Bill and Melinda Gates Foundation is acknowledged for its support to the process (meeting of the GDG and systematic review) through grant project number **OPP 1126615**.

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5 26928

