

THE HEALTH WORKFORCE IN INDIA

Human Resources for Health Observer Series No. 16

Sudhir Anand and Victoria Fan

THE HEALTH WORKFORCE IN INDIA

Human Resources for Health Observer Series No. 16

Sudhir Anand and Victoria Fan

WHO Library Cataloguing-in-Publication Data

The health workforce in India.

I. World Health Organization.

ISBN 978 92 4 151609 9

This publication was originally published under ISBN 978 92 4 151052 3

Subject headings are available from WHO institutional repository

© World Health Organization 2016

All rights reserved. Publications of the World Health Organization are available on the WHO website (<http://www.who.int>) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; email: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications –whether for sale or for non-commercial distribution– should be addressed to WHO Press through the WHO website (http://www.who.int/about/licensing/copyright_form/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Design by Blossom.

Layout by L'IV Com Sàrl, Villars-sous-Yens, Switzerland.

Printed by the WHO Document Production Services, Geneva, Switzerland.

TABLE OF CONTENTS

Foreword	5
Preface	6
Acknowledgements	8
Summary of findings	9
National profile	9
Interstate comparisons	9
Interdistrict differentials in India	10
1. Introduction	12
2. National profile	13
2.1 Interdistrict inequalities	13
2.2 Urban–rural distribution	16
2.3 Male–female distribution	19
2.4 Education level and medical qualification	19
2.5 Main and marginal health workers	25
3. Interstate comparisons	28
3.1 Concentration of health workers	28
3.2 Composition of health workers	34
3.3 Health worker densities by education, stratum and gender	37
3.4 Health worker distribution by gender, education and stratum	46
3.5 Interdistrict differentials within states	54
4. Interdistrict differentials in India	68
4.1 All health workers	68
4.2 Allopathic doctors	70
4.3 Nurses and midwives	80
4.4 Other health worker categories: pharmacists, AYUSH doctors and dentists	85
5. Concluding remarks	95
Annex 1. Description of NCO four-digit codes	97
Annex 2. List of medical qualifications	98

Tables

Table 1. Health worker categories with corresponding NCO codes

Table 2.1. Health workforce in India, 2001

Table 2.2. Health workers by urban–rural stratum and gender

Table 2.3. Health workers by education level and by medical qualification

Table 2.4. Composition of health workers with more than secondary schooling and with a medical qualification by category: disaggregated by stratum and gender

Table 2.5. Percentage of health workers with more than secondary schooling and percentage with a medical qualification, by stratum and gender

Table 2.6. Main and marginal health workers: summary statistics

Table 3.1.1. Concentration by state of health workers (% in state as fraction of national total)

Table 3.1.2. Selected categories of health workers by education levels (A), (B) and (C): concentration by state

Table 3.2. Composition of all health workers, and composition of all doctors, in each state

Table 3.3.1. Density of health workers per lakh population, by state

Table 3.3.2. Density of health workers with more than secondary schooling, by state

Table 3.3.3. Density of health workers with a medical qualification, by state

Table 3.3.4. Ratio of urban density to rural density of health workers, by state

Table 3.4.1. Percentage of health workers who are female, by state

Table 3.4.2. Percentage of health workers with more than secondary schooling, by state

Table 3.4.3. Percentage of health workers with a medical qualification, by state

Table 3.5.1. All health workers by education levels (A), (B) and (C): interdistrict differentials, by state

Table 3.5.2. Allopathic doctors by education levels (A), (B) and (C): interdistrict differentials, by state

Table 3.5.3. Nurses and midwives by education levels (A), (B) and (C): interdistrict differentials, by state

Table 3.5.4. Pharmacists by education levels (A), (B) and (C): interdistrict differentials, by state

Table 3.5.5. AYUSH doctors by education levels (A), (B) and (C): interdistrict differentials, by state

Table 3.5.6. Dental practitioners by education levels (A), (B) and (C): interdistrict differentials, by state

Table 4.1-(A). All health workers with any level of education: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.1-(B). All health workers with more than secondary schooling: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.2-(A). Allopathic doctors with any level of education: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.2-(B). Allopathic doctors with more than secondary schooling: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.2-(C). Allopathic doctors with a medical qualification: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.3-(A). Nurses and midwives with any level of education: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.3-(B). Nurses and midwives with more than secondary schooling: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.3-(C). Nurses and midwives with a medical qualification: ranking of districts by density – lowest 73 and highest 17 districts

Table 4.4-(A). Pharmacists with any level of education: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.4-(B). Pharmacists with more than secondary schooling: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.5-(A). AYUSH doctors with any level of education: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.5-(B). AYUSH doctors with more than secondary schooling: ranking of districts by density – lowest 30 and highest 30 districts

Table 4.5-(C). AYUSH doctors with a medical qualification: ranking of districts by density – lowest 32 and highest 28 districts

Table 4.6-(A). Dental practitioners with any level of education: ranking of districts by density – lowest 60 and highest 30 districts

Table 4.6-(B). Dental practitioners with more than secondary schooling: ranking of districts by density – lowest 88 and highest 2 districts

Table 4.6-(C). Dental practitioners with a medical qualification: ranking of districts by density – lowest 175 and highest 5 districts

Table 4. Number of common districts among lowest 30, and among highest 30, districts ranked by health worker density in distributions (A), (B) and (C)

Figures

Figure 2.1.1. Health workers by category: absolute number

Figure 2.1.2. Health workers by category: interdistrict Gini

Figure 2.2.1. Health workers by category: absolute number by urban–rural stratum

Figure 2.2.2. Health workers by category: ratio of urban density to rural density, and male–female ratio

Figure 2.2.3. Health workers by category: absolute number by gender

Figure 2.3. Health workers by category: disaggregated by level of education

Figure 2.5.1. Percentage of health workers with more than secondary schooling, by stratum and gender

Figure 2.5.2. Percentage of health workers with a medical qualification, by stratum and gender

Figure 3.1.1. Allopathic doctors, population, and nurses and midwives: concentration by state

Figure 3.1.2. Allopathic doctors by education levels (A), (B) and (C): concentration by state

Figure 3.2.1. Percentage of nurses vs percentage of doctors, by state

Figure 3.2.2. Doctor–nurse ratio and doctor density, by state

Figure 3.3.1. Allopathic doctors and nurses and midwives: density by state

Figure 3.3.4. Allopathic doctors and nurses and midwives: ratio of urban density to rural density, by state

Figure 3.4.1. Allopathic doctors and nurses and midwives: percentage who are female, by state

Figure 3.4.2. Allopathic doctors and nurses and midwives: percentage with more than secondary schooling, by state

Figure 3.4.3. Allopathic doctors and nurses and midwives: percentage with a medical qualification, by state

Figure 3.5.1. All health workers by education levels (A), (B) and (C): interdistrict Gini, by state

Figure 3.5.2. Allopathic doctors by education levels (A), (B) and (C): interdistrict Gini, by state

Figure 3.5.3. Nurses and midwives by education levels (A), (B) and (C): interdistrict Gini, by state

Figure 3.5.4. Pharmacists by education levels (A), (B) and (C): interdistrict Gini, by state

Figure 3.5.5. AYUSH doctors by education levels (A), (B) and (C): interdistrict Gini, by state

Figure 3.5.6. Dental practitioners by education levels (A), (B) and (C): interdistrict Gini, by state

Figure 4.1. District density of all health workers: histogram (593 bins) and Epanechnikov kernel estimate

Figure 4.2. District density of all health workers: alternative kernel estimates

Figure 4.3. District density of allopathic doctors: histogram (593 bins) and Epanechnikov kernel estimate

Figure 4.4. District density of allopathic doctors by education levels (A), (B) and (C): Epanechnikov kernel estimates

Figure 4.5. District density of nurses and midwives: histogram (593 bins) and Epanechnikov kernel estimate

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_26947

