SEA-EHA-7 (Rev.1) SEA-Ment.-135 Distribution: General

Psychosocial Care of Tsunami-Affected Populations

Manual for Community Level Workers



World Health Organization Regional Office for South-East Asia New Delhi April 2005

Acknowledgements:

This document is one in a series produced through collaborative efforts between the Mental Health Unit of the WHO Regional Office for South-East Asia and the Department of Mental Health and Substance Abuse, WHO Headquarters, to help affected communities cope with the Tsunami disaster.

The first draft and subsequent revisions were prepared by Drs. Nimesh Desai and Dhanesh Gupta assisted by Drs. Ram Avtar Singh, Abhilash Malik, Geeta Baro and Mr. Anil Kumar from the Institute of Human Behaviour and Allied Sciences, Delhi, India and by Dr. Rajesh Pandav, Short Term Professional, Mental Health unit, SEARO. Their contribution is gratefully acknowledged.

Comments from Drs. Mark van Ommeren, Benedetto Saraceno, Shekhar Saxena (who tested the first draft of this document in Sri Lanka and Maldives), Satish Mallik, Bela Shah, Anne Germain, Myron Belfar and Sridhar Sharma are highly appreciated.

For additional information contact: Dr Vijay Chandra, Regional Adviser, Mental Health, WHO/SEARO (chandray@whosea.org)

© World Health Organization 2005

This document is not a formal publication of the World Health Organization (WHO), and all rights are reserved by the Organization. The document may, however, be freely reviewed, abstracted, reproduced or translated, in part or in whole, but not for sale or for use in conjunction with commercial purposes.

The views expressed in documents by named authors are solely the responsibility of those authors.

CONTENTS

		Page
Mes	ssage from the Regional Director	V
Pref	face	vii
1.	INTRODUCTION	1
2.	RESPECT FOR LOCAL CULTURE IN IMPLEMENTING PSYCHOSOCIAL INTERVENTIONS	2
3.	SOCIAL SUPPORT	2
4.	NEED FOR EXTERNAL PSYCHOSOCIAL SUPPORT SYSTEMS	3
5.	INTER-AGENCY COLLABORATION	3
6.	WHO CAN USE THIS MANUAL?	3
7.	AIM OF THIS MANUAL	4
8.	LEARNING OBJECTIVES	4
9.	GETTING STARTED IN THE COMMUNITY	4
10.	MODULE I: PSYCHOLOGICAL RESPONSES OF DISASTER-AFFECTED POPULATION	5
11.	MODULE II: PSYCHOSOCIAL INTERVENTIONS FOR DISASTER-AFFECTED PEOPLE	8
12.	MODULE III: PSYCHOSOCIAL INTERVENTION FOR SPECIAL GROUPS	18
13	REFERENCES	22

MESSAGE FROM THE REGIONAL DIRECTOR

December 26, 2004 will, forever, be a date that haunts our memory. It will always be associated with the massive earthquake in the Indian Ocean which generated the destructive Tsunami waves that battered the shores of many countries. Unfortunately, the WHO South-East Asia Region bore the brunt of the devastation. Among our Member States, Indonesia, Sri Lanka, Thailand, India and Maldives were affected the most. Myanmar and Bangladesh were also affected, but to a lesser degree.

WHO immediately responded to the disaster. During the early phase of the crisis, our priority was the provision of technical advice to governments of affected countries to help them take care of the immediate threats to human health.

Given its sheer magnitude and scope, no single organization can adequately cope with the disaster alone. WHO is supporting national health authorities of the affected countries in close coordination and cooperation with other agencies. Never before have organizations of the UN system demonstrated such an ability to respond to the immediate needs during a crisis with unity, professionalism and speed.

In addition to providing technical support on health issues, we were very cognizant of the psychosocial needs of those affected by the Tsunami disaster. Technical guidelines were immediately made available to governments and disseminated widely to agencies working in the field. It was widely recognized that impairment in psychosocial rehabilitation can affect efforts in physical rehabilitation.

Providing psychosocial support to communities affected by the Tsunami disaster is a key component of the Organization's long-term strategy to rehabilitate the damaged public health infrastructure.

I am confident these manuals will be found useful by community-based workers who will ultimately provide the psychosocial support to those affected by this unprecedented tragedy.

Samlee Plianbangchang, M.D., Dr.P.H. Regional Director

PREFACE

The Tsunami disaster has imposed a huge burden on communities, not only physically but also in terms of the psychological trauma inflicted on them. It should be noted that EACH AND EVERY PERSON in the population is psychologically affected to some extent. Thus, in terms of numbers, the magnitude of the problem of psychological trauma of the disaster affected population is as large as the size of the population. It is imperative that psychosocial interventions be made accessible to each person in the community, because psychological distress can hamper rehabilitation and resumption of normal life.

WHO's policy on mental health/psychosocial support to disaster victims is that it should be community-based and culturally appropriate and take into account the needs of special groups such as children, women, the elderly, etc. WHO ecommends that psychosocial support be provided to affected communities by community-based workers who understand the needs of disaster victims and are trained by experts in psychosocial support methodologies.

The role of the WHO lies in defining the psychosocial needs of the community, establishing technical guidelines to be used, providing technical support to governments, NGOs and other stakeholders involved in psychosocial support, as well as training people for the implementation of psychosocial support strategies, and monitoring and evaluation of programmes. Actual implementation in the field can be done by community-level workers, NGOs, self-help groups and other UN groups, etc., using WHO guidelines. All activities should be in collaboration with the Ministry of Health and the WHO Representative office.

This set of manuals, prepared by a group of experts has been developed for use by community-level workers entrusted with the responsibility of providing psychosocial support to the community. The manuals recommend increased community outreach, taking into account the needs of special groups such as children, women and the elderly, while offering a culturally appropriate approach to support.

It is hoped that the training these workers receive will enable them to reach each and every member of the community and provide them with the appropriate level of psychosocial support needed. In addition, relief workers can learn how to care for their own emotional well-being, so that they can handle the stress of relief work and serve the community better.



https://www.yunbaogao.cn/report/index/report?reportId=5_27040

