

**WHO, UNODC, UNAIDS TECHNICAL GUIDE
FOR COUNTRIES TO SET TARGETS FOR
UNIVERSAL ACCESS TO HIV PREVENTION,
TREATMENT AND CARE FOR INJECTING
DRUG USERS**

2012 REVISION



WHO, UNODC, UNAIDS TECHNICAL GUIDE
FOR COUNTRIES TO SET TARGETS FOR
UNIVERSAL ACCESS TO HIV PREVENTION,
TREATMENT AND CARE FOR INJECTING
DRUG USERS

2012 REVISION

WHO Library Cataloguing-in-Publication Data:

WHO, UNODC, UNAIDS technical guide for countries to set targets for universal access to HIV prevention, treatment and care for injecting drug users – 2012 revision.

1.HIV infections - prevention and control. 2.HIV infections - therapy. 3.Acquired immunodeficiency syndrome - prevention and control. 4.Acquired immunodeficiency syndrome - therapy. 5.Substance abuse, Intravenous - complications. 6.Needle sharing - adverse effects. 7.Needle exchange programs. 8.National health programs. I.World Health Organization.

ISBN 978 92 4 150437 9

(NLM classification: WC 503.6)

© **World Health Organization 2012**

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press through the WHO web site (http://www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Layout by L'IV Com Sàrl, Villars-sous-Yens, Switzerland.

Printed by the WHO Document Production Services, Geneva, Switzerland.

CONTENTS

ACKNOWLEDGEMENTS	3
ACRONYMS AND ABBREVIATIONS	5
1. INTRODUCTION	7
1.1 Background	7
1.2 Revisions in this publication	7
1.3 Function and scope of this document	8
2. HIV PREVENTION, TREATMENT AND CARE AMONG PEOPLE WHO INJECT DRUGS	10
2.1 The Comprehensive Package	10
1. Needle and syringe programmes	12
2. Opioid substitution therapy and other drug dependence treatment	13
3. HIV testing and counselling	15
4. Antiretroviral therapy	16
5. Prevention and treatment of sexually transmitted infections	17
6. Condom programmes for people who inject drugs and their sexual partners	18
7. Targeted information, education and communication	19
8. Prevention, vaccination, diagnosis and treatment for viral hepatitis	20
9. Prevention, diagnosis and treatment of tuberculosis	21
2.2 Outreach	21
2.3 Other interventions not included in the Comprehensive Package	22
2.4 Structural factors influencing risk and intervention impact	23
2.5 The principles of universal access	24
2.6 Service delivery and service integration	25
2.7 PWID in prisons and other detention settings	26
3. THE MONITORING AND TARGET-SETTING PROCESS	27
3.1 Monitoring “drug-user-specific” versus “general population” interventions	27
3.2 Measuring population size	29
Estimating the size of PWID populations	29
Ensuring denominators and numerators match	30
Quality of population size estimates	31
3.3 Measuring the availability of interventions	32
Restrictions on access	32
Type of intervention available	33
Number of sites where intervention is available	33
Location of sites where intervention is available	34
3.4 Measuring intervention coverage	35
Reporting period	36
Unique identifier code	36
Collecting and aggregating data from programmes	37
3.5 Measuring intervention quality	38

3.6 Measuring the outcome and impact of interventions	39
HIV incidence	39
HIV prevalence	40
HIV risk behaviours	40
3.7 Disaggregation	41
Disaggregation by gender	41
Disaggregation by age	41
Disaggregation by type of drug injected	41
3.8 Setting targets	42
3.9 Next steps after setting targets	44
4. INDICATORS	45
4.1 Summary of indicators	45
4.2 Population size estimates	48
4.3 The comprehensive package	50
1. Needle and syringe programmes	50
2. Opioid substitution therapy and other drug dependence treatment	59
3. HIV testing and counselling	72
4. Antiretroviral therapy	74
5. Sexually transmitted infection prevention, diagnosis and treatment	82
6. Condom distribution programmes for PWID and their sexual partners	83
7. Targeted information, education and communication for PWID and their sexual partners	84
8. Prevention, vaccination, diagnosis and treatment for viral hepatitis	86
9. Prevention, diagnosis and treatment of tuberculosis	92
4.4 Outcome/impact indicators	96
REFERENCES	101

ACKNOWLEDGEMENTS

This revision of the Technical Guide was prepared by Bradley Mathers (The Kirby Institute for Infection and Immunity in Society, University of New South Wales, Sydney) and Annette Verster (Department of HIV/AIDS, World Health Organization (WHO), Geneva) with support from Michelle Rodolph (Department of HIV/AIDS, WHO, Geneva). The first guide was authored by Martin Donoghoe (WHO Regional Office for Europe, Copenhagen) and Annette Verster with support from Bradley Mathers.

This revision of the Technical Guide was informed by a study conducted across five countries of the application of the indicators presented in the first version of the Technical Guide. This study was led by Annette Verster and John Kirkwood (WHO, Geneva). The following people participated in the collection and reporting of country data and provided guidance on the process and analysis of findings: Riku Lehtovuori (United Nations Office on Drugs and Crime (UNODC), Vienna); Mirlan Mamyrov (UNODC, Kazakhstan); Mirzakhid Sultanov (UNODC, Ukraine); Taavi Erkkola, Miriam Sabin and Igor Toskin (Joint United Nations Programme on HIV/AIDS (UNAIDS), Geneva); Kostyantyn Dumchev (WHO, Ukraine); Keith Sabin (WHO, Geneva); Elie Aaraj and Patricia Haddad (Knowledge Hub-SIDC, Lebanon); and Ilham Lagrich (Knowledge Hub-Arrazi/MENAHRA, Morocco).

A meeting of representatives from key stakeholder organizations, held in Beirut in April 2011, discussed the revision of the Technical Guide. The following people participated in this meeting: Dave Burrows (AIDS Project Management Group, Sydney); Mauro Guarinieri (Global Fund to Fight AIDS, Malaria and Tuberculosis, Geneva); Joumana Hermez (WHO Regional Office for the Eastern Mediterranean, Cairo); David Jacka (WHO, Hanoi); Bradley Mathers (The Kirby Institute for Infection and Immunity in Society, University of New South Wales, Sydney); Billy Pick (The United States President's Emergency Plan for AIDS Relief (PEPFAR), Washington, DC); Gary Reid (WHO Regional Office for South East Asia, New Delhi); Miriam Sabin (UNAIDS Secretariat, Geneva); Annette Verster (WHO, Geneva); Sergey Votyagov (Eurasian Harm Reduction Network, Vilnius).

The authors gratefully acknowledge the following experts, who reviewed and provided comment on and input to the revision of the Technical Guide: Rachel Baggaley, Sisa Betizazu, Jesus M. Garcia Calleja, Philippa Easterbrook, Antonio Gerbase and Marco Vittoria (HIV Department, WHO, Geneva); Annabel Baddeley, Christian Gunneberg and Delphine Sculier (Stop TB Programme, WHO, Geneva); Nicolas Clark and Daniela Fuhr (Mental Health and Substance Abuse Unit, WHO, Geneva); Martin Donoghoe and Annemarie Stengaard (WHO Regional Office for Europe, Copenhagen); Joumana Hermez (WHO Regional Office for the Eastern Mediterranean, Cairo); Gary Reid (WHO Regional Office for South East Asia, New Delhi); Pengfei Zhao (WHO Regional Office for the Western Pacific, Manila); David Jacka and Fabio Mesquita (WHO, Hanoi); Graham Shaw (WHO, Phnom Penh); Alison Crocket, Patricia Ongpin, Alasdair Reid and Miriam Sabin (UNAIDS Secretariat, Geneva); Riku Lehtovuori and Fabienne Hariga (UNODC, Vienna); Jamie Bridge, Mauro Guarinieri and Sandra Kuzmanovska (Global Fund to Fight AIDS, Malaria and Tuberculosis, Geneva); Richard Needle and Billie Pick (The U.S. President's Emergency Plan for AIDS Relief, Washington DC); Dagmar Hedrich and Lucas Wiessing (European

Monitoring Centre for Drugs and Drug Addiction, Lisbon); Gillian Anderson (Centers for Disease Control and Prevention (CDC), Atlanta); Jane Maxwell (University of Texas, Austin); Adeeba Kamarulzaman (University of Malaya and Malaysian AIDS Council, Kuala Lumpur); Sharon Weir (University of North Carolina); Don Des Jarlais (Beth Israel Medical Center, New York); Rick Lines and Claudia Stoicescu (Harm Reduction International, London); Mukta Sharma (HIV/AIDS Asia Regional Program, Bangkok); Dave Burrows (AIDS Project Management Group, Sydney); Mat Southwell (International Network of People who use Drugs, London); Dean Lewis and Anan Pun (Asian Network of People who use Drugs, Bangkok); Daniel Wolfe (Open Society Foundations, New York); and Susie McLean (International HIV/AIDS Alliance, Brighton).

In addition, the following experts provided input on the development of the indicators assessing *quality*: Nina Kerimi (UNODC, Astana), Monica Beg, Riku Lehtovuori and Fabienne Hariga (UNODC, Vienna); Maka Gogia (Georgian Harm Reduction Network, Tbilisi); Daria Ocheret, Marija Subataite and Sergey Votyagov (Eurasian Harm Reduction Network, Vilnius); Emilis Subata (Vilnius Centre for Addictive Disorders, Vilnius); Svetlana Kulsis and Loreta Stoniene (Demetra—Association of HIV Affected Women and Their Families, Vilnius); Marija Korkut (Lithuanian Red Cross, Visaginas); Audrone Astrauskiene (Department of Public Health, Ministry of Health, Vilnius); Rimantas Sagzdavicius (Drug, Tobacco and Alcohol Control Department, Government of the Republic of Lithuania, Vilnius); Jurga Poskeviciute (Coalition of non-governmental organizations and experts “I Can Live”, Vilnius); and clients of the programmes run by the Vilnius Centre for Addictive Disorders. In particular, the authors wish to thank Raminta Stuikyte and Ausra Malinauskaite (Vilnius Centre for Addictive Disorders) for providing input and undertaking a consultation on the quality indicators with stakeholders and service users in Lithuania.

Funding for the pilot study and revision of the Technical Guide was provided by the U.S. President's Emergency Plan for AIDS Relief (PEPFAR).

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_28574

