
Blood

Donor

Selection

**Guidelines on Assessing
Donor Suitability for
Blood Donation**



World Health
Organization

Blood

Donor

Selection

**Guidelines on Assessing
Donor Suitability for
Blood Donation**



World Health
Organization

WHO Library Cataloguing-in-Publication Data

Blood donor selection: guidelines on assessing donor suitability for blood donation.

1.Blood donors. 2.Blood transfusion. 3.Evidence-based practice. 4.Review. 5.National health programs. 6.Guideline I.World Health Organization.

ISBN 978 92 4 154851 9

(NLM classification: WH 460)

Development of this publication was supported by Cooperative Agreement Number PS024044 from the United States Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC

© World Health Organization 2012

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press through the WHO web site (http://www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed in Luxembourg.

Contents

Executive summary	1
Acronyms	3
Preface	4
Policy recommendations	5
Technical recommendations	6
1 Introduction	16
1.1 Blood donor selection	16
1.2 Aim and objectives	17
1.3 Target audience	18
1.4 Methodology	17
Part 1: National system for blood donor selection	
2 Establishing a national system for blood donor selection	23
2.1 National policy and legislative framework	23
2.2 National guidelines and criteria on blood donor selection	23
2.3 Public information and donor education	25
2.4 Infrastructure and facilities	25
2.5 Financial and human resources	26
2.6 Quality system	26
2.7 Donor haemovigilance	27
2.8 Monitoring and evaluation	28
3 Assessing donor suitability	30
3.1 Donor selection process	30
3.2 Donor deferral	35
3.3 Donor records	36
3.4 Confidential unit exclusion	37
3.5 Adverse donor reactions and post-donation care	37
Part 2: Criteria for blood donor selection	
4 General donor assessment	39
4.1 Age	39
4.1.1 Lower age limit	39
4.1.2 Upper age limit	40

4.2	Donor appearance and inspection	40
4.3	Minor illnesses	41
4.4	Weight	41
4.5	Vital signs	42
4.5.1	Pulse	42
4.5.2	Body temperature	42
4.5.3	Blood pressure	42
4.6	Donor iron status	43
4.6.1	Haemoglobin screening	43
4.6.2	Frequency of donation and iron supplementation	44
4.7	Fluid intake and food	46
4.8	Gender	46
4.8.1	Pregnancy, lactation and menstruation	46
4.8.2	Reducing the risk of transfusion-associated acute lung injury	47
4.9	Occupation and leisure activities	47
4.10	Special considerations for donor selection for apheresis donations	48
5	Donor medical history I: Non-communicable diseases	49
5.1	Haematological disorders	
5.1.1	Anaemia, including haematinic (iron, B ₁₂ , folate) deficiency	49
5.1.2	Haemoglobinopathies	50
5.1.3	Enzymopathies and inherited red cell membrane defects	50
5.1.4	Thrombocytopenia	51
5.1.5	Secondary erythrocytosis	51
5.1.6	Hereditary haemochromatosis	52
5.1.7	Coagulation disorders, including haemophilia A and B	52
5.2	Cardiovascular diseases	52
5.2.1	Cardiovascular diseases	52
5.2.2	Hypertension	53
5.2.3	Venous thrombosis and thrombophlebitis	54
5.3	Respiratory diseases	54
5.4	Gastrointestinal diseases	56
5.5	Metabolic and endocrine diseases	56
5.5.1	Diabetes mellitus	56
5.5.2	Thyroid disease	56
5.6	Immunological diseases	57
5.7	Renal and urinary tract diseases	57

5.8	Central nervous system diseases	58
5.8.1	Cerebrovascular disease	58
5.8.2	Epilepsy	58
5.8.3	Dementia and other neurodegenerative disorders	58
5.8.4	Multiple sclerosis	58
5.9	Malignant diseases	59
5.10	Musculoskeletal disorders	60
5.11	Skin diseases	60
5.12	Psychiatric disorders	61
6	Donor medical history II: Medical and surgical interventions	63
6.1	Immunizations and vaccinations	63
6.1.1	Post-exposure prophylaxis	63
6.1.2	Live attenuated viral and bacterial vaccines	63
6.1.3	Inactivated vaccines	64
6.2	Medications	64
6.3	Blood transfusion and transplantation	65
6.3.1	Blood transfusion	65
6.3.2	Organ, stem cell and tissue transplantation	66
6.4	Diagnostic and surgical procedures	67
6.5	Alternative, complementary and traditional medicine	68
7	TTI and donor risk assessment	69
7.1	Transfusion-transmissible infections	69
7.2	Donor risk assessment	70
7.3	Viral infections	71
7.3.1	Hepatitis	71
7.3.2	Human immunodeficiency virus/Acquired immunodeficiency syndrome (HIV/AIDS)	74
7.3.3	HTLV I and HTLV II	75
7.3.4	Herpes viruses	76
7.3.5	Mosquito-borne viruses	76
7.3.6	Childhood illnesses: measles, rubella, mumps and chickenpox	78
7.3.7	Influenza	78
7.4	Protozoal infections	78
7.4.1	Malaria	79
7.4.2	Chagas disease / American trypanosomiasis	81
7.4.3	Babesiosis	82
7.4.4	Leishmaniasis	82

7.5	Bacterial infections	83
7.5.1	Syphilis, yaws and gonorrhoea	83
7.5.2	Lyme disease	84
7.5.3	Brucellosis	84
7.5.4	Yersinia infection	84
7.5.5	Salmonella, campylobacter, streptococcus and staphylococcus	85
7.5.6	Tuberculosis	85
7.6	Rickettsial infections	85
7.7	Prion diseases	86
7.7.1	Creutzfeldt-Jakob disease	86
7.7.2	Variant Creutzfeldt-Jakob disease	86
7.8	Country of residence and travel history	87
7.9	High-risk behaviours	87
7.9.1	High-risk sexual behaviours	87
7.9.2	Injecting drug use	88
7.9.3	Non-injected drugs and alcohol use	89
7.9.4	Detention in prisons and penal institutions	89
7.9.5	Cosmetic treatments and rituals	90
	Glossary	91
	References	93
	Acknowledgements	108
	Annexes	
1	International and national guidelines	114
2	Example of a blood donor questionnaire	115
3	Literature search strategies and decision-making process for formulation of recommendations (see http://www.who.int/bloodsafety/publications/bts_guideline1/en/index.html)	

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_28587

