CARING FOR NEWBORNS AND CHILDREN IN THE COMMUNITY

A TRAINING COURSE FOR COMMUNITY HEALTH WORKERS



Caring for the sick child in the community

PARTICIPANT'S MANUAL





WHO Library Cataloguing-in-Publication Data:

Caring for newborns and children in the community.

Contents: Manual for the community health worker -- Facilitator notes -- Photo book: identify signs of illness -- Chart booklet for the community health worker -- Training video.

1.Infant welfare. 2.Child welfare. 3.Child health services. 4.Infant, Newborn. 5.Child. 6.Community health services. 7.Teaching materials. I. World Health Organization. II. Title: caring for the sick child in the community: treat diarrhoea, confirmed malaria, and fast breathing.

ISBN 978 92 4 154804 5 (NLM classification: WA 320)

© World Health Organization 2011

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press through the WHO web site (http://www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

The materials on *Caring for the sick child in the community* were developed by Dr Jane E Lucas and reviewed by Dr Antonio Pio. The two have declared no conflict of interest. The target audience and content of the materials were defined after consultation with WHO and UNICEF staff in regional and country offices, and with external experts experienced in working with community health workers. The experts did not declare any conflict of interest. Staff in the WHO Department of Child and Adolescent Health and Development and in UNICEF were technically responsible and provided oversight to all aspects of the development work.

ACKNOWLEDGEMENTS

The WHO Department of Maternal, Newborn, Child and Adolescent Health initiated the development of the materials Caring for the sick child in the community, in collaboration with UNICEF, to increase access to essential health services and meet demands of countries for materials to train community health workers in the context of the Integrated Management of Childhood Illness (IMCI) strategy.

Bernadette Daelmans and Cathy Wolfheim of the WHO Department of Maternal, Newborn, Child and Adolescent Health led the development of the materials on caring for the sick child, with substantive contributions to the content from Rajiv Bahl and Wilson Were. Other members of the CAH working group on the community, including Jose Martines, Samira Aboubaker, Teshome Desta, Olivier Fontaine, Shamim Qazi, and Constanza Vallenas, also provided many valuable inputs throughout the process.

A particular debt of gratitude is owed to the principal developer, Dr Jane E Lucas. Her vast knowledge and experience of child health programmes is reflected in the design, content and methodology of the materials. A special word of thanks is also due to Dr Antonio Pio, who reviewed the draft version and provided invaluable comments.

WHO and UNICEF are grateful to all external contributors who made suggestions for the scope and content of the materials: Abhay Bang, Isabelle Cazottes, Lastone Chitembo, Luis Gutiérrez, Sharad Iyengar, Orphelia Khachatryan, Harish Kumar, Dharma Manandhar, B. Mayame, Pavitra Mohan, Vinod Paul, Mwale Rodgers, David Sanders, and Ellen Villate.

The materials on Caring for the sick child in the community are fully compatible with the IMCI guidelines for first-level health workers. They are intended to serve as an additional tool to implement the IMCI strategy in countries that support the provision of basic health services for children by community health workers

CONTENTS

| ACKNOWLEDGEMENTS | 1 |
|---|----------|
| INTRODUCTION: CARING FOR CHILDRE | N IN THE |
| COMMUNITY | 7 |
| A story: | 7 |
| Discussion: Care-seeking in the community | |
| What community health workers can do | |
| Course objectives | |
| Course methods and materials | |
| Take-home messages for this section: | 10 |
| GREET THE CAREGIVER AND CHILD | 11 |
| Who is the caregiver? | 11 |
| Exercise: Use the recording form (1) | 13 |
| Take-home messages for this section: | 13 |
| IDENTIFY PROBLEMS | 14 |
| ASK: What are the child's problems? | 14 |
| Cough | 14 |
| Diarrhoea (3 or more loose stools in 24 hours) | 15 |
| IF DIARRHOEA, Blood in stool | 15 |
| Fever (now or in the last 3 days) | |
| Convulsions | 15 |
| Difficult drinking or feeding | 15 |
| Vomiting | 16 |
| Any other problem | 16 |
| Record the child's problems | 16 |
| Exercise: Use the recording form to identify problems (2) | 18 |
| Role play demonstration and practice: Ask the caregiver | 19 |
| LOOK for signs of illness | 22 |
| Chest indrawing | 22 |
| Discussion: Chest indrawing | 24 |
| Video exercise: Identify chest indrawing | 25 |
| Fast breathing | 26 |
| Exercise: Identify fast breathing | |
| Video exercise: Count the child's breaths | 29 |
| Unusually sleeny or unconscious | 30 |

| Video exercise: Identify an unusually sleepy or unconscious child a of severe illness | |
|---|----------------|
| LOOK for signs of severe malnutrition | |
| Discussion: Severe malnutrition | |
| Red on MUAC strap | |
| Exercise: Use the MUAC strap | |
| Swelling of both feet | |
| Video demonstration: Look for severe malnutrition | |
| Take-home messages for this section: | 37 |
| DECIDE: REFER OR TREAT THE CHILD | 38 |
| Any DANGER SIGN: Refer the child | |
| Cough for 14 days or more | |
| Diarrhoea for 14 days or more | |
| Blood in stool | |
| Fever for last 7 days or more | |
| Convulsions | |
| Not able to drink or eat anything | |
| Vomits everything | |
| Exercise: Decide to refer (1) | |
| Chest indrawing | |
| Unusually sleepy or unconscious | |
| Red on MUAC strap | |
| Swelling of both feet | |
| Exercise: Decide to refer (2) | |
| SICK but NO DANGER SIGN: Treat the child | |
| Diarrhoea (less than 14 days AND no blood in stool) | 43 |
| Fever (less than 7 days) in a malaria area | 43 |
| Fast breathing | |
| Yellow on MUAC strap | 44 |
| Demonstration and practice: Use the recording form to decide to ref | er or treat 45 |
| Looking ahead | 50 |
| Take-home messages for this section: | 50 |
| | |
| TREATING CHILDREN IN THE COMMUNITY | 51 |
| A story: | 51 |
| USE GOOD COMMUNICATION SKILLS | 53 |
| Advise the caregiver on how to treat the child at home | 53 |
| Check the caregiver's understanding | 54 |
| Exercise: Use good communication skills | 56 |
| Checking questions | 57 |

| IF I | NO DANGER SIGN: TREAT THE CHILD AT HOME | 58 |
|------|---|-----|
| | Demonstration and practice: Decide on treatment for the child | 60 |
| | Take-home messages for this section: | |
| G۱ | VE ORAL MEDICINE AND ADVISE THE CAREGIVER | 63 |
| | Check the expiration date | 64 |
| | Exercise: Check the expiration date of medicine | |
| | If diarrhoea | |
| | Give ORS | 66 |
| | Prepare ORS solution | 67 |
| | Give ORS solution | 68 |
| | Store ORS solution | 69 |
| | Discussion: How to prepare and give ORS solution | 69 |
| | Give zinc supplement | 70 |
| | Help the caregiver give the first dose now | 71 |
| | Role play practice: Prepare and give ORS solution and zinc supplement | 73 |
| | If Fever (less than 7 days) in a malaria area | 74 |
| | Demonstration: Do a rapid diagnostic test for malaria | 74 |
| | Do a rapid diagnostic test (RDT) for malaria | 75 |
| | Organize the supplies | 75 |
| | Perform the test | 76 |
| | Exercise: Do an RDT | 77 |
| | Read the test results | 78 |
| | Exercise: Read the RDT results | |
| | If RDT is positive, give oral antimalarial AL | |
| | Help the caregiver give the first dose now | |
| | Exercise: Decide on the dose of an antimalarial to give a child | |
| | If fast breathing | |
| | Give oral amoxicillin | |
| | Exercise: Decide on the dose of amoxicillin to give a child | |
| | For ALL children treated at home: advise on home care | |
| | Advise to give more fluids and continue feeding | |
| | Advise on when to return | |
| | Advise caregiver on sleeping under a bednet (ITN) | |
| | Check the vaccines the child received | |
| | Exercise: Advise on the next vaccines for the child | |
| | Follow up the sick child treated at home | |
| | Follow up child in 3 days | |
| | Record the treatments given and other actions | |
| | Exercise: Decide on and record the treatment and advice for a child at home | |
| | Take-home messages for this section: | 103 |

| IF DANGER SIGN, REFER URGENILY: BEGIN | |
|---|-----|
| TREATMENT AND ASSIST REFERRAL | 104 |
| A story: | 104 |
| Begin treatment | 105 |
| Discussion: Select a pre-referral treatment | 111 |
| Assist referral | 112 |
| Explain why the child needs to go to the health facility | 112 |
| For any sick child who can drink, advise to give fluids and continue feeding. | 112 |
| Advise to keep child warm, if child is NOT hot with fever | 113 |
| Write a referral note | 113 |
| Arrange transportation, and help solve other difficulties in referral | 114 |
| Follow up the child on return at least once a week until child is well | 116 |
| Exercise: Complete a recording form and write a referral note | 117 |
| Take-home messages for this section: | 121 |
| Role play practice: Give oral amoxicillin to treat child at home | 122 |
| Take-home messages for this section: | 125 |
| PRACTISE YOUR SKILLS IN THE COMMUNITY | 126 |
| ANNEXES | 127 |
| ANNEX A. USING A THERMOMETER | 128 |
| ANNEX B. RAPID DIAGNOSTIC TEST (RDT) FOR MALARIA | 129 |
| ANNEX C. GIVING RECTAL ARTESUNATE SUPPOSITORY FOR PRE | - |
| REFERRAL TREATMENT OF FEVER | 132 |

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5_28637



