


GENERIC RISK ASSESSMENT MODEL FOR INDOOR RESIDUAL SPRAYING OF INSECTICIDES

First Revision (February 2011)



WHO Pesticide Evaluation Scheme
Department of Control of Neglected Tropical Diseases
Cluster of HIV/AIDS, Tuberculosis, Malaria and Neglected Tropical Diseases
&
Chemical Safety
Department of Public Health and Environment
Cluster of Health Security and Environment



**World Health
Organization**

Generic risk assessment model for indoor residual spraying of insecticides

First revision (February 2011)



**DEPARTMENT OF CONTROL OF NEGLECTED TROPICAL DISEASES
HIV/AIDS, TUBERCULOSIS, MALARIA AND NEGLECTED TROPICAL DISEASES
WHO PESTICIDE EVALUATION SCHEME
&
DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
HEALTH SECURITY AND ENVIRONMENT
CHEMICAL SAFETY**

WHO Library Cataloguing-in-Publication Data

Generic risk assessment model for indoor residual spraying of insecticides -- rev.1.

1.Insecticides - toxicity. 2.Mosquito control. 3.Risk assessment - methods. I.World Health Organization. II.WHO Pesticide evaluation scheme.

ISBN 978 92 4 150217 7

(NLM classification: WA 240)

© World Health Organization 2011

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press through the WHO web site (http://www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

WHO/HTM/NTD/WHOPES/2010.5 rev.1

Contents

Acknowledgements	v
Acronyms and abbreviations	vii
1. Introduction	1
2. Purpose	1
3. Background	2
3.1 Probabilistic vs. deterministic risk assessment models	2
3.2 Essential elements of a human health risk assessment model	3
4. The human health risk assessment model	4
4.1 Hazard assessment	4
4.1.1 Sources of data	4
4.1.2 Types of health hazard data	5
4.1.3 Range of toxicity tests normally required for pesticide approval	6
4.1.4 Evaluation of the toxicity information	7
4.1.5 Insecticides not recommended for use in indoor residual spraying	8
4.1.6 Other special considerations in hazard assessment	9
4.1.7 Dose-response assessment and setting of acceptable exposure levels..	9
4.2 Human exposure assessment	14
4.2.1 General parameters for exposure assessment	15
4.2.2 Algorithms used to estimate exposure and absorbed dose caused by indoor residual spraying of insecticides	19
4.2.3 Total exposure assessment	26
4.2.4 Uncertainties in exposure-determining factors and risk calculations	27
4.3 Risk characterization	27
5. Conclusions	28
6. Summary of the human health risk assessment model and a worked example	29
References	37

Acknowledgements

The first draft of these generic models was prepared by a drafting committee appointed by the World Health Organization (WHO) and composed of Dr M. Mäkinen, Finnish Institute of Occupational Health, Kuopio, Finland; Dr T. Santonen, Finnish Institute of Occupational Health, Helsinki, Finland; Dr A. Aitio, private consultant, Helsinki, Finland; Dr S. Dobson OBE, Birchtree Consultants Ltd., Peterborough, UK; and Dr M. Zaim, WHO Pesticide Evaluation Scheme (WHOPES), Geneva, Switzerland. None of the drafting committee members declared an interest in the subject matter of these guidelines.

The first draft of the guidelines was peer reviewed by individuals and institutions known for their expertise in the subject. The peer review group comprised Dr M. Baril, Institut de recherche Robert-Sauvé en santé et en sécurité au travail (IRSST), Montreal, Canada; Dr N. Besbelli, United Nations Environment Programme (UNEP), Geneva, Switzerland; Dr M. Birchmore, Syngenta Ltd., Basel, Switzerland; Dr Louise Blake, Syngenta Ltd., Surrey, UK; Dr R. Brown, WHO Programme on Chemical Safety, Geneva, Switzerland; Dr H. Bouwman, School of Environmental Sciences and Development, North-West University, Potchefstroom, South Africa; Dr R.S. Chhabra, National Institute of Environmental Health Sciences, Research Triangle Park, NC, USA; Dr O. Hänninen, National Institute for Health and Welfare (THL), Kuopio, Finland; Dr M. Latham, Manatee County Mosquito Control District, Palmetto, FL, USA; Professor Dr G.A. Matthews, Imperial College, Ascot, UK; Dr D.J. Miller, Dr M. Crowley and Dr J. Evans, United States Environmental Protection Agency (USEPA), Office of Pesticide Programs, Health Effects Division, Washington DC, USA; Dr L. Patty, Bayer Environmental Science, Lyon, France; Dr L. Tomaska and Dr M. Bulters, Australian Commonwealth Department of Health, Office of Chemical Safety, Canberra, Australia; Dr C. Vickers, WHO Programme on Chemical Safety, Geneva, Switzerland; and Dr O. Yamada, French Agency for Environmental and Occupational Health Safety (Afsset), Maisons-Alfort, France.

The above-mentioned drafting committee considered all comments received and prepared a second draft. This revised draft was reviewed and discussed at a WHO consultation held at the Finnish Institute of Occupational Health in Helsinki (Finland) on 23–25 June 2009. The experts appointed by WHO were Dr N. Besbelli, Dr H. Bouwman, Dr O. Hänninen, Dr M. Latham and Professor Dr G.A. Matthews. Dr C. Vickers (WHO Programme on Chemical Safety) and Dr M. Zaim (WHOPES) took part in reviewing the revised draft. None of the experts participating in the consultation declared an interest in the subject matter of these guidelines.

Based on experience from use gathered since 2009, and also to make use of emerging new information, the document was revised in February 2011 by the original drafting committee.

The WHO Department of Control of Neglected Tropical Diseases acknowledges the individuals and institutions listed above for their important contributions to this work. It also expresses its sincere thanks to Professor Matthews for his valuable support and technical advice in all

phases of the drafting process. The financial support provided by the Bill & Melinda Gates Foundation is also gratefully acknowledged.

The department welcomes feedback on the guidelines and suggestions for improvement from national programmes, research institutions and industry in order to improve future editions.

预览已结束，完整报告链接和二维码如下

https://www.yunbaogao.cn/report/index/report?reportId=5_28819