

Male Circumcision Services Quality Assessment Toolkit



**World Health
Organization**

WHO Library Cataloguing-in-Publication Data

Male circumcision services : quality assessment toolkit.

1.Circumcision, Male - methods. 2.Circumcision, Male - standards. 3.Quality assurance, Health care. 4.Delivery of health care - organization and administration. 5.Risk assessment. 6.HIV infections - prevention and control. I.World Health Organization.

ISBN 978 92 4 159751 7

(NLM classification: WC 503.6)

© World Health Organization 2009

All rights reserved. Publications of the World Health Organization can be obtained from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press, at the above address (fax: +41 22 791 4806; e-mail: permissions@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed in

Male Circumcision Services Quality Assessment Toolkit



**World Health
Organization**

Section 1

Contents

Acronyms.....	4
Acknowledgements	5
Section 1	
Guidance on using the toolkit	7
Purpose.....	8
How to use the toolkit.....	8
<i>Who conducts the assessment?</i>	8
<i>How is the toolkit organized?</i>	9
<i>What methods can be used to conduct the assessment?</i>	10
<i>How is the score interpreted?</i>	12
<i>What should be done with the assessment findings?</i>	13
<i>How often should an assessment be done?</i>	14
Section 2	
Male circumcision services quality assessment tool	15
Section 3	
Supporting tools.....	91

Acronyms

ABC	abstinence, being faithful, condom use
AIDS	acquired immunodeficiency syndrome
GUD	genitourinary disease
HIV	human immunodeficiency virus
IEC	information, education and counselling
IQC	internal quality control
MC	male circumcision
OR	operating room
PEP	post-exposure prophylaxis
STI	sexually transmitted infection
VCT	voluntary counselling and testing
WHO	World Health Organization

Acknowledgements

WHO would like to thank:

Joanne Ashton (Consultant, Joint Commission International) and Kim Dickson (Medical Officer, WHO) for producing this document.

Members of the WHO/UNAIDS Male Circumcision Working Group: Tim Farley, Catherine Hankins, Nicolai Lohse, George Schmid, Isabelle de Zoysa and Bruce Dick, who provided input and guidance.

WHO is especially grateful to:

Staff of the Rakai Health Sciences Programme in Uganda and the Nyanza Reproductive Health Society in Kenya, who assisted in field-testing the self-assessment tool and provided valuable feedback on the contents of the assessment, based on their knowledge and expertise in performing male circumcision services.

Jason Reed (Centers for Disease Control and Prevention, USA), Susan Settergren (Centers for Disease Control and Prevention, Co-Chair PEPFAR Gender Working Group, USA), and Kimberly Konkell (Health and Human Sciences Center for Faith-based and Community Initiatives, USA).

Participants in the Male Circumcision Regional Resource Team Orientation Workshop held in Johannesburg in September 2008: Naomi Bock (Centers for Disease Control and Prevention, USA), Kasonde Bowa (University Teaching Hospital, Zambia), Chiweni Chimbwete (Consultant, South Africa), Chester Morris (Consultant, South Africa), Vitalis Chipfakacha (South African Development Community, Botswana), David Cownie (Consultant, Namibia), Sibongile Dlodlu (UNAIDS, South Africa), Karin Hatzold (PSI, Zimbabwe), Steve Geuale (PSI, Zambia), Jessica Greene (PSI, Swaziland), Susan Kraemer (Consultant, Malawi), Steven Langwa (Consultant, Uganda), Anthony Kinghorn (Technical Support Facility, South Africa), Mores Loolpapit (Family Health International, Kenya), Tawanda Marufu (Consultant, Zimbabwe), Palesa Mohaleroe (Surgeon, Lesotho), Nomasomi Mpofu (Consultant, Zimbabwe), Jabbin Mulwanda (JHPIEGO, Zambia), Alphonse Mulumba (Southern Africa Development Community, Botswana), Maria, Nangolo-Rukoro (Consultant, South Africa), Frederick Ndede (EngenderHealth, Kenya), Morkor Newman (WHO, Harare), Walter Odhiambo (Marie Stopes, Kenya), Brian Pazvakavambwa (WHO, Harare), Andy Seale (UNAIDS, South Africa), Marion Stevens (Health Systems Trust, South Africa), Norah Stoops (Health Information Systems Programme, South Africa) and Anne Strode (University of Kwa-Zulu Natal, South Africa).

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_29318

