

KARL L. DEHNE, GABRIELE RIEDNER

SEXUALLY TRANSMITTED INFECTIONS AMONG ADOLESCENTS: THE NEED FOR ADEQUATE HEALTH SERVICES

Credit photos: WHO

Department of Child and Adolescent Health and Development (CAH)  
World Health Organization

20 Avenue Appia  
1211 Geneva 27  
Switzerland

tel + 41 22 791 32 81  
fax + 41 22 791 48 53  
email [cah@who.int](mailto:cah@who.int)  
web site <http://www.who.int/child-adolescent-health>

Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) GmbH  
Division for Health, Education and Social Protection

Postfach 5180  
65726 Eschborn, Germany

tel + 49 6196 79 0  
fax + 49 6196 79 1366  
email [srh@gtz.de](mailto:srh@gtz.de)  
web site [www.gtz.de/sexual-health](http://www.gtz.de/sexual-health)



KARL L. DEHNE, GABRIELE RIEDNER

# SEXUALLY TRANSMITTED INFECTIONS AMONG ADOLESCENTS

## THE NEED FOR ADEQUATE HEALTH SERVICES



World Health Organization



Deutsche Gesellschaft für  
Technische Zusammenarbeit (GTZ) GmbH

commissioned by:



Bundesministerium für  
wirtschaftliche Zusammenarbeit  
und Entwicklung

KARL L DEHNE, GABRIELE RIEDNER

# **SEXUALLY TRANSMITTED INFECTIONS AMONG ADOLESCENTS**

**THE NEED FOR ADEQUATE HEALTH SERVICES**

WHO Library Cataloguing-in-Publication Data

Dehne, K. L.

Sexually transmitted infections among adolescents : the need for adequate health services / Karl L. Dehne, Gabriele Riedner; edited by Marge Berer.

1. Sexually transmitted diseases - prevention and control 2. Sexual behavior 3. Adolescent health services 4. Outcome assessment (Health care) 5. Socioeconomic factors 6. Delivery of health care I. Riedner, Gabriele II. Berer, Marge.

ISBN 92 4 156288 9

(NLM classification: WA 330)

© World Health Organization and Deutsche Gesellschaft fuer Technische Zusammenarbeit (GTZ) GmbH 2005

All rights reserved. This publication can be obtained from Marketing and Dissemination, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel: +41 22 791 2476; fax: +41 22 791 4857; email: bookorders@who.int).

Extracts of the information in the document may be reviewed, reproduced or translated for research or private study but not for sale or for use in conjunction with commercial purposes. Any use of information from this document should be accompanied by an acknowledgement of WHO and GTZ as the source. Reproduction or translation of substantial portions of this document, or any use other than for educational or other non-commercial purposes, require explicit, prior authorization in writing. Applications and enquiries should be addressed to WHO Marketing and Dissemination, at the above address (fax: +41 22 791 4806; email: permissions@who.int) and to GTZ Public Relations and Marketing (fax: +49 6196 79 801160; e-mail: postmaster@gtz.de).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization and GTZ concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO and GTZ to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either express or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or GTZ be liable for damages arising from its use. The named authors alone are responsible for the views expressed in this publication.

# Table of contents

Acknowledgements	vii
Foreword	ix
Executive summary	xi
Abbreviated and full names of contributing organizations	xiii
<b>Chapter 1. Introduction</b>	<b>1</b>
1.1 Adolescents' need for STI services	1
1.2 Contents of this review	2
<b>Chapter 2. Methods of data collection, data sources and responses</b>	<b>3</b>
2.1 Methods and sources	3
2.2 Published literature	3
2.3 Individual informants	4
<b>Chapter 3. Adolescence, sexuality and STIs</b>	<b>5</b>
3.1 Adolescence - a dynamic concept	5
Legal markers	5
Socioeconomic and rural-urban differences	6
The diminishing role of the family	6
3.2 The sociocultural context of adolescent sexuality	7
Age at first sex and premarital sexual activity	7
Frequency of sex, number of partners and sexual practices	8
Gender differences	9
Selling and exchanging sex for money and favours	10
Same-sex partners among young men	11
Sexual coercion and violence	11
Condom use	12
3.3 STIs among adolescents: epidemiological evidence	13
Chlamydia infections and gonorrhoea among adolescent girls	13
Chlamydia and gonorrhoea among adolescent boys	14
Other sexually transmitted infections	15
<b>Chapter 4. Barriers to effective STI care for adolescents</b>	<b>17</b>
4.1 Asymptomatic infections and the lack of simple diagnostic methods	17
4.2 Adolescents' knowledge, attitudes and communication skills related to STIs	18
Inadequate sources of information	18
Lack of knowledge of STIs	19

	Adolescents' lack of awareness of the seriousness of STIs	19
	Shame, embarrassment and failure to communicate about sexual health matters	19
4.3	Adolescents' lack of access to STI services	20
	Low population coverage of adult STI services	20
	Restrictive policies	20
	Unsympathetic service providers	21
	Operational barriers	21
	Financial barriers	21
4.4	STI treatment-seeking behaviours of adolescents in developing countries	22
	Delays in care-seeking	22
	Care-seeking in the private and informal sectors	22
	Ineffective case management	23
	Compliance with treatment	24
<b>Chapter 5. STI services designed for adolescents</b>		25
5.1	Adolescent reproductive health policies	25
	Implementation has lagged behind	25
	STI services often absent from adolescent programmes	26
	Models of adolescent STI care delivery	26
5.2	Public sector clinic and hospital-based, adolescent-friendly STI services	26
	Geographical overview	26
	Making public STI services adolescent-friendly	29
5.3	School-based health services and other school health service links	31
	Geographical overview	31
	Referrals from schools to health services	32
5.4	Stand-alone adolescent reproductive health clinics, multipurpose centres for young people, community-based and private STI services	33
	Adolescent Reproductive Health Clinics	33
	Multipurpose centres for young people	34
	Community-based STI services and referrals	36
	Private sector STI services	37
	Financing	38
<b>Chapter 6. Measuring success</b>		39
6.1	Indicators and targets for evaluating STI services for adolescents	39
	Indicators proposed for STI services and for adolescent-specific health services	39
	Efforts made to monitor and evaluate STI services for adolescents	40
6.2	Calculating population coverage of adolescent-friendly STI services	40
	National coverage	41
	STI service coverage in individual cities	41
6.3	Assessing the quality of STI care for adolescents	42
	Improvements in provider attitudes and communication skills	42
	Availability and turnover of staff	43
	Operational improvements	43
	Quality of STI case management	44

6.4	STI service utilization	44
	STI case-loads	45
	Relative importance of STI versus other RH service clients	46
	Distribution of STI clients by sex	46
	Age distribution	48
	Marital, in-school and out-of-school and high- and low-risk status of adolescent STI clients	48
	Type of STIs treated	49
6.5	Impact evaluation	49
6.6	Cost effectiveness	50
	Cost-effectiveness of STI programmes	50
	Costing and cost-effectiveness of STI services for adolescents	50
	Referrals, coupons and cost-recovery	51
<b>Chapter 7. Summary and conclusions</b>		52
7.1	Further research and documentation needs	52
	Epidemiological research	52
	Evaluations of existing adolescent STI services	52
	Evaluations that are STI service-specific	53
7.2	Summary of findings concerning the profile of adolescents needing STI care	54
	Adolescent sexuality and STIs	54
	Regional differences	54
	Core groups and beyond	54
	Gender differentials	55
	Differences between STI and reproductive health service client profiles	55
7.3	Summary findings concerning existing services for adolescents with STIs	55
	Objectives of existing services	56
	Targeting high-risk groups	56
	Adolescent-friendliness	56
	Health commodities	57
	Service delivery models	57
	Service utilization	57
	Cost-effectiveness	58
7.4	Policy and strategy issues to be addressed	58
	Better balance between prevention and care	58
	Integrated reproductive health services not always the answer	59
	Emphasis on STI services for adolescent boys and young men?	59
7.5	The way forward in adolescent STI service development	59
	Epidemiological diagnosis first	60
	School-based service delivery where chlamydia screening is affordable	60
	Adolescent-friendly public sector STI services in high prevalence areas	60
	STI diagnosis and treatment in reproductive health clinics: selective strategies	61
	Establishing new STI services for particularly vulnerable young people	62
	New formats and combinations of services	62
	Private sector approaches to STI services	62
<b>References</b>		64



## Acknowledgements

We would like to thank all those who contributed their ideas, provided data or critically reviewed earlier drafts of this review and suggested improvements. All the agencies, programmes and nongovernmental organizations that have provided material input to this review are listed on pages 12 and 13. We extend our thanks to each of them, and especially to those individuals who met with us personally and provided information.

Special thanks are due to V. Chandra-Mouli of the Department of Child and Adolescent Health and Development, Francis Ndowa and Sibongile Dlodlu of the Department of Reproductive Health and Research, Sexually Transmitted Infections Team, all of the World Health Organization, and Ulrich Vogel and Cordula Schümer of GTZ, for providing access to key materials on adolescent health services and critically reviewing several versions of this document. We also gratefully acknowledge the assistance of Annette Kapaun and Karina Kielmann, who wrote sections of the very first draft, and of Yvette Baeten, Marge Berer, Loretta Brabin, Heiner Grosskurth, Marie Laga and Gaby Supé, who critically reviewed selected chapters or later versions. Karin Polit assisted with literature searches and the bibliography. Any errors or omissions are the responsibility of the authors alone.

Parts of two chapters in this book were previously published as articles in *Reproductive Health Matters* Vol. 9, No. 17, May 2001.

预览已结束，完整报告链接和二维码如下

[https://www.yunbaogao.cn/report/index/report?reportId=5\\_29921](https://www.yunbaogao.cn/report/index/report?reportId=5_29921)