THE GLOBAL BURDEN OF DISEASE 2004 UPDATE



THE GLOBAL BURDEN OF DISEASE

2004 UPDATE

WHO Library Cataloguing-in-Publication Data

The global burden of disease: 2004 update.

1.Cost of illness. 2.World health - statistics. 3.Mortality - trends. I.World Health Organization.

ISBN 978 92 4 156371 0 (NLM classification: W 74)

© World Health Organization 2008

All rights reserved. Publications of the World Health Organization can be obtained from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press, at the above address (fax: +41 22 791 4806; e-mail: permissions@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed in Switzerland.

Acknowledgements

This publication was produced by the Department of Health Statistics and Informatics in the Information, Evidence and Research Cluster of WHO. The 2004 update of the Global burden of disease was primarily carried out by Colin Mathers and Doris Ma Fat, in collaboration with other WHO staff, WHO technical programmes and UNAIDS. The report was written by Colin Mathers, Ties Boerma and Doris Ma Fat.

Valuable inputs were provided by WHO staff from many departments and by experts outside WHO. While it is not possible to name all those who contributed to this effort, we would like to note the assistance and inputs provided by Elisabeth Aahman, Steve Begg, Bob Black, Cynthia Boschi-Pinto, Somnath Chatterji, Richard Cibulskis, Simon Cousens, Chris Dye, Mercedes de Onis, Dirk Engels, Majid Ezzati, Eric Fevre, Marta Gacic Dobo, Marc Gastellu-Etchegorry, Biswas Gautam, Peter Ghys, Kim Iburg, Mie Inoue, Robert Jakob, Jean Jannin, Sherrie Kelly, Eline Korenremp, Andre L'Hours, Joy Lawn, Steve Lim, Silvio Mariotti, Erin McLean, Nirmala Naidoo, Mike Nathan, Donatella Pascolini, Annette Pruess-Ustun, Juergen Rehm, Serge Resnikoff, Lisa Rogers, Gojke Roglic, Alexander Rowe, Florence Rusciano, Robert Salvatella, Lale Say, Suzanne Scheele, Kenji Shibuya, Perez Simaro, Andrew Smith, Karen Stanecki, Kate Strong, Jose Suaya, Jos Vandelaer, Theo Vos, Catherine Watt, Brian Williams and Lara Wolfson.

Figures were prepared by Florence Rusciano and design and layout were by Reto Schürch.

Contents

Tabl	es	V
Figu	ires	vi
Abb	reviations	vii
Pai	rt 1: Introduction	1
0ve	rview of the Global Burden of Disease Study	2
Wha	at is new in this update for 2004?	3
Reg	ional estimates for 2004	5
Pai	rt 2: Causes of death	7
1.	Deaths in 2004: who and where?	8
2.	Deaths by broad cause groups	8
3.	Leading causes of death	11
4.	Cancer mortality	12
5.	Causes of death among children aged under five years	14
	Causes of death among adults aged 15–59 years	
7.	Years of life lost: taking age at death into account	21
8.	Projected trends in global mortality: 2004–2030	22
Pai	rt 3: Disease incidence, prevalence and disability	27
9.	How many people become sick each year?	
	Cancer incidence by site and region	
11.	How many people are sick at any given time?	31
12.	Prevalence of moderate and severe disability	31
13.	Leading causes of years lost due to disability in 2004	36
Pai	rt 4: Burden of disease: DALYs	39
14.	Broad cause composition	40
15.	The age distribution of burden of disease	42
16.	Leading causes of burden of disease	42
17.	The disease and injury burden for women	46
	The growing burden of noncommunicable disease	
19.	The unequal burden of injury	48
20.	Projected burden of disease in 2030	49
An	nex A: Deaths and DALYs 2004: Annex tables	53
Tabl	le A1: Deaths by cause, sex and income group in WHO regions, estimates for 2004	54
Tabl	le A2: Burden of disease in DALYs by cause, sex and income group in WHO regions, estimates for 2004	60
Tabl	le A3: Deaths by cause and broad age group, countries grouped by income per capita, 2004	66
Tabl	le A4: Burden of disease in DALYs by cause and broad age group, countries grouped by income per capita, 2004	69
Tabl	le A5: Deaths by cause, sex and age group, countries grouped by income per capita, 2004	72
Tahl	a A6. Rurdan of disease in DALYs by cause say and age group, countries grouped by income per capita, 2004	9.4

World Health Organization

Annex B: Data sources and methods		97
	Population and all-cause mortality estimates for 2004	
B2.	Estimation of deaths by cause	98
B3.	Causes of death for children aged under five years	103
B4.	YLD revisions	106
B5.	Cause-specific revisions and updates	106
B6.	Prevalence of long-term disability	116
B7.	Projections of mortality and burden of disease	117
B8.	Uncertainty of estimates and projections	117
Anı	nex C: Analysis categories and mortality data sources	119
Tabl	e C1: Countries grouped by WHO region and income per capita, 2004	120
	e C2: Countries grouped by income per capita, 2004	
Tabl	e C3: GBD cause categories and ICD codes	122
Tabl	e C4: Data sources and methods for estimation of mortality by cause, age and sex	126
Ref	ferences	133

Tables

Table 1: Leading causes of death, all ages, 2004	11
Table 2: Leading causes of death by income group, 2004	12
Table 3: Ranking of most common cancers among men and women according to the number of deaths, by cancer site and region, 2004.	13
Table 4: Distribution of child deaths for selected causes by selected WHO region, 2004	16
Table 5: Incidence of selected conditions by WHO region, 2004	28
Table 6 : Cancer incidence by site, by WHO region, 2004	30
Table 7: Prevalence of selected conditions by WHO region, 2004	32
Table 8: Disability classes for the GBD study, with examples of long-term disease and injury sequelae falling in each class	33
Table 9: Estimated prevalence of moderate and severe disability for leading disabling conditions by age,	
for high-income and low- and middle-income countries, 2004	35
Table 10: Leading global causes of YLD by sex, 2004	37
Table 11: Leading global causes of YLD, high-income and low- and middle-income countries, 2004	37
Table 12: Leading causes of burden of disease (DALYs), all ages, 2004	43
Table 13: Leading causes of burden of disease (DALYs), countries grouped by income, 2004	44
Table 14: Leading causes of burden of disease (DALYs) by WHO region, 2004	45
Table A1: Deaths by cause, sex and income group in WHO regions, estimates for 2004	54
Table A2: Burden of disease in DALYs by cause, sex and income group in WHO regions, estimates for 2004	60
Table A3: Deaths by cause and broad age group, countries grouped by income per capita, 2004	66
Table A4: Burden of disease in DALYs by cause and broad age group, countries grouped by income per capita, 2004	69
Table A5: Deaths by cause, sex and age group, countries grouped by income per capita, 2004	72
Table A5a: Deaths by age, sex, cause in the world, 2004	72
Table A5b: Deaths by age, sex, cause in high-income countries, 2004	75
Table A5c: Deaths by age, sex, cause in middle-income countries, 2004	<mark>78</mark>
Table A5d: Deaths by age, sex, cause in low-income countries, 2004	81
Table A6: Burden of disease in DALYs by cause, sex and age group, countries grouped by income per capita, 2004	84
Table A6a: DALYs by age, sex, cause in the world, 2004	84
Table A6b: DALYs by age, sex, cause in high-income countries, 2004	87
Table A6c: DALYs by age, sex, cause in middle-income countries, 2004	90
Table A6d: DALYs by age, sex, cause in low-income countries, 2004	93
Table B1: Methods and data for cause-of-death estimation for 2004, by WHO region	100
Table B2: Distribution of deaths by stratum from the Chinese sample vital registration system (VR)	
and the Disease Surveillance Points system (DSP)	101
Table B3: Mapping of severe neonatal infection deaths to GBD cause categories	105
Table B4: Data inputs and assumptions for estimation of postneonatal deaths by cause	105
Table B5: Estimated malaria cases (episodes of illness) by WHO region, 2004	109
Table C1: Countries grouped by WHO region and income per capita, 2004	120
Table C2: Countries grouped by income per capita, 2004	121
Table C3: GBD cause categories and ICD codes	122
Table (A) Data sources and methods for estimation of mortality by cause age and sev	126

Figures

Map 1: Low- and middle-income countries grouped by WHO region, 2004	[
Figure 1: Distribution of age at death and numbers of deaths, world, 2004	9
Figure 2: Per cent distribution of age at death by region, 2004	9
Figure 3: Distribution of deaths in the world by sex, 2004	10
Figure 4: Distribution of deaths by leading cause groups, males and females, world, 2004	10
Figure 5: Distribution of causes of death among children aged under five years and within the neonatal period, 2004	14
Figure 6: Child mortality rates by cause and region, 2004	15
Figure 7: Adult mortality rates by major cause group and region, 2004	17
Figure 8: Mortality rates among men and women aged 15–59 years, region and cause-of-death group, 2004	18
Figure 9: Adult mortality rates among those aged 15–59 years in the African Region, by sex and major cause group, 2004	19
Figure 10: Causes of injury deaths among men aged 15–59 years, Eastern Mediterranean Region, 2004	20
Figure 11: Adult mortality among those aged 15–59 years in the low- and middle-income countries of the European Region	
by sex and major cause grouping, 2004	20
Figure 12: Adult mortality among those aged 15–59 years in the low- and middle-income countries of the Americas	
by sex and major cause grouping, 2004	21
Figure 13: Comparison of the proportional distribution of deaths and YLL by region, 2004	22
Figure 14: Comparison of the proportional distribution of deaths and YLL by leading cause of death, 2004	23
Figure 15: Projected deaths by cause for high-, middle- and low-income countries	24
Figure 16: Projected global deaths for selected causes, 2004–2030	25
Figure 17: Decomposition of projected changes in annual numbers of deaths by income group, 2004-2030	26
Figure 18: Age-standardized incidence rates for cancers by WHO region, 2004	30
Figure 19: Estimated prevalence of moderate and severe disability by region, sex and age, global burden of disease estimates for 2004.	33
Figure 20 : YLL, YLD and DALYs by region, 2004	4
Figure 21: Burden of disease by broad cause group and region, 2004	4
Figure 22: Age distribution of burden of disease by income group, 2004	42
Figure 23: Leading causes of disease burden for women aged 15–44 years, high-income countries,	
and low- and middle-income countries, 2004	46
Figure 24: Major causes of disease burden for women aged 15–59 years, high-income countries,	

预览已结束, 完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5_30100



