Environmental Burden of Disease Series, No. 8

Burden of disease attributable to selected environmental factors and injuries among Europe's children and adolescents

Francesca Valent D'Anna Little Giorgio Tamburlini Fabio Barbone





WHO Library Cataloguing-in-Publication Data

Burden of disease attributable to selected environmental factors and injuries among Europe's children and adolescents / Francesca Valent ... [et al.]

(Environmental burden of disease series / series editors: Annette Prüss-Ustün [et al.]; no. 8)

1.Environmental pollution - adverse effects 2.Wounds and injuries - chemically induced 3.Infant 4.Child 5.Adolescent 6.Cost of illness 7.Infant mortality 8.Epidemiologic studies 9.Risk assessment - methods I.Valent, Francesca.. II.Prüss-Üstün, Annette. III.Series.

ISBN 92 4 159190 0 ISSN 1728-1652 (NLM classification: WA 671)

Suggested Citation

Valent F, Little D, Tamburlini G, Barbone F. *Burden of disease attributable to selected environmental factors and injuries among Europe's children and adolescents*. Geneva, World Health Organization, 2004 (WHO Environmental Burden of Disease Series, No. 8).

© World Health Organization 2004

All rights reserved. Publications of the World Health Organization can be obtained from Marketing and Dissemination, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel: +41 22 791 2476; fax: +41 22 791 4857; email: bookorders@who.int). Requests for permission to reproduce or translate WHO publications — whether for sale or for noncommercial distribution — should be addressed to Publications, at the above address (fax: +41 22 791 4806; email: permissions@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

The World Health Organization does not warrant that the information contained in this publication is complete and correct and shall not be liable for any damages incurred as a result of its use.

The named authors alone are responsible for the views expressed in this publication.

Printed by the WHO Document Production Services, Geneva, Switzerland.

Table of contents

Preface	xi
Affiliations and acknowledgements.	xiii
List of abbreviations	xiv
Summary	XV
1. Outdoor air pollution	1
1.1 Introduction1.2 Methods1.3 Results1.4 Discussion1.5 Conclusions	1 4 8
2. Indoor air pollution (solid fuel use)	11
2.1 Introduction 2.2 Methods 2.3 Results 2.4 Discussion 2.5 Conclusions	
3. Water, sanitation and hygiene	16
3.1 Introduction 3.2 Methods 3.3 Results 3.4 Discussion 3.5 Conclusions	
4. Lead	
4.1 Introduction 4.2 Methods 4.3 Results 4.4 Discussion 4.5 Conclusions	21 26 29
5. Injuries	32
5.1 Introduction 5.2 Methods 5.3 Results 5.4 Discussion 5.5 Conclusions	32 33
6. Summary results	50
7. Uncertainties	59
8. Conclusions	61
References	62

Annex 1	Member States of the WHO European mortality subregions	72
Annex 2	Strength of evidence for the association between solid-fuel use and	
	health outcomes	75
Annex 3	Exposure data for household use of solid fuels	76
Annex 4	Definition of scenarios and relative risks for water, sanitation and	
	hygiene	78
	Discounting and age weighting.	

List of figures

Figure 4.1	DALYs due to MMR, assuming lead-prevention activity	28
Figure 5.1	Proportion of deaths from unintentional and intentional injuries, by age group and European subregion, year 2001	41
Figure 5.2	Proportion of deaths from external causes of unintentional injury, by age group, EUR A	42
Figure 5.3	Proportion of deaths from external causes of unintentional injury, by age group, EUR B.	42
Figure 5.4	Proportion of deaths from external causes of unintentional injury, by age group, EUR C	43
Figure 5.5	Proportion of deaths from external causes of intentional injury, by age group, EUR A	43
Figure 5.6	Proportion of deaths from external causes of intentional injury, by age group, EUR B	44
Figure 5.7	Proportion of deaths from external causes of intentional injury, by age group, EUR C	44
Figure 5.8	Proportion of DALYs for external causes of unintentional injury, by age group, EUR A	45
Figure 5.9	Proportion of DALYs for external causes of unintentional injury, by age group, EUR B	45
Figure 5.10	Proportion of DALYs for external causes of unintentional injury, by age group, EUR C	46
Figure 5.11	Proportion of DALYs for external causes of intentional injury, by age group, EUR A	46
Figure 5.12	Proportion of DALYs for external causes of intentional injury, by age group, EUR B	47
Figure 5.13	Proportion of DALYs for external causes of intentional injury, by age group, EUR C	47
Figure 6.1	Proportion of all-cause deaths attributable to environmental factors among European children 0–4 years of age	54
Figure 6.2	Proportion of all-cause deaths attributable to environmental factors among European children 5–14 years of age	
Figure 6.3	Proportion of all-cause deaths attributable to environmental factors among European children 15–19 years of age	
Figure 6.4	Proportion of all-cause DALYs attributable to environmental factors among European children 0–4 years of age	
Figure 6.5	Proportion of all-cause DALYs attributable to environmental factors among European children 5–14 years of age	

Figure 6.6	Proportion of all-cause DALYs attributable to environmental	
	factors among European children 15–19 years of age	57
Figure A1.1	WHO European subregions	73

List of tables

Table 1.1	Child and infant mortality related to PM10 exposure	4
Table 1.2	Deaths attributable to outdoor air pollution calculated by applying the relative risk to ARI ^a mortality, children 0–4 years of age, EUR A	6
Table 1.3	Deaths attributable to outdoor air pollution calculated by applying the relative risk to ARI mortality, children 0–4 years of age, EUR B	6
Table 1.4	Deaths attributable to outdoor air pollution calculated by applying the relative risk to ARI mortality, children 0–4 years of age, EUR C	6
Table 1.5	Summary table of the burden of deaths attributable to outdoor air pollution in Europe calculated by applying the relative risk to ARI mortality, children 0–4 years of age ^a	7
Table 1.6	Deaths attributable to outdoor air pollution calculated by applying the relative risk to all-cause mortality, children 0–4 years of age, EUR A	7
Table 1.7	Deaths attributable to outdoor air pollution calculated by applying the relative risk to all-cause mortality, children 0–4 years of age, EUR B	7
Table 1.8	Deaths attributable to outdoor air pollution calculated by applying the relative risk to all-cause mortality, children 0–4 years of age, EUR C	8
Table 1.9	Summary table of the burden of deaths attributable to outdoor air pollution calculated by applying the relative risk to all-cause mortality, European children 0–4 years of age ^a	8
Table 2.1	Exposure of children (0–14 years old) to indoor smoke from solid fuels, European subregions ^a	12
Table 2.2	Acute lower respiratory infections in children 0–4 years of age attributable to household use of solid fuels, EUR A, year 2001	13
Table 2.3	Acute lower respiratory infections in children 0–4 years of age attributable to household use of solid fuels, EUR B, year 2001	13
Table 2.4	Acute lower respiratory infections in children 0–4 years of age attributable to household use of solid fuels, EUR C, year 2001	13
Table 2.5	Summary of the burden of ALRI in children 0–4 years of age attributable to household solid fuel use in EUR, year 2001	14
Table 2.6	Asthma in children 5–14 years of age attributable to household use of solid fuels, EUR A, year 2001	14
Table 2.7	Asthma in children 5–14 years of age attributable to household use of solid fuels, EUR B, year 2001	14

Table 2.8	Asthma in children 5–14 years of age attributable to household use of solid fuels, EUR C, year 2001	14
Table 3.1	Distribution of population by exposure scenario, EUR subregions	18
Table 3.2	Estimates of attributable diarrhoea deaths and DALYs in children 0–14 years of age caused by poor water, sanitation and hygiene in 2001	18
Table 3.3	Estimates of attributable diarrhoea deaths and DALYs in children 0–14 years of age for different scenarios, EUR B and EUR C	19
Table 3.4	Estimates of the burden of diarrhoeal disease in European children 0–14 years of age attributable to poor water, sanitation and hygiene, 2001	19
Table 4.1	Blood lead levels in children 0–4 years old, by subregion.	26
Table 4.2	Loss of IQ points, MMR and DALYs in children 0–4 years of age caused by environmental exposure to lead, for 2001	27
Table 4.3	The burden of mild mental retardation in children 0–4 years old attributable to blood lead, for EUR	28
Table 5.1	Injury deaths by age and sex, EUR A, year 2001	35
Table 5.2	Injury deaths by age and sex, EUR B, year 2001	36
Table 5.3	Injury deaths by age and sex, EUR C, year 2001	37
Table 5.4	Injury DALYs by age and sex, EUR A, year 2001	38
Table 5.5	Injury DALYs by age and sex, EUR B, year 2001	39
Table 5.6	Injury DALYs by age and sex, EUR C, year 2001	40
Table 5.7	Burden of injury in Europe, children 0–19 years of age, 2001	40
Table 6.1	Burden of disease for outdoor air pollution in children 0–4 years old, by EUR subregion	51
Table 6.2	Burden of disease for indoor air pollution in children 0–14 years old, by EUR subregion	52
Table 6.3	Burden of disease for water, sanitation, and hygiene in children	52

预览已结束, 完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5_30128



