

The
WORLD
HEALTH
REPORT
2002

Reducing Risks,
Promoting Healthy Life

WHO Library Cataloguing in Publication Data.

The World health report: 2002: Reducing risks, promoting healthy life.

1.Risk factors 2.Risk assessment 3.Epidemiologic methods 4.Cost of illness 5.Risk management - methods 6.Public policy 7.Quality of life 8.World health - trends 1.Title II.Title: Reducing risks, promoting life.

ISBN 92 4 156207 2 (NLM Classification: WA 540.1) ISSN 1020-3311

© World Health Organization 2002

All rights reserved.

Publications of the World Health Organization can be obtained from Marketing and Dissemination, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel: +41 22 791 2476; fax: +41 22 791 4857; email: bookorders@who.int). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to Publications, at the above address (fax: +41 22 791 4806; email: permissions@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

The World Health Organization does not warrant that the information contained in this publication is complete and correct and shall not be liable for any damages incurred as a result of its use.

Information concerning this publication can be obtained from:

World Health Report World Health Organization 1211 Geneva 27, Switzerland Email: whr@who.int Fax: (41-22) 791 4870

Copies of this publication can be ordered from: bookorders@who.int

This report was produced under the overall direction of Christopher Murray and Alan Lopez. The two principal authors were Anthony Rodgers (Chapters 2 & 4) and Patrick Vaughan (Chapters 3 & 6). The Overview and Chapter 1 were written by Thomson Prentice. All of the above contributed to Chapter 7. Chapter 5 was written by Tessa Tan-Torres Edejer, David Evans and Julia Lowe.

The writing team was greatly assisted by Michael Eriksen, Majid Ezzati, Susan Holck, Carlene Lawes, Varsha Parag, Patricia Priest and Stephen Vander Hoorn.

Valuable input was received from an internal advisory group and a regional reference group, the members of which are listed in the Acknowledgements. Additional help and advice were appreciated from regional directors, executive directors and members of their staff at WHO headquar-

ters, and senior policy advisers to the Director-General.

The risk assessments in this report were coordinated by Majid Ezzati, Alan Lopez and Anthony Rodgers, with statistical analyses by Stephen Vander Hoorn. The assessments are the result of several years' work by many scientists worldwide. These scientists are listed in the Acknowledgements, as are the many WHO specialists who worked on the cost-effectiveness assessment section.

The report was edited by Barbara Campanini, with assistance from Angela Haden. The figures, maps and tables were coordinated by Michel Beusenberg. Translation coordination and other administrative and production support for the World Health Report team was provided by Shelagh Probst. Further assistance was given by Patrick Unterlerchner. The index was prepared by Liza Furnival.

Contents

Message from the Director-General	ix
Overview	xiii
Introduction	xiii
Enemies of health, allies of poverty	xiv
Recommended actions	xvii
Summary of chapters	xviii
Chapter 1	
Protecting the people	1
Reducing the risks	3
The risk transition	4
Chapter 2	
Defining and assessing risks to health	7
What are risks to health?	9
Why focus on risks to health?	9
Development of risk assessment	10
Key goals of global risk assessment	11
Standardized comparisons and common outcome measures	12
Assessing protective as well as hazardous factors Including proximal and distal causes	13 13
Assessing population-wide risks as well as high-risk individuals	15
Including risks that act together to cause disease	15
Using best available evidence to assess certain and probable risks to health	16
Assessing avoidable as well as attributable burden	17
Overview of risk assessment methods	18
Choosing and defining risks to health	20
Estimating current risk factor levels and choosing counterfactuals	22
Estimating current and future disease and injury burden	22
Estimating risk factor–burden relationships	22
Estimates of avoidable burden	23
Estimating the joint effects of multiple risks	23
Estimates of uncertainty	24
Chapter 3	
Perceiving risks	27
Changing perceptions of risk	29
Questioning the science in risk assessment	30
Emerging importance of risk perceptions	31
Risk perceptions	32
Defining and describing risks to health	34 35
Influences on risk perceptions Framing the information on risks	36
Social and cultural interpretations of risk	36
Perceptions of health risks in developing countries	37
Importance of risk communications	38

Influence of special interest groups on risk perceptions	39
Importance of mass media in risk perceptions	42
Importance of perceptions in successful risk prevention	43
Chapter 4	
Quantifying selected major risks to health	47
Risks to health and socioeconomic status	49
Rates of poverty across the world	50
Relationships between risk factor levels and poverty	50
Potential impact on risk factor levels of shifting poverty distributions	51
Burden of disease and injury attributable to selected risk factors	52
Childhood and maternal undernutrition	52
Underweight	52
Iodine deficiency	54
Iron deficiency	54
Vitamin A deficiency	55
Zinc deficiency	55
Lack of breastfeeding	56
Other diet-related risk factors and physical inactivity	57
High blood pressure	57
High cholesterol	58
Obesity, overweight and high body mass	60
Low fruit and vegetable intake	60
Physical inactivity	61
Sexual and reproductive health	61
Unsafe sex	62
Lack of contraception	63
Addictive substances	64
Smoking and oral tobacco use	64
Alcohol use	65
Illicit drug use	66
Environmental risks	67
Unsafe water, sanitation and hygiene	68
Urban air pollution	68
Indoor smoke from solid fuels	69
Lead exposure	70
Climate change	71
Other environmental risks to health	72
Selected occupational risks	73
Work-related risk factors for injuries	74
Work-related carcinogens	75
Work-related airborne particulates	75
Work-related ergonomic stressors	76
Work-related noise	76
Other risks to health	77
Unsafe health care practices	78
Abuse and violence	79
Global patterns of risks to health	81
Putting it all together – what is possible?	85
Estimates of the joint effects of selected risk factors	85
Estimates of avoidable burden	88
The need for cost-effectiveness analyses	92

Contents

Chapter 5	
Some strategies to reduce risk	99
From health risks to policy	101
What strategies can reduce risks to health?	103
Risk reduction and behaviour	103
Individual-based versus population approaches to risk reduction	104
The role of government and legislation	105
Different ways of attaining the same goal	106
Technical considerations for cost-effectiveness analysis	106
Choosing interventions to reduce specific risks	108
Childhood undernutrition Childhood undernutrition (and breastfeeding)	109 110
Iron deficiency	110
Vitamin A deficiency	111
Zinc deficiency	112
Other individual-based interventions focusing on children	112
under five years of age	112
Combined interventions to reduce risks in children under	
five years of age	113
Blood pressure and cholesterol	114
Blood pressure	115
Cholesterol	116
Combining interventions to reduce the risk of cardiovascular events	
Low fruit and vegetable intake	118
Sexual and reproductive health Unsafe sex and HIV/AIDS	118 118
Addictive substances	123
Smoking	123
Environmental risks	127
Unsafe water, sanitation, and hygiene	127
Occupational risk factors	129
Health practices	130
Unsafe health care injections	130
Combining risk reduction strategies	131
Policy implications	137
Chapter 6	
Strengthening risk prevention policies	145
Choosing priority strategies for risk prevention	147
Population-based interventions or high-risk individual targets?	147
Distal or proximal risks to health?	148
Primary or secondary prevention?	148
Managing the risk prevention process	149
Identifying priority risk factors for prevention	150
Assessment and management of highly uncertain risks	151
Ethical considerations in risk prevention	153
Risk communications and the role of governments	154
Strengthening the scientific evidence base Urgent need for international action	155 156
	1.00

Chapter 7		
Preventin	G RISKS AND TAKING ACTION	159
	prevention means focusing on risks	161
	ces some common, large and certain risks to health	162
	l affordable preventive interventions are available	163
	he gap between potential and actual benefit: a key research priority	164
	wide prevention strategies: key to risk reduction	164
	t responsibility for health	165
	ng major risks to health will promote sustainable development	165
	ng major risks to health can reduce inequities in society	165
Govern	nments need to prioritize and focus on the most important risks	165
Exercis	ing stewardship means fulfilling the government's responsibility	
to p	rotect its citizens	166
Recommend		166
Reducing ris	ks, promoting healthy life	167
STATISTICAL	LANNEX	169
Explanatory No	tes	170
Annex Table 1	Basic indicators for all Member States	170
Annex Table 2		178
Affrex Table 2	Deaths by cause, sex and mortality stratum in WHO Regions, estimates for 2001	186
Annex Table 3	Burden of disease in DALYs by cause, sex and mortality stratum	100
Ailliex lable 3	in WHO Regions, estimates for 2001	192
Annex Table 4	Healthy life expectancy (HALE) in all Member States, estimates	1/2
THITICA HADIC 4	for 2000 and 2001	198
Annex Table 5	Selected National Health Accounts indicators for all	
	Member States, estimates for 1995 to 2000	202
Annex Table 6	Summary prevalence of selected risk factors by subregion, 2000	218
Annex Table 7	Selected population attributable fractions by risk factor, sex and	
	level of development (% DALYs for each cause), 2000	220
Annex Table 8	Distribution of attributable mortality and DALYs by risk factor,	
	age and sex, 2000	223
Annex Table 9	Attributable mortality by risk factor, level of development and sex, 2000	224
Annex Table 10	Attributable DALYs by risk factor, level of development and sex, 2000	225
Annex Table 11		
	in WHO Regions, 2000	226
Annex Table 12	Attributable DALYs by risk factor, sex and mortality stratum in	
	WHO Regions, 2000	228
Annex Table 13	Attributable years of life lost (YLL) by risk factor, sex and	
	mortality stratum in WHO Regions, 2000	230
Annex Table 14	,	
	and leading 10 diseases and injuries, high mortality	
. m.11	developing countries, 2000	232
Annex Table 15	Major burden of disease – leading 10 selected risk factors	
	and leading 10 diseases and injuries, low mortality	222
A TE 11 46	developing countries, 2000	232
Annex lable 16	Major burden of disease – leading 10 selected risk factors	222
	and reading the diseases and inhines developed countries. (IIIII)	131

Contents vii

TABLES Table 4.1 Population impact fractions by subregion for counterfactual scenario of population moving from living on < US\$ 2 per day to > US\$ 2 per day Table 4.2 Selected major risks to health: childhood and maternal undemutrition for a population moving from living on < US\$ 2 per day to > US\$ 2 per day Table 4.3 Selected major risks to health: other diet-related factors and physical inactivity for lable 4.5 Selected major risks to health: addictive substances Table 4.6 Selected major risks to health: addictive substances Table 4.5 Selected major risks to health: occupational hazards Table 4.7 Selected major risks to health: occupational hazards Table 4.8 Selected major risks to health: occupational hazards Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 Table 4.10 Attributable DaLI's by risk factor, level of development and sex, 2000 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALI's Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1-2="" and="" us\$=""> US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALI's in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease att</us\$>		Member States by WHO Region and Lity stratum	233
TABLES Table 4.1 Population impact fractions by subregion for counterfactual scenario of population moving from living on < US\$ 2 per day to > US\$ 2 per day 5 per day 5 per day 5 selected major risks to health: childhood and maternal undernutrition selected major risks to health: other diet-related factors and physical inactivity 5 per day 6 p	ACKNO	WLEDGEMENTS	236
Table 4.1 Population impact fractions by subregion for counterfactual scenario of population moving from living on < US\$ 2 per day to > US\$ 2 per day 5 Table 4.2 Selected major risks to health: childhood and maternal undernutrition Selected major risks to health: sexual and reproductive health Selected major risks to health: sexual and reproductive health Selected major risks to health: sexual and reproductive health Selected major risks to health: sexual and reproductive health Selected major risks to health: sexual and reproductive health Selected major risks to health: sexual and reproductive health Selected major risks to health: sexual and reproductive health Selected major risks to health Table 4.5 Selected other risks to health Table 4.8 Selected other risks to health Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions 128 Tigure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking 12 Figure 2.2 Causal chains of exposure leading to disease 14 Figure 2.3 The importance of population distributions of exposure 17 Figure 2.4 Attributable and avoidable burdens 19 Figure 2.5 Key inputs for assessment of attributable and avoidable burdens 19 Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk 21 Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion 50 Figure 4.2 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) 50 Figure 4.5 Burden of disease attributab</us\$>	Index		239
Table 4.2 Selected major risks to health: childhood and maternal undernutrition 52 Table 4.3 Selected major risks to health: childhood and maternal undernutrition 52 Table 4.4 Selected major risks to health: sexual and reproductive health 52 Table 4.5 Selected major risks to health: sexual and reproductive health 64 Table 4.6 Selected major risks to health: environmental factors 65 Table 4.7 Selected major risks to health: environmental factors 67 Table 4.8 Selected other risks to health: occupational hazards 78 Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 79 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 70 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors 71 Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs 71 Table 5.2 Time gains from improved access to water and sanitation in subregions 71 Table 5.3 Cost-effective interventions 72 Table 5.3 Cost-effective interventions 73 Table 5.4 Example of distributional transitions for blood pressure and for tobacco smoking 75 Tigure 2.1 Example of distributional transitions of exposure 76 Tigure 2.2 Attributable and avoidable burdens 77 Tigure 2.4 Attributable and avoidable burdens 78 Tigure 2.5 Key inputs for assessment of attributable and avoidable burdens 79 Tigure 2.6 Determination of attributable and avoidable burdens 79 Tigure 3.1 Hazards for dread and risk 79 Tigure 4.2 Burden of disease attributable to childhood and maternal undernutrition 79 Tigure 4.2 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) 79 Tigure 4.6 Burden of disease attributable to bexual and reproductive health risks 79 Tigure 4.6 Burden of disease attributable to bobacco, alcohol and illicit drugs	TABLES		
of population moving from living on < US\$ 2 per day to > US\$ 2 per day Table 4.2 Selected major risks to health: childhood and maternal undernutrition 52 Selected major risks to health: childhood and maternal undernutrition 53 Selected major risks to health: sexual and reproductive health 54 Selected major risks to health: sexual and reproductive health 55 Selected major risks to health: environmental factors 66 Table 4.5 Selected major risks to health: environmental factors 67 Table 4.7 Selected major risks to health: environmental factors 68 Selected other risks to health 79 Table 4.8 Selected other risks to health 79 Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 87 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 88 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors 89 Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs 80 Table 5.2 Time gains from improved access to water and sanitation in subregions 81 AFR-D and EMR-D 82 Table 5.3 Cost-effective interventions 81 Tigure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking 81 Tigure 2.2 Causal chains of exposure leading to disease 82 Tigure 2.3 The importance of population distributions of exposure 83 Tigure 2.4 Attributable and avoidable burdens 84 Tigure 2.5 Key inputs for assessment of attributable and avoidable burdens 85 Tigure 2.6 Determination of attributable burden, taking account of prevalence and relative risk 86 Tigure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion 87 Tigure 4.2 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) 88 Tigure 4.5 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) 89 Tigure 4.6 Burden of disease attributable to be</us\$>	Table 4.1	Population impact fractions by subregion for counterfactual scenario	
Table 4.2 Selected major risks to health: childhood and maternal undernutrition 52 Selected major risks to health: other diet-related factors and physical inactivity 53 Selected major risks to health: sexual and reproductive health 54 Selected major risks to health: sexual and reproductive health 55 Selected major risks to health: sexual and reproductive health 56 Selected major risks to health: environmental factors 57 Table 4.6 Selected major risks to health: environmental factors 58 Selected major risks to health: occupational hazards 59 Selected major risks to health 50 Selected major risks to health: occupational hazards 50 Selected major risks to health 51 Table 4.7 Selected other risks to health 52 Table 4.8 Selected other risks to health 53 Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 50 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 61 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors 62 Selected risk factors 63 Table 4.11 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs 64 Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs 65 Table 5.2 Time gains from improved access to water and sanitation in subregions 66 AFR-D and EMR-D 67 Table 5.2 Time gains from improved access to water and sanitation in subregions 67 AFR-D and EMR-D 68 Table 4.11 Ranking of distributional transitions for blood pressure and for tobacco smoking 69 Tigure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking 60 Tigure 2.2 Causal chains of exposure leading to disease 61 Tigure 2.3 The importance of population distributions of exposure 62 Tigure 2.4 Attributable and avoidable burdens 63 Tigure 2.5 Key inputs for assessment of attributable and avoidable burdens 64 Tigure 2.6 Determination of attributable burden, taking account of prevalence and relative risk 65			51
Table 4.4 Selected major risks to health: sexual and reproductive health Table 4.5 Selected major risks to health: addictive substances Fable 4.6 Selected major risks to health: environmental factors Table 4.8 Selected major risks to health: occupational hazards Table 4.9 Selected major risks to health: occupational hazards Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1-2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undermutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion)</us\$>	Table 4.2		52
Table 4.5 Selected major risks to health: addictive substances 644 Selected major risks to health: environmental factors 75 Table 4.7 Selected major risks to health: occupational hazards 76 Table 4.8 Selected other risks to health: occupational hazards 77 Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 78 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 79 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors 70 Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs 70 Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D 71 Table 5.3 Cost-effective interventions 72 Table 5.3 Cost-effective interventions 73 Table 5.3 Cost-effective interventions 74 Table 5.3 Cost-effective interventions 75 Table 5.4 Example of distributional transitions for blood pressure and for tobacco smoking 76 Tigure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking 76 Tigure 2.2 Causal chains of exposure leading to disease 77 Table 5.2 Time gains from improved access to water and sanitation in subregions 78 Table 5.2 Time gains from improved access to water and sanitation in subregions 78 Table 5.2 Time gains from improved access to water and sanitation in subregions 79 Table 5.2 Time gains from improved access to water and sanitation in subregions 70 Table 5.2 Time gains from improved access to water and sanitation in subregions 71 Table 5.2 Time gains from improved access to water and sanitation in subregion in table to disease 71 Table 5.2 Time gains from improved access to water and sanitation in subregion in the disease attributable burdens in the factors and for tobacco smoking in the factors and prevalence and relative risk 72 Table 5.2 Time gains from improved access to water and sanitation in subregion in the factors and for tobacco and relative risk 75 Tigure 4.2 Prevale	Table 4.3	Selected major risks to health: other diet-related factors and physical inacti	vity 57
Table 4.6 Selected major risks to health: environmental factors Table 4.7 Selected major risks to health: occupational hazards Table 4.8 Selected other risks to health Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions Table 5.3 Cost-effective interventions Tigure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1-2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undermutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Table 4.4	Selected major risks to health: sexual and reproductive health	62
Table 4.7 Selected major risks to health: occupational hazards Table 4.8 Selected other risks to health Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1-2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Table 4.5		64
Table 4.8 Selected other risks to health Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1-2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to boscoo, alcohol and illicit drugs</us\$>	Table 4.6	,	
Table 4.9 Attributable mortality by risk factor, level of development and sex, 2000 Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1-2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Table 4.7	Selected major risks to health: occupational hazards	
Table 4.10 Attributable DALYs by risk factor, level of development and sex, 2000 Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 4.1 Hazards for dread and risk Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	Table 4.8		79
Table 4.11 Ranking of estimated attributable and avoidable burdens of 10 leading selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undermutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>			
selected risk factors Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undermutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>			87
Table 5.1 Leading 10 selected risk factors as percentage causes of disease burden measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions Table 5.2 Cost-effective interventions Table 5.3 Cost-effective interventions Table 5.4 Examples of distributable burden pleasure and for tobacco and reproductive health risks Table 5.4 Cost-effective interventions Table 5.5 Time gains from improved access to water and sanitation in subregion and for tobacco and for tobacco, alcohol and illicit drugs	Table 4.11	· ·	
measured in DALYs Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions 134 FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	m11 = 4		91
Table 5.2 Time gains from improved access to water and sanitation in subregions AFR-D and EMR-D Table 5.3 Cost-effective interventions FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Table 5.1		400
AFR-D and EMR-D Table 5.3 Cost-effective interventions 134 FIGURES Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	T11 F0		102
Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Table 5.2		100
Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Table 5.3		
Figure 2.1 Example of distributional transitions for blood pressure and for tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>			
tobacco smoking Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Figure	S	
Figure 2.2 Causal chains of exposure leading to disease Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Figure 2.1	Example of distributional transitions for blood pressure and for	
Figure 2.3 The importance of population distributions of exposure Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>		tobacco smoking	12
Figure 2.4 Attributable and avoidable burdens Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Figure 2.2	Causal chains of exposure leading to disease	14
Figure 2.5 Key inputs for assessment of attributable and avoidable burdens Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Figure 2.3	The importance of population distributions of exposure	17
Figure 2.6 Determination of attributable burden, taking account of prevalence and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>			19
and relative risk Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>			20
Figure 3.1 Hazards for dread and risk Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>	Figure 2.6		
Figure 4.1 Prevalence of moderate underweight in children by average daily household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>			
household income (<us\$ 1,="" 1–2="" and="" us\$="">US\$ 2 per day), by subregion Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs</us\$>			33
Figure 4.2 Burden of disease attributable to childhood and maternal undernutrition (% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	Figure 4.1		
(% DALYs in each subregion) Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	T: 4.0		50
Figure 4.3 Burden of disease attributable to diet-related risk factors and physical inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	Figure 4.2		
inactivity (% DALYs in each subregion) Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	T: 4.0	· ·	53
Figure 4.4 Nine examples of continuous associations between risks and disease Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	Figure 4.3	* *	F.0
Figure 4.5 Burden of disease attributable to sexual and reproductive health risks (% DALYs in each subregion) 62 Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	Eigen 4 4		
(% DALYs in each subregion) 62 Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	-		55
Figure 4.6 Burden of disease attributable to tobacco, alcohol and illicit drugs	rigure 4.5		60
	Eiguro 4 (62
	1 1guit 4.0		65

Figure 4.7	Burden of disease attributable to selected environmental risk factors (% DALYs in each subregion)	69
Figure 4.8	Amount and patterns of burden of disease in developing and developed countries	81
Figure 4.9	*	82
Figure 4.1	Burden of disease attributable to 10 selected leading risk factors,	
F: 4.4	by level of development and type of affected outcome	83
	1 Disease and risk factor burden	89
Figure 4.1	2 Estimated gain in healthy life expectancy with removal of 20 leading risk factors by subregion	90
Figure 4.1	3 Attributable DALYs in 2000 and avoidable DALYs in 2010 and 2020	
	following a 25% risk factor reduction from 2000, for 10 leading	
	selected risk factors	91
Figure 5.1	Distributions of systolic blood pressure in middle-aged men in	
	two populations	105
Figure 5.2	Cost and effects of selected interventions in subregion AFR-D	132
Figure 5.3	Cost and effects of selected interventions in subregion AMR-B	138
Figure 6.1	Case studies of distribution shifting and cardiovascular disease in	
	Finland and Japan	148
Figure 6.2	Implementing risk prevention	149
BOXES		
D 44		
	Countries endorse the focus on risks to health	6
	Countries endorse the focus on risks to health What does risk mean?	6 11
Box 2.1 Box 2.2	What does risk mean? Protective factors	11 13
Box 2.1 Box 2.2 Box 2.3	What does risk mean? Protective factors Risks to health across the life course	11 13 15
Box 2.1 Box 2.2 Box 2.3 Box 2.4	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention	11 13 15 16
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease	11 13 15 16 18
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors	11 13 15 16 18 24
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public	11 13 15 16 18 24 31
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1 Box 3.2	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public Men's sexual behaviour related to risk of HIV infection and pregnancy	11 13 15 16 18 24 31 35
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1 Box 3.2 Box 3.3	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public Men's sexual behaviour related to risk of HIV infection and pregnancy Framing risks to health: choosing presentations	11 13 15 16 18 24 31 35 36
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1 Box 3.2 Box 3.3 Box 3.4	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public Men's sexual behaviour related to risk of HIV infection and pregnancy Framing risks to health: choosing presentations Perceptions of risk in Burkina Faso	11 13 15 16 18 24 31 35 36 38
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1 Box 3.2 Box 3.3 Box 3.4	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public Men's sexual behaviour related to risk of HIV infection and pregnancy Framing risks to health: choosing presentations Perceptions of risk in Burkina Faso The Bovine Spongiform Encephalopathy (BSE) Inquiry, United Kingdom	11 13 15 16 18 24 31 35 36 38
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1 Box 3.2 Box 3.3 Box 3.4 Box 3.5	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public Men's sexual behaviour related to risk of HIV infection and pregnancy Framing risks to health: choosing presentations Perceptions of risk in Burkina Faso The Bovine Spongiform Encephalopathy (BSE) Inquiry, United Kingdom Strategies for fuelling public controversy	11 13 15 16 18 24 31 35 36 38 40
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1 Box 3.2 Box 3.3 Box 3.4 Box 3.5 Box 3.6 Box 3.7	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public Men's sexual behaviour related to risk of HIV infection and pregnancy Framing risks to health: choosing presentations Perceptions of risk in Burkina Faso The Bovine Spongiform Encephalopathy (BSE) Inquiry, United Kingdom Strategies for fuelling public controversy Junking science to promote tobacco	11 13 15 16 18 24 31 35 36 38 40 40
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1 Box 3.2 Box 3.3 Box 3.4 Box 3.5 Box 3.6 Box 3.7	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public Men's sexual behaviour related to risk of HIV infection and pregnancy Framing risks to health: choosing presentations Perceptions of risk in Burkina Faso The Bovine Spongiform Encephalopathy (BSE) Inquiry, United Kingdom Strategies for fuelling public controversy Junking science to promote tobacco Environmental tobacco smoke	11 13 15 16 18 24 31 35 36 38 40 40 41 66
Box 2.1 Box 2.2 Box 2.3 Box 2.4 Box 2.5 Box 2.6 Box 3.1 Box 3.2 Box 3.3 Box 3.4 Box 3.5 Box 3.6 Box 3.7 Box 4.1 Box 4.2	What does risk mean? Protective factors Risks to health across the life course Population-wide strategies for prevention Multiple causes of disease Estimating the combined effects of cardiovascular disease risk factors Perceptions of risk by scientists and the general public Men's sexual behaviour related to risk of HIV infection and pregnancy Framing risks to health: choosing presentations Perceptions of risk in Burkina Faso The Bovine Spongiform Encephalopathy (BSE) Inquiry, United Kingdom Strategies for fuelling public controversy Junking science to promote tobacco	11 13 15 16 18 24 31 35 36 38 40 40

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5_30273



