



WHO recommendations on **Antenatal corticosteroids** for improving preterm birth outcomes



World Health
Organization

human
reproduction
programme **hrp.**
research for impact
UNDP · UNFPA · UNICEF · WHO · WORLD BANK

WHO recommendations on **Antenatal corticosteroids for improving preterm birth outcomes**

WHO recommendations on antenatal corticosteroids for improving preterm birth outcomes

ISBN 978-92-4-005729-6 (electronic version)

ISBN 978-92-4-005730-2 (print version)

© World Health Organization 2022

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: “This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition”.

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (<http://www.wipo.int/amc/en/mediation/rules/>).

Suggested citation. WHO recommendations on antenatal corticosteroids for improving preterm birth outcomes. Geneva: World Health Organization; 2022. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at <http://apps.who.int/iris>.

Sales, rights and licensing. To purchase WHO publications, see <http://apps.who.int/bookorders>. To submit requests for commercial use and queries on rights and licensing, see <https://www.who.int/copyright>.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Contents

Acknowledgements	v
Acronyms and abbreviations	vi
Executive Summary	vii
Introduction	vii
Target audience	vii
Recommendation development methods	vii
Recommendations	vii
1. Introduction	1
1.1 Background	1
1.2 Rationale and objectives	1
1.3 Aim	2
1.4 Target audience	2
1.5 Identification of priority questions and outcomes	2
1.6 Scope of the recommendations	2
2. Methods	4
2.1 Executive Guideline Steering Group	4
2.2 WHO Steering Group	4
2.3 Guideline Development Group (GDG)	4
2.4 Evidence Synthesis Group	4
2.5 External partners and observers	5
2.6 External Review Group	5
2.7 Evidence identification and retrieval	5
2.8 Quality assessment and grading of the evidence	6
2.9 Formulation of recommendations	7
2.10 Management of declaration of interests	8
2.11 Decision-making during the GDG meetings	8
2.12 Document preparation and peer review	8
3. Recommendations and supporting evidence	9
3.1 Recommendations	9
4. Dissemination and implementation of the recommendations	15
4.1 Dissemination and evaluation	15
4.2 Implementation considerations	15
4.3 Anticipated impact on the organization of care and resources	17
4.4 Monitoring and evaluating guideline implementation	18
5. Research implications	19
6. Updating the recommendations	20
7. References	21
Annex 1. External experts and WHO staff involved in the preparation of the recommendations	23
Annex 2. Priority outcomes used in decision-making	26
Annex 3. Summary and management of declared interests from GDG members	27
Web Annex. Evidence-to-Decision Frameworks and Summary of Findings Tables	29
https://apps.who.int/iris/bitstream/handle/10665/363132/9789240057319-eng.pdf	

Acknowledgements

The Department of Sexual and Reproductive Health and Research and the Department of Maternal, Newborn, Child and Adolescent Health and Ageing, World Health Organization (WHO) gratefully acknowledge the contributions of many individuals and organizations to the updating of these recommendations. Work on this update was initiated by Olufemi Oladapo and Doris Chou of the WHO Department of Sexual and Reproductive Health and Research. Joshua Vogel of the Burnet Institute, Australia, co-ordinated the evidence synthesis and guideline update. Doris Chou, Tina Lavin and Olufemi Oladapo of the WHO Department of Sexual and Reproductive Health and Research and Rajiv Bahl, Maurice Bucagu, Ayesha De Costa and Karen Edmond of the WHO Department of Maternal, Newborn, Child and Adolescent Health were members of the WHO Steering Group, that managed the recommendation updating process.

The World Health Organization (WHO) extends its sincere thanks to Shabina Ariff, Elena Ateva, Maria Laura Costa, Bissallah Ekele, David Haas, Caroline Homer, Jeeva Sankar, Joy Lawn, Pisake Lumbiganon, Silke Mader, Elizabeth Molyneux, Ashraf Nabhan, Hiromi Obara, Zahida Qureshi, Sarah Stock, Khalid Yunis and Hoang Thi Tran who served as members of the Guideline Development Group (GDG), and to Gary Darmstadt for chairing the GDG meetings. We also thank Edgardo Abalos, Philippa Middleton, Suneeta Mittal, Siddarth Ramji and Haroon Saloojee who were members of the External Review Group.

The WHO appreciates the contributions of the members of the Executive Guideline Steering Group during the scoping and prioritization exercise that took place as part of the WHO maternal and perinatal health guideline updating process. Special thanks to the authors of the systematic reviews used in this update for their assistance and collaboration in updating them.

Meghan Bohren, Jenny Cao, Leanne Jones, Frances Kellie, Jen Ramson, Joshua Vogel and Myfanwy Williams were members of the Evidence Synthesis Group, who performed quality appraisal of the scientific evidence, and drafted the corresponding narrative evidence summaries and Evidence-to-Decision frameworks. Jen Ramson and Joshua Vogel drafted the final recommendation document with substantial input from Doris Chou, Tina Lavin and Olufemi Oladapo, before it was reviewed by other members of the WHO Steering Group and the GDG. The External Review Group peer reviewed the final document prior to clearance by WHO for publication.

WHO acknowledges the following observers at the technical consultations, who represented various organizations: Deborah Armbruster and Leah Greenspan (United States Agency for International Development), Hilary Gammill (Bill & Melinda Gates Foundation), William Keenan (International Pediatric Association), Andrew Shennan (International Federation of Gynecology and Obstetrics) and Ingela Wiklund (International Confederation of Midwives).

The contributions from staff at the WHO regional offices are gratefully acknowledged, including Bremen de Mucio (Pan American Health Organization [PAHO]/Latin American Center of Perinatology, Women and Reproductive Health [CLAP/WR]), Adrian Pablo Duran (PAHO), Rodolfo Gomez (PAHO), Karima Gholbzouri (Regional Office for the Eastern Mediterranean [EMRO]), Chandani Anoma Jayathilaka (Regional Office for South-East Asia [SEARO]), Nancy Kidula (Regional Office for Africa [AFRO]), Oleg Kuzmenko (Regional Office for Europe [EURO]), Priya Mannava (Regional Office for the Western Pacific [WPRO]), Triphonie Nkurunziza (AFRO), Neena Raina (SEARO), Suzanne Serruya (PAHO) and Howard Sobel (WPRO).

WHO acknowledges the financial support for this work received from USAID and the UNDP/UNFPA/UNICEF/WHO/World Bank Special Programme of Research, Development and Research Training in Human Reproduction (HRP), Department of Sexual and Reproductive Health and Research. WHO would like to emphasize that donors did not participate in any decision related to the guideline development process, including the composition of research questions, membership of the guideline development groups, conducting and interpretation of systematic reviews, or formulation of the recommendations. The views of the funding bodies have not influenced the content of these recommendations.

Acronyms and abbreviations

BMGF	Bill & Melinda Gates Foundation
CerQUAL	Confidence in the Evidence from Reviews of Qualitative Research
CPAP	Continuous positive airway pressure
DOI	Declaration of Interest
EtD	Evidence-to-Decision
FIGO	International Federation of Gynecology and Obstetrics
GA	Gestational age
GDG	Guideline Development Group
GSG	Guideline Steering Group
GRADE	Grading of Recommendations, Assessment, Development, and Evaluation
ICM	International Confederation of Midwives
IPA	International Pediatric Association
IM	Intramuscular
MCA	[WHO Department of] Maternal, Newborn, Child and Adolescent Health
mg	Milligram
MMAT	Mixed Methods Appraisal Tool
PICO	population (P), intervention (I), comparison (C), outcome (O)
RoB 2	[Cochrane] Risk of Bias 2
ROBINS-I	Risk Of Bias In Non-randomized Studies of Interventions
SRH	[WHO Department of] Sexual and Reproductive Health and Research
UNDP	United Nations Development Programme
UNFPA	United Nations Population Fund
UNICEF	United Nations Children's Fund
USAID	United States Agency for International Development
WHO	World Health Organization

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_31949

